

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

✓ Staged tympanoplasty	G. D. L. SMYTH and A. G. KERR	757
✓ Pathology of the human spiral ligament	ABDEL F. ALLAM	765
✓ A clinical study and the surgical management of two hundred and fifty cases of tubercular cervical lymphadenitis	MISS S. G. MULAY and L. H. HIRANANDANI	781 ✓
✓ Cancer of the epipharynx: report on 18 patients	D. GUDNASON	795 ✓
✓ Research techniques in voice pathology	I. MALCOLM FARQUHARSON and J. K. F. ANTHONY	809 ✓
✓ A comparison of idiopathic laryngeal paralysis in man and horse	W. R. COOK	819 ✓
Clinical records—		
✓ Sclerosing angioma of pinna	JITENDRA SHAH and WADI Y. NASSAR	837 ✓
✓ Traumatic arteriovenous aneurysm arising from the internal maxillary artery	PHILIP M. BINNS and RAYMOND C. READ	843 ✓
✓ Plexiform neuroma of the larynx and neck	ARVID F. JOHNSEN and ARNDT J. DUVALL	849
✓ Goldenhar's syndrome with inner ear defects	T. H. KIRKHAM	855
✓ Aspergilloma of the ethmoid	F. D. MARTINSON, A. F. ALLI and B. M. CLARK	857
General notes		863

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £8 net, U.S.A. \$23

Monthly, £1 net, post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.


9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press, ASHFORD, Kent.

© *Journal of Laryngology and Otology Ltd.*, 1970

Don't think!



This knob will do it for you!

We believe at Amplivox that life is difficult enough and that audiometry can become altogether too complicated with the complex tests that are being done today.

We believe that an audiometer should do all the thinking for you. With the Model 103 Clinical Audiometer all audiometric tests can be reached by switching only one knob.

One knob and you can switch to 18 different functions:

- Pure Tone Air Conduction
- Pure Tone Bone Conduction
- Narrow Band Masking
- Wide Band (White Noise) Masking
- Alternate Binaural Loudness Balance
- Simultaneous Binaural Loudness Balance
- Speech, Live Voice
- Speech, Recorded
- Speech with Masking
- SISI Test
- Lüscher DL Test
- Audiometer Weber Test
- SAL Test
- Rainville Test
- Shifting Voice
- Stenger Test
- Modified Stenger Test
- Tone Decay Test

Model 103 engineering is functional engineering with the operator in mind. We believe the audiometer should do the thinking and that the operator should have an easy relaxed life.


**To: Amplivox Hearing Conservation Ltd.
Beresford Avenue, Wembley, Middlesex
Tel: 01-902 8991**

NAME _____

ADDRESS _____

- Please send demonstrator
- Please send leaflet

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



PETERS CLINIC AUDIOMETERS AND BÉKÉSY
ARE THE IDEAL TOOLS FOR MORE ADVANCED AUDIOMETRY


The Audiometers offer :

- Two continuously variable attenuators accurate to 1 db.
- SISI Test (built-in) and automatic alternate loudness balance switching.
- Maximum attenuation of 120 db for loudness discomfort level tests.
- Narrow band SYNCHRONOUS masking (a new semi-automatic masking technique).
- Full speech test facilities with white noise masking.
- Plug-in circuit boards and operator output checks.
- Conversion to a true BÉKÉSY AUDIOMETER at will.
- Extra features not listed are offered by the AP/6 compared to the AP/5 AUDIOMETER.

write for full details to:

ALFRED PETERS AND SONS LTD
GELL STREET SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



the drop that soothes and clears infected ears

soothes by reducing inflammation with hydrocortisone
clears by rapidly destroying virtually all bacteria commonly
found in ear infections

OTOSPORIN drops contain polymyxin B sulphate, neomycin sulphate
and hydrocortisone in a bland suspension designed to facilitate penetration.
Supplied in dropper bottles of 5 ml. Full information is available on request.

*Trade Mark

OTOSPORIN



Burroughs Wellcome & Co.
(The Wellcome Foundation Ltd.) Dartford, Kent

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$22.00 per year Canada \$23.00 per year
Foreign \$23.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

222 PINE LAKE ROAD, COLLINSVILLE,
ILLINOIS 62234

For advertisement space in this Journal


apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

New for the infected ear OTOSEPTIL eardrops



Containing a broad spectrum antibiotic and possessing antifungal properties

Candida and aspergillus are found in about 20% of cases of otitis externa.

Otoseptil ear drops destroy both pathogenic bacteria and fungi commonly found in ear infections.

Otoseptil ear drops contain:

Neomycin Undecylenate – antibacterial and antifungal.

Tyrosolicin – active against gram-positive cocci.

(Containing gramicidin and tyrocin).

Hydrocortisone alcohol – anti-inflammatory.

Ethylene oxide polyoxypropylene glycol condensate – to ensure rapid tissue contact.

Otoseptil ear drops control infection, relieve pain, erythema and itching.

Neomycin Undecylenate was researched by H R Napp Ltd.

Presentation : 8 ml bottle with separate dropper.

Samples and full information available to the medical profession upon request.

H R Napp Ltd Watford WD2 7RA England




A new product by Napp – Developed by International Research Group. Dedicated to Physician and Patient for over 40 years.



instrumentation for laryngeal surgery

A selection from the
KLIENSSASSER INSTRUMENTS SET



Details of complete
range of laryngeal micro-surgery
instruments available on request.

DOWN S

DOWN BROS. AND MAYER & PHELPS LIMITED

IN ENGLAND

Down Bros. and Mayer & Phelps Ltd., Church Path, Mitcham, Surrey, England

IN CANADA

Down Bros. and Mayer & Phelps Ltd., 261 Davenport Road, Toronto 5, Ontario

IN U.S.A.

Downs Surgical Inc., 655 73rd Street, Niagara Falls, N.Y. 14304

JOL 870

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Oto-, Rhino-, Laryngology

*Important, up-to-date, and scientifically accurate abstracts
of reports from the world's biomedical literature dealing with*

Oto-, Rhino-, Laryngology

are brought to your desk in this monthly publication.

First published in 1948,

Oto-, Rhino-, Laryngology currently contains some 4,750 abstracts each year.

MAIN CHAPTER HEADINGS

- | | |
|------------------------------------|--------------------------------------|
| 1. SKULL | 16. NASOPHARYNX |
| 2. FACE AND LIPS | 17. NASAL SINUSES |
| 3. MOUTH | 18. EXTERNAL EAR |
| 4. TONGUE | 19. MIDDLE EAR |
| 5. SALIVARY GLANDS | 20. INTERNAL EAR |
| 6. NECK | 21. OTOSCLEROSIS |
| 7. PHARYNX | 22. MENIERE DISEASE |
| 8. ESOPHAGUS | 23. FACIAL NERVE |
| 9. LARYNX | 24. VESTIBULAR SYSTEM |
| 10. TRACHEA | 25. CEREBELLOPONTINE
ANGLE TUMORS |
| 11. BRONCHI, LUNGS,
MEDIASTINUM | 26. HEARING |
| 12. OLFACTORY SYSTEM | 27. SPEECH |
| 13. EXTERNAL NOSE | 28. PHONIATRICS |
| 14. NASAL CAVITY | 29. ANESTHESIA |
| 15. NASAL SEPTUM | |

Specimen copies are available on request.

Annual Subscription Rate:

U.S. \$50.00/£20. 19. 0d. Sterling/Dfl. 180,00

EXCERPTA MEDICA

Herengracht 119-123, Amsterdam, The Netherlands

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

eliminate the cross infection risk



Opulets
sterile, single dose
eye and ear preparations

To overcome the risk of contamination in eye and ear infections, Opulets have been developed as sterile, single dose eye and ear drop tubes and ointment capsules. Each is packed in a film sachet and sterilized by gamma radiation, ensuring effective sterilization, with no loss of activity – the strict criteria of efficacy and safety being met in full.

After each application, these single dose units are discarded, eliminating cross infection risks – each treatment administered by either medical staff or the patient is thus under the most sterile conditions possible in practical medicine.

Opulets provide the lowest unit price available compared with all other preparations of a similar nature. Presentations available at present are:

Amethocaine Eye Drops

Amethocaine Hydrochloride
BP 1.0% w/v

Atropine Eye Ointment

Atropine Sulphate BP 0.5% w/w

Chloramphenicol Eye and Ear Drops

Chloramphenicol BP 0.5% w/v

Chloramphenicol Eye and Ear Ointment

Chloramphenicol BP 1.0% w/w

Fluorescein Eye Drops

Fluorescein Sodium BP 1% w/v

Hydrocortisone/Neomycin Eye and Ear Ointment

Hydrocortisone Acetate BP 1.5% w/w

Neomycin BP 0.5% w/w

Physostigmine Eye Drops

Physostigmine (Eserine) Sulphate
BPC 0.5% w/v

Sulphacetamide Eye Drops

Sulphacetamide Sodium BP 10% w/v

Sulphacetamide Eye Ointment

Sulphacetamide Sodium BP 6% w/w

full descriptive technical literature is available on request

Pharmax Limited Thames Road Crayford Kent

