The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

WITH THE COLLABORATION OF G. H. BATEMAN V. E. NEGUS R. G. MACBETH

Contents

LABYRINTHITIS DONALD WATSON THE IMPORTANCE OF BACTERIOLOGICAL STUDY IN THE TREATMENT OF EXTERNAL OTITIS . . . EINO VAHERI and TAPIO SAVOLAINEN ACOUSTIC AND VESTIBULAR FUNCTION IN GUINEA-PIGS AFTER REMOVAL OF THE MEMBRANOUS EXTERNAL SEMICIRCULAR CANAL . . . HARALD K. KRISTENSEN X-RAY EXAMINATION OF THE CRICOPHARYNGEAL SPHINCTER-" HYPOPHARYNGEAL BAR" PRIMARY MALIGNANT DISEASE OF THE FRONTAL T. J. WILMOT EOSINOPHIL GRANULOMA OF THE TEMPORAL A. R. DINGLEY A Case of LIPOMA OF THE PHARYNY . . D. GLYN TONES A CASE OF LATERAL SINUS THROMBOSIS COM-PLICATED BY OTITIC HYDROCEPHALUS WITH VIITH NERVE AND CONTROLATERAL VITH C. E. GABRIEL

GENERAL NOTES

London

Headley Brothers Ltd

109 Kingsway W C2

Monthly, 7/6 net post free

Annual Subscription £3/3/0 net
rg/10.1017/50022215100047587 Published online by Cambridge University Press

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
R. SCOTT STEVENSON

G. H. BATEMAN V. E. NEGUS R. G. MAGBETH

 Original Articles are accepted on the condition that they have not been published elsewhere.

Manuscripts should be typewritten, on one side only of the paper, and well spaced.

The Harvard system of recording references should be used, e.g.

GREEN, C., and BROWN, D. (1951) J. Laryng, and Otol., 65, 33.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no additional matter added.
- 4. The Journal bears the cost of illustration blocks up to the value of £2 for each article, but any expense above this will have to be borne by the author.
- Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
- 7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd, 109 Kingsway London WC 2.
- 8. The annual subscription is three guineas sterling, post free, and is payable in advance.
- g. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.
- 10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD, 109 Kingsway London W C 2.

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. Stechert & Co., 31-33 East 10th Street, New York, or they may be sent direct to the publishers, Headley Brothers Ltd, 109 Kingsway London WC2, England.

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable and Englishmade Harvard Spondee records also available.


Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I (Welbeck 2591)



A NEW SUCTION INSTRUMENT

Apart from light, the next most important physical aid to those Surgeons doing Ear, Nose, and Throat, work, is adequate suction.

For this purpose a useful universal handle with several interchangeable suction tubes for various operations has been manufactured for me by Messrs. Down Bros. and Mayer & Phelps Ltd. of London.

The suction set consists of:

A universal handle to which can be adapted—

- (a) A Yankauer suction tube.
- (b) A Tonsil suction dissector.
- (c) An angled all purpose suction tube.

The instruments are of stainless steel and provided with a stillette, the joints are "screw on" and airtight.

The Yankauer tube is accurately reproduced in a lighter and smaller size and gives equally satisfactory suction. It is ideally suited for operations on children and for atraumatic nasal suction in all cases.

The tip of the Tonsil suction dissector is curved similar to the popular Hurd tonsil dissector, the suction is on the concave side, and the edge is slightly serrated to give easier, yet atraumatic dissection.

This dissector has been used in about 2,000 Tonsillectomies, and gives a dry field dissection in even the "beefiest" of Tonsils. The resident Surgeons seem to take to it quickly.

The design of the handle and Tonsil dissector is a lighter and smaller reproduction of Popper's original one piece dissector.

The angled smooth suction tube has a universal application.

J. FINE, M.B.Ch.B., F.R.C.S., D.L.O., Johannesburg.

Mail Your Order Now!

PROBLEMS OF THE DEAF

By MAX A. GOLDSTEIN, M.D., F.A.C.S.

610 Pages-273 Illustrations-Leather Bound

\$6.00 Postage prepaid

An unusual, authoritative and comprehensive volume of XIX chapters, covering every phase of work with the Deaf, Deafened and Speech Defective, by an otologist and teacher of 40 years' experience, including:

Chronological History of Deafness—Anatomy and Physiology—Mechanics of Speech—Speech Defects—Cerebral Localization—Hearing Tests—Methods of Instruction—The Acoustic Method—Training of Teachers—The Deaf Child—Hard-of-Hearing Child—Physician and Deaf Child—Parent of Deaf Child—Deafened Adult—Hearing Aids—Schools for the Deaf—Quacks and Quackeries—Research.

Published by THE LARYNGOSCOPE PRESS
640 South Kingshighway
ST. LOUIS, MO.

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving accetylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250.

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

CONTENTS

	PAGE
Labyrinthitis. Donald Watson (Bradford)	247
THE IMPORTANCE OF BACTERIOLOGICAL STUDY IN THE TREATMENT OF EXTERNAL OTITIS. Eino Vaheri and Tapio Savolainen (Helsinki)	253
(120/01111)	
Acoustic and Vestibular Function in Guinea-pigs after Removal of the Membranous External Semicircular	
Canal. Harald K. Kristensen (Copenhagen)	259
X-ray Examination of the Cricopharyngeal Sphincter— "Hypopharyngeal Bar". Hans Brunner (Newark,	
N.J.)	276
CLINICAL RECORDS—	
Primary Malignant Disease of the Frontal Sinus. T. J. Wilmot (Omagh)	283
JEosinophil Granuloma of the Temporal Bone. A. R. Dingley (London)	285
A Case of Lipoma of the Pharynx. D. Glyn Jones (Sheffield)	288
	200
'A Case of Lateral Sinus Thrombosis Complicated by Otitic Hydrocephalus with VIIth Nerve and Controlateral	
VIth Nerve Paralyses. C. E. Gabriel (London)	290
C W	

For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London W C 2