

# **Animal Production**

**Journal of the British Society of Animal Production**

*Edited by*

T. L. J. LAWRENCE  
P. J. AVERY  
J. A. BINES  
R. C. CAMPLING  
M. F. FULLER  
J. P. HANRAHAN  
W. HARESIGN  
A. J. KEMPSTER  
J. A. F. ROOK  
J. H. B. ROY  
R. THOMPSON  
A. J. F. WEBSTER

**Volume 39  
1984**

**D**URRANT

COPYRIGHT © 1984 BRITISH SOCIETY OF ANIMAL PRODUCTION  
PRINTED IN GREAT BRITAIN BY  
D. & J. CROAL LIMITED, HADDINGTON, EAST LoTHIAN

CONTENTS OF VOLUME 39  
(LISTED ALPHABETICALLY BY AUTHOR)

|   | PAGE |
|---|------|
| ABOUHEIF, M. A., LEROY JOHNSON, C. and BOTKIN, M. P. Heritability estimates of wool follicle traits in sheep skin . . . . .   | 399  |
| ALLAN, S. J., <i>see</i> PARTRIDGE, G. G.   |      |
| ANDERSEN, B. B., <i>see</i> SEJRSEN, K.   |      |
| BAKER, R. L., WICKHAM, B. W. and MORRIS, C. A. Relationship between central performance tests for growth in Hereford bulls and growth and carcass traits of progeny . . . . .   | 371  |
| BECK, N. F. G., <i>see</i> HENDERSON, D. C.   |      |
| BLOOMFIELD, GLENYS A., <i>see</i> DUCKER, M. J.   |      |
| BOOTH, W. D. A note on the significance of boar salivary pheromones to the male-effect on puberty attainment in gilts . . . . .   | 149  |
| BOTKIN, M. P., <i>see</i> ABOUHEIF, M. A.   |      |
| BURNEY, A., <i>see</i> FABRY, J.  |      |
| BUTLER-HOGG, B. W. The growth of Clun and Southdown sheep; body composition and the partitioning of total body fat . . . . .  | 405  |
| BUTLER-HOGG, B. W., FRANCOMBE, M. A. and DRANSFIELD, E. Carcass and meat quality of ram and ewe lambs . . . . .   | 107  |
| BUTTERFIELD, R. M., REDDACLIFF, K. J., THOMPSON, J. M., ZAMORA, J. and WILLIAMS, J. Changes in body composition relative to weight and maturity of Australian Dorset Horn rams and wethers. 2. Individual muscles and muscle groups . . . . .             | 259  |
| BUTTERFIELD, R. M., ZAMORA, J., THOMPSON, J. M., REDDACLIFF, K. J. and GRIFFITHS, D. A. Changes in body composition relative to weight and maturity of Australian Dorset Horn rams and wethers. 1. Carcass muscle, fat and bone and body organs . . . . . | 251  |
| CADENHEAD, A., <i>see</i> FULLER, M. F.   |      |
| CAMERON, N. D., SMITH, C. and DEEBLE, the late F. K. Performance of lambs from three crossbred ewe types . . . . .  | 81   |
| CARSON, KATHERINE and WOOD-GUSH, D. G. M. The behaviour of calves at market . . . . .   | 389  |
| CHADWICK, J. P., <i>see</i> KEMPSTER, A. J.   |      |
| CHALMERS, J. S., MOISEY, F. R. and LEAVER, J. D. The performance of dairy cows with access to self-feed silage offered concentrates from a free-access dispenser . . . . .  | 17   |
| COLE, D. J. A., <i>see</i> EASTHAM, PHILIPPA R.   |      |
| CORRIGALL, W., <i>see</i> PARTRIDGE, G. G.  |      |
| CURRAN, M. K., <i>see</i> PIKE, I. H.   |      |
| CUTHBERT, N. H., THICKETT, W. S. and SMITH, H. The efficacy of dietary avoparcin for improving the performance of growing-finishing beef cattle . . . . .   | 195  |
| DEEBLE, the late F. K., <i>see</i> CAMERON, N. D.   |      |
| DELIGEORGIS, S. G., LUNNEY, D. C. and ENGLISH, P. R. A note on efficacy of complete <i>v.</i> partial boar exposure on puberty attainment in the gilt . . . . .   | 145  |
| DOLLING, C. H. S., <i>see</i> FLEET, M. R.  |      |
| DONEY, J. M., <i>see</i> GUNN, R. G., <i>also</i> RHIND, S. M.  |      |
| DOWNING, J. M., <i>see</i> HENDERSON, D. C.   |      |
| DRANSFIELD, E., NUTE, G. R. and FRANCOMBE, M. A. Comparison of eating quality of bull and steer beef . . . . .  | 37   |
| DRANSFIELD, E., <i>see also</i> BUTLER-HOGG, B. W.  |      |
| DUARTE, F. A. M., <i>see</i> LÔBO, R. B.  |      |

|  |     |
|--|-----|
| DUCKER, M. J., YARROW, N. H., BLOOMFIELD, GLENYS A. and EDWARDS-WEBB, J. D.<br>The effect of $\beta$ -carotene on the fertility of dairy heifers receiving maize silage                    | 9   |
| DYCK, G. W., <i>see</i> EASTHAM, PHILIPPA R.   |     |
| EASTHAM, PHILIPPA R., DYCK, G. W. and COLE, D. J. A. Reproduction in the gilt.<br>5. The effect of the presence of the mature male during rearing on puberty attainment                    | 277 |
| EDGE, M., <i>see</i> PIKE, I. H.   |     |
| EDWARDS-WEBB, J. D., <i>see</i> DUCKER, M. J.  |     |
| ELIMAM, M. E. and ØRSKOV, E. R. Estimation of rates of outflow of protein supplement from the rumen by determining the rate of excretion of chromium-treated protein supplements in faeces | 77  |
| ELIMAM, M. E. and ØRSKOV, E. R. Factors affecting the outflow of protein supplements from the rumen. 2. The composition and particle size of the basal diet                                | 201 |
| ENGLAND, P., <i>see</i> GILL, MARGARET   |     |
| ENGLISH, P. R., <i>see</i> DELIGEORGIS, S. G.  |     |
| EVANS, D. G., <i>see</i> KEMPSTER, A. J.   |     |
| FABRY, J., RENAUVILLE, R. and BURNEY, A. Influence of anabolic treatments on luteinizing hormone and testosterone secretion in bulls   | 345 |
| FERRELL, C. L. and JENKINS, T. G. A note on energy requirements for maintenance of lean and fat Angus, Hereford and Simmental cows   | 305 |
| FERRELL, C. L., <i>see also</i> JENKINS, T. G.   |     |
| FIELD, A. C., <i>see</i> WIENER, G.  |     |
| FINDLAY, M., <i>see</i> PARTRIDGE, G. G.   |     |
| FLEET, M. R., STAFFORD, J. E. and DOLLING, C. H. S. A note on the occurrence of isolated melanin pigmented fibres in the white fleece wool of Corriedale sheep                             | 311 |
| FOLTYS, V., <i>see</i> JEDLIČKA, J.  |     |
| FRANCOMBE, M. A., <i>see</i> BUTLER-HOGG, B. W., <i>also</i> DRANSFIELD, E.  |     |
| FRASER, D. Some factors influencing the availability of colostrum to piglets   | 115 |
| FULLER, M. F., CADENHEAD, A. and PENNIE, K. Effects of omitting lysine from diets conforming to Agricultural Research Council (1981) standards for pigs                                    | 449 |
| GHOSH, P. K., <i>see</i> MITTAL, J. P.   |     |
| GIBB, M. J. and TREACHER, T. T. The performance of weaned lambs offered diets containing different proportions of fresh perennial ryegrass and white clover                                | 413 |
| GILL, MARGARET and ENGLAND, P. Effect of degradability of protein supplements on voluntary intake and nitrogen retention in young cattle fed grass silage                                  | 31  |
| GLENCROSS, R. G. A note on the concentrations of plasma oestradiol-17 $\beta$ and progesterone around the time of puberty in heifers   | 137 |
| GONÇALVES, A. A. M., <i>see</i> LÔBO, R. B.  |     |
| GORDON, F. J., <i>see</i> MAYNE, C. S.   |     |
| GRAY, R.; <i>see</i> MCCrackEN, K. J.  |     |
| GREER, R. C. Effect of daylength and lunar phase on the occurrence of first oestrus in beef heifers  | 59  |
| GRIFFITHS, D. A., <i>see</i> BUTTERFIELD, R. M.  |     |
| GUNN, R. G., DONEY, J. M. and SMITH, W. F. The effect of different durations and times of high-level feeding prior to mating on the reproductive performance of Scottish Blackface ewes    | 99  |

|  |     |
|--|-----|
| GUNN, R. G., DONEY, J. M. and SMITH, W. F. The effect of level of pre-mating nutrition on ovulation rate in Scottish Blackface ewes in different body conditions at mating . . . . .                                   | 235 |
| HART, I. C., <i>see</i> RHIND, S. M.   |     |
| HARVEY, ANNE, <i>see</i> PIKE, I. H.   |     |
| HENDERSON, D. C., DOWNING, J. M., BECK, N. F. G. and LEES, J. L. Oestrous synchronization in ewes: a comparison of prostaglandin F <sub>2α</sub> than salt with a progestagen pessary . . . . .                        | 229 |
| HENDERSON, RUTH and HUGHES, P. E. The effects of partial weaning and boar contact on the subsequent reproductive performance of lactating sows . . . . .   | 131 |
| HILL, W. G. On selection among groups with heterogeneous variance . . . . .  | 473 |
| HUGHES, P. E., <i>see</i> HENDERSON, RUTH  |     |
| JACKSON, CAROLINE, <i>see</i> NEWTON, J. E.  |     |
| JEDLIČKA, J., MOJTO, J., FOLTYS, V., LICHTNER, J., SZAKÁ CZOVÁ, D. and PÁLENÍK, S. A note on the effects of pre-slaughter housing, diet and sex on responses to post-mortem electrical stimulation in cattle . . . . . | 301 |
| JENKINS, T. G. and FERRELL, C. L. A note on lactation curves of crossbred cows . . . . .   | 479 |
| JENKINS, T. G. and FERRELL, C. L. Characterization of post-weaning traits of Simmental and Hereford bulls and heifers . . . . .  | 355 |
| JENKINS, T. G., <i>see also</i> FERRELL, C. L.   |     |
| KEAL, H. D., <i>see</i> ZHANG, Y.  |     |
| KEMPSTER, A. J., EVANS, D. G. and CHADWICK, J. P. The effects of source population, feeding regimen, sex and day of slaughter on the muscle quality characteristics of British crossbred pigs . . . . .                | 455 |
| KING, J. W. B., <i>see</i> MANN, T. J. L.  |     |
| LARSEN, F., <i>see</i> SEJRSEN, K.   |     |
| LEAVER, J. D., <i>see</i> CHALMERS, J. S., <i>also</i> TAYLOR, W.  |     |
| LEE, G. J. A comparison of carcass traits in Scottish Blackface and Welsh Mountain lambs and their crosses . . . . .   | 433 |
| LEES, J. L., <i>see</i> HENDERSON, D. C.   |     |
| LEIBHOLZ, JANE. A note on the influence of methionine content in the diet of pigs from 21 to 49 days of age on their performance from 49 to 97 days of age . . . . .   | 153 |
| LEIBHOLZ, JANE. Methionine supplementation of diets for pigs between 7 and 56 days of age . . . . .  | 125 |
| LEROY JOHNSON, C., <i>see</i> ABOUHEIF, M. A.  |     |
| LESLIE, I. D., <i>see</i> RHIND, S. M.   |     |
| LICHTNER, J., <i>see</i> JEDLIČKA, J.  |     |
| LÔBO, R. B., DUARTE, F. A. M., GONÇALVES, A. A. M., OLIVEIRA, J. A. and WILCOX, C. J. Genetic and environmental effects on milk yield of Pitangueiras cattle . . . . .   | 159 |
| LUCEY, S. and ROWLANDS, C. J. The association between clinical mastitis and milk yield in dairy cows . . . . .   | 165 |
| LUNNEY, D. C., <i>see</i> DELIGEORGIS, S. G.   |     |
| MCCRACKEN, K. J. and GRAY, R. Further studies on the heat production and effective lower critical temperature of early-weaned pigs under commercial conditions of feeding and management . . . . .                     | 283 |
| MADAN, M. L., <i>see</i> PRAKASH, B. S.  |     |
| MANN, T. J. L., SMITH, C., KING, J. W. B., NICHOLSON, D. and SALES, D. I. Comparison of crossbred ewes from five crossing sire breeds . . . . .  | 241 |

|   |     |
|---|-----|
| MARSHALL, T. E., MOHLER, M. A. and STEWART, T. S. Relationship of lifetime productivity with mature weight and maturation rate in Red Poll cows . . . . .   | 383 |
| MAYNE, C. S. and GORDON, F. J. The effect of concentrate and level of concentrate feeding on milk production . . . . .  | 65  |
| MITCHELL, K. G., <i>see</i> ZHANG, Y.   |     |
| MITTAL, J. P. and GHOSH, P. K. The tolerance of grazing desert ewes and their lambs to prolonged intake of natural saline waters . . . . .  | 427 |
| MOHLER, M. A., <i>see</i> MARSHALL, T. E.   |     |
| MOISEY, F. R., <i>see</i> CHALMERS, J. S.   |     |
| MOJTO, J., <i>see</i> JEDLIČKA, J.  |     |
| MORRIS, C. A. Calving dates and subsequent intercalving intervals in New Zealand beef herds . . . . .   | 51  |
| MORRIS, C. A., <i>see also</i> BAKER, R. L.   |     |
| NEWTON, J. E. and JACKSON, CAROLINE. The effect of age on tooth loss and the performance of Masham ewes . . . . .   | 421 |
| NICHOLSON, D., <i>see</i> MANN, T. J. L.  |     |
| NICOLL, G. B. and SHERINGTON, J. Variation in chromium excretion in suckled cows at pasture . . . . .   | 1   |
| NUTE, G. R., <i>see</i> DRANSFIELD, E.  |     |
| OLIVEIRA, J. A., <i>see</i> LÔBO, R. B.   |     |
| ORR, R. J. and TREACHER, T. T. The effect of concentrate level on the intake of hays by ewes in late pregnancy . . . . .  | 89  |
| ØRSKOV, E. R., <i>see</i> ELIMAM, M. E.   |     |
| PÁLENÍK, Š., <i>see</i> JEDLIČKA, J.  |     |
| PARTRIDGE, G. G., ALLAN, S. J., FINDLAY, M. and CORRIGALL, W. The effects of reducing the remating interval after parturition on the reproductive performance of the commercial doe rabbit . . . . .                              | 465 |
| PARTRIDGE, I. G., <i>see</i> ZHANG, Y.  |     |
| PENNIE, K., <i>see</i> FULLER, M. F.  |     |
| PIKE, I. H., CURRAN, M. K., EDGE, M. and HARVEY, ANNE. Effect of nutrient density, presence of fish meal and method of feeding of unmedicated diets on early weaned pigs . . . . .  | 291 |
| PRAKASH, B. S. and MADAN, M. L. Induction of parturition in cattle . . . . .  | 25  |
| REDDACLIFF, K. J., <i>see</i> BUTTERFIELD, R. M.  |     |
| RENAVILLE, R., <i>see</i> FABRY, J.   |     |
| RHIND, S. M., ZYGOYIANNIS, D., DONEY, J. M., LESLIE, I. D. and HART, I. C. Effects of Zeranol® implants and dietary supplement on growth rate, endocrine status and blood metabolite levels of growing lambs at pasture . . . . . | 269 |
| ROWLANDS, G. J., <i>see</i> LUCEY, S.   |     |
| RUSSEL, A. J. F., <i>see</i> WRIGHT, I. A.  |     |
| SALES, D. I., <i>see</i> MANN, T. J. L.   |     |
| SEEBECK, R. M. Body composition of British and zebu × British cattle in northern Australia . . . . .  | 177 |
| SEJRSSEN, K., LARSEN, F. and ANDERSEN, B. B. Use of plasma hormone and metabolite levels to predict breeding value of young bulls for butterfat production . . . . .  | 335 |
| SHERINGTON, J., <i>see</i> NICOLL, G. B.  |     |
| SMITH, C., <i>see</i> CAMERON, N. D., <i>also</i> MANN, T. J. L.  |     |
| SMITH, H., <i>see</i> CUTHBERT, N. H.   |     |

|   |     |
|---|-----|
| SMITH, W. F., <i>see</i> GUNN, R. G.  |     |
| STAFFORD, J. E., <i>see</i> FLEET, M. R.  |     |
| STEWART, T. S., <i>see</i> MARSHALL, T. E.  |     |
| SWANSON, G. J. T. A note on analyses involving beef shape score sire evaluations of Friesian/Holstein bulls . . . . .   | 141 |
| SZAKÁCZOVÁ, D., <i>see</i> JEDLIČA, J.  |     |
| TAYLOR, W. and LEAVER, J. D. Systems of concentrate allocation for dairy cattle. 1. A comparison of three patterns of allocation for autumn-calving cows offered grass silage <i>ad libitum</i> . . . . .                                     | 315 |
| TAYLOR, W. and LEAVER, J. D. Systems of concentrate allocation for dairy cattle. 2. A comparison of two patterns of allocation for autumn-calving cows offered two qualities of grass silage <i>ad libitum</i> . . . . .                      | 325 |
| THICKETT, W. S., <i>see</i> CUTHBERT, N. H.   |     |
| THOMPSON, J. M., <i>see</i> BUTTERFIELD, R. M.  |     |
| TREACHER, T. T., <i>see</i> GIBB, M. J., <i>also</i> ORR, R. J.   |     |
| WALTON, J. S. A note on the effect of exposure to a boar on the development of the reproductive system of immature gilts . . . . .  | 483 |
| WICKHAM, B. W., <i>see</i> BAKER, R. L.   |     |
| WIENER, G., WILMUT, I., WOOLLIAMS, CAROL, WOOLLIAMS, J. A. and FIELD, A. C. The rôle of the breed of dam and of the breed of lamb in determining the copper status of the lamb. 1. Under a dietary regime low in copper . . . . .             | 207 |
| WEINER, G., WILMUT, I., WOOLLIAMS, CAROL, WOOLLIAMS, J. A. and FIELD, A. C. The rôle of the breed of dam and of the breed of lamb in determining the copper status of the lamb. 2. Under a dietary regime moderately high in copper . . . . . | 219 |
| WILCOX, C. J., <i>see</i> LÔBO, R. B.   |     |
| WILLIAMS, J., <i>see</i> BUTTERFIELD, R. M.   |     |
| WILMUT, I., <i>see</i> WIENER, G.   |     |
| WOOD-GUSH, D. G. M., <i>see</i> CARSON, KATHERINE   |     |
| WOOLLIAMS, CAROL, <i>see</i> WIENER, G.   |     |
| WOOLLIAMS, J. A., <i>see</i> WIENER, G.   |     |
| WRIGHT, I. A. and RUSSEL, A. J. F. The composition and energy content of empty body-weight change in mature cattle . . . . .  | 365 |
| YARROW, N. H., <i>see</i> DUCKER, M. J.   |     |
| ZAMORA, J., <i>see</i> BUTTERFIELD, R. M.   |     |
| ZHANG, Y., PARTRIDGE, I. G., KEAL, H. D. and MITCHELL, K. G. Dietary amino acid balance and requirements for pigs weaned at 3 weeks of age . . . . .  | 441 |
| ZYGOIANNIS, D., <i>see</i> RHIND, S. M.   |     |

# British Society of Animal Production

## OCCASIONAL PUBLICATIONS

The British Society of Animal Production's *Occasional Publication Series* contains the full papers presented at certain symposia organized by the Society.

Copies may be obtained from the British Society of Animal Production, c/o Farms Division Office, Bush Estate, Penicuik, Midlothian EH26 0PH, Scotland.

- No. 1. THE USE OF BLOOD METABOLITES IN ANIMAL PRODUCTION (1976). Published 1978. 166 pp. Price £5.00 (\$8.00) + £2.00 (\$3.20) airmail supplement.
- No. 2. THE MECHANIZATION AND AUTOMATION OF CATTLE PRODUCTION (1977). Published 1980. 206 pp. Price £5.00 (\$8.00) + £2.00 (\$3.20) airmail supplement.
- No. 3. BY-PRODUCTS AND WASTES IN ANIMAL FEEDING (1978). Published 1980. 118 pp. Price £5.00 (\$8.00) + £2.00 (\$3.20) airmail supplement.
- No. 4. INTENSIVE ANIMAL PRODUCTION IN DEVELOPING COUNTRIES (1979). Published 1981. 481 pp. Price £15.00 (\$24.00) + £5.00 (\$8.00) airmail supplement.
- No. 5. COMPUTERS IN ANIMAL PRODUCTION (1980). Published 1981. 155 pp. Price £8.00 (\$12.80) + £3.00 (\$4.80) airmail supplement.
- No. 6. FORAGE PROTEIN IN RUMINANT ANIMAL PRODUCTION (1981). Published 1982. 193 pp. Price £10.00 (\$16.00) + £3.50 (\$5.60) airmail supplement.
- No. 7. TRACE ELEMENTS IN ANIMAL PRODUCTION AND VETERINARY PRACTICE (1982). Published 1983. 155 pp. Price £12.00 (\$19.20) + £3.50 (\$5.60) airmail supplement.
- No. 8. MATCHING PRODUCTION TO THE MARKETS FOR MEAT (1983). Published 1984. 127 pp. Price £12.00 (\$19.20) + £3.50 (\$5.60) airmail supplement.
- No. 9. MILK COMPOSITIONAL QUALITY AND ITS IMPORTANCE IN FUTURE MARKETS (1984). Published 1984. 115 pp. Price £12.00 (\$19.20) + £3.50 (\$5.60) airmail supplement.



**Illustrations.** The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- (a) Diagrams should be drawn in Indian ink, about twice the size of the finished block, on Bristol board, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.
- (b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.
- (c) Colour plates are unlikely to be accepted unless authors bear the cost.

**Tables** should be as simple and as few as possible. Each table should be typed on a separate sheet.

**Abstract.** Every article should have a short abstract (not more than **250** words) complete in itself and understandable without reference to the paper. *The abstract will be printed at the beginning of the paper.*

**References.** Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

**Proofs** are supplied once and must be returned corrected to the Editors *within 3 days*. Only essential corrections should be made.

**Reprints.** Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage.

*Animal Production* is published six times a year in two volumes. Annual subscription is £61·00 (or \$130·00 in the USA and Canada) and the price for a single part is £11·00 (or \$24·00) net.

*Proceedings of the British Society of Animal Production (New Series)* ceased publication in 1975 and the material is now published as a separate section in the June issue of *Animal Production*.

Correspondence regarding subscriptions and sales (current and back numbers of the Journal and the Proceedings), should be addressed to: Scottish Academic Press Ltd, 33 Montgomery Street, Edinburgh, Scotland EH7 5JX.

Other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

#### *Senior Editor*

T. L. J. Lawrence, University of Liverpool

#### *Editors*

J. A. Bines, National Institute for Research in Dairying  
R. C. Campling, Wye College, University of London  
M. F. Fuller, Rowett Research Institute  
J. P. Hanrahan, Agricultural Institute  
W. Haresign, University of Nottingham  
A. J. Kempster, Meat and Livestock Commission  
J. A. F. Rook, Agricultural and Food Research Council  
J. H. B. Roy, National Institute for Research in Dairying  
R. Thompson, Animal Breeding Research Organisation  
A. J. F. Webster, University of Bristol

#### *Technical Editors*

Hilary Davies  
Marie C. Pitkethly

|  |     |
|--|-----|
| TAYLOR, W. and LEAVER, J. D. Systems of concentrate allocation for dairy cattle. 1. A comparison of three patterns of allocation for autumn-calving cows offered grass silage <i>ad libitum</i> . . . . .                | 315 |
| TAYLOR, W. and LEAVER, J. D. Systems of concentrate allocation for dairy cattle. 2. A comparison of two patterns of allocation for autumn-calving cows offered two qualities of grass silage <i>ad libitum</i> . . . . . | 325 |
| SEJRSEN, K., LARSEN, F. and ANDERSEN, B. B. Use of plasma hormone and metabolite levels to predict breeding value of young bulls for butterfat production . . . . .  | 335 |
| FABRY, J., RENAUVILLE, R. and BURNEY, A. Influence of anabolic treatments on luteinizing hormone and testosterone secretion in bulls . . . . .   | 345 |
| JENKINS, T. G. and FERRELL, C. L. Characterization of post-weaning traits of Simmental and Hereford bulls and heifers . . . . .  | 355 |
| WRIGHT, I. A. and RUSSEL, A. J. F. The composition and energy content of empty body-weight change in mature cattle . . . . .   | 365 |
| BAKER, R. L., WICKHAM, B. W. and MORRIS, C. A. Relationship between central performance tests for growth in Hereford bulls and growth and carcass traits of progeny . . . . .  | 371 |
| MARSHALL, T. E., MOHLER, M. A. and STEWART, T. S. Relationship of lifetime productivity with mature weight and maturation rate in Red Poll cows . . . . .  | 383 |
| CARSON, KATHERINE and WOOD-GUSH, D. G. M. The behaviour of calves at market . . . . .  | 389 |
| ABOUHEIF, M. A., LEROY JOHNSON, C. and BOTKIN, M. P. Heritability estimates of wool follicle traits in sheep skin . . . . .  | 399 |
| BUTLER-HOGG, B. W. The growth of Clun and Southdown sheep: body composition and the partitioning of total body fat . . . . .   | 405 |
| GIBB, M. J. and TREACHER, T. T. The performance of weaned lambs offered diets containing different proportions of fresh perennial ryegrass and white clover . . . . .  | 413 |
| NEWTON, J. E. and JACKSON, CAROLINE. The effect of age on tooth loss and the performance of Masham ewes . . . . .  | 421 |
| MITTAL, J. P. and GHOSH, P. K. The tolerance of grazing desert ewes and their lambs to prolonged intake of natural saline waters . . . . .   | 427 |
| LEE, G. J. A comparison of carcass traits in Scottish Blackface and Welsh Mountain lambs and their crosses . . . . .   | 433 |
| ZHANG, Y., PARTRIDGE, I. G., KEAL, H. D. and MITCHELL, K. G. Dietary amino acid balance and requirements for pigs weaned at 3 weeks of age . . . . .   | 441 |
| FULLER, M. F., CADENHEAD, A. and PENNIE, K. Effects of omitting lysine from diets conforming to Agricultural Research Council (1981) standards for pigs . . . . .  | 449 |
| KEMPSTER, A. J., EVANS, D. G. and CHADWICK, J. P. The effects of source population, feeding regimen, sex and day of slaughter on the muscle quality characteristics of British crossbred pigs . . . . .                  | 455 |
| PARTRIDGE, G. G., ALLAN, S. J., FINDLAY, M. and CORRIGALL, W. The effects of reducing the remating interval after parturition on the reproductive performance of the commercial doe rabbit . . . . .                     | 465 |
| HILL, W. G. On selection among groups with heterogeneous variance . . . . .  | 473 |
| JENKINS, T. G. and FERRELL, C. L. A note on lactation curves of crossbred cows . . . . .   | 479 |
| WALTON, J. S. A note on the effect of exposure to a boar on the development of the reproductive system of immature gilts . . . . .   | 483 |