



Access
leading
journals in
your subject

Cambridge Core

Explore today at [cambridge.org/core](https://www.cambridge.org/core)

Cambridge **Core**



CAMBRIDGE
UNIVERSITY PRESS

The background of the advertisement is a dark, monochromatic image of several jellyfish. One large jellyfish is prominent in the upper center, with its bell and tentacles clearly visible. Other smaller jellyfish are scattered throughout the scene, some appearing as faint, ethereal shapes. The overall aesthetic is scientific and naturalistic.

Life Sciences

Books and Journals from
Cambridge University Press

Cambridge is one of the leading publishers in ecology and conservation biology and publishes high quality texts and research across the breadth of the life sciences, focusing particularly on animal behaviour, biological anthropology, evolutionary biology, computational and systems biology, as well as statistics and professional development titles for biologists.

We also have an extensive portfolio of established journals in agriculture, ecology and conservation, and animal science.

For further details visit:

cambridge.org/core-life-sciences

Cambridge
Core



CAMBRIDGE
UNIVERSITY PRESS

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

TERMS OF MEMBERSHIP FOR 2019

MBA MEMBERSHIP (prices per annum)	Price from 1st March 2019
Young Marine Biologist (YMB)	£12.50
Student Member	£25.00
Associate Member	£40.00 (direct debit discount £5)
Professional Member, Mem.MBA	£45.00 (direct debit discount £5)
MBA Fellow, FMBA	£120.00 (direct debit discount £5)
Institutional Member	£340.00

JOURNAL SUBSCRIPTION (MBA price added to the above membership fees, with the exception of YMB as no Journal option for this category)	
Online Journal	£20.00
Print & Online Journal	£80.00

The Association is a learned society founded in 1884 and incorporated by Royal Charter in 2013. The Marine Biological Association (MBA) provides a unified, clear, independent voice on behalf of the marine biological community. In 1888, the MBA opened the Plymouth laboratory at Citadel Hill.

The MBA is also a registered charity with its key aims being to promote scientific research into all aspects of life in the sea, including the environment on which it depends, and to disseminate to the public the knowledge gained. The Patron of the Association is His Royal Highness the Duke of Edinburgh, who is also an Honorary Fellow. The other Honorary Fellows are His Serene Highness Prince Albert of Monaco, Dr Sylvia Earle, Sir Tim Hunt and Professor James Lovelock.

The work of the Association is controlled by the Council elected annually by its subscribing members.

The Marine Biological Association, under the direction of its Council, has undertaken research in all branches of marine science and many of the results have been published in this Journal. An account of the history of the first hundred years of the Association and Journal may be found in Volume 67 (pp. 463 and 465).

Since its foundation the Association has been supported by grants from Research Councils and by subscriptions and donations

from private members, universities, learned societies, the Fishmongers' Company and other public bodies.

The Marine Biological Association is a very active scientific learned society with a large international membership. The MBA also manages an internationally renowned research programme.

Subscriptions can be paid by cash/cheque, direct debit from a UK bank account or credit card. *Subscriptions are reduced by £5 per annum if paying by direct debit.

Members of the Association have a wide range of rights and privileges including the use of post-nominals (FMBA for MBA Fellows, Mem.MBA for Professional Members) and being entitled to receive The Marine Biologist Magazine. The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscriptions paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax.

All correspondence should be addressed to: The Membership Secretary, Marine Biological Association, The Laboratory, Citadel Hill, Plymouth, PL1 2PB, UK (Tel. +44 (0) 1752 426493; e-mail: membership@mba.ac.uk).

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

CAMBRIDGE UNIVERSITY PRESS

Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

CONTENTS

EDITORIAL

- Lewis, J. Editorial 1695

ARTICLES

- Gan, S.X., Tay, Y.C. and Huang, D. Effects of macroalgal morphology on marine epifaunal diversity 1697
- Moya-Urbano, E., Urra, J., Marina, P., Gallardo-núñez, M., García Raso, J.E., Bárcenas, P., Serna Quintero, J.M., Giráldez, A., García, T., Baro, J. and Rueda, J.L. Biodiversity and spatio-temporal changes of benthic and demersal assemblages of circalittoral soft bottoms of the Bay of Málaga (northern Alboran Sea) 1709
- Culhane, F.E., Briers, R.A., Tett, P. and Fernandes, T.F. Response of a marine benthic invertebrate community and biotic indices to organic enrichment from sewage disposal 1721
- Bertolino, M., Ricci, S., Canese, S., Cau, A., Bavestrello, G., Pansini, M. and Bo, M. Diversity of the sponge fauna associated with white coral banks from two Sardinian canyons (Mediterranean Sea) 1735
- Ale, E., Ramšak, A., Stanković, D., Morandini, A.C., Meyer, D. and Marques, A.C. Early Pleistocene divergence of *Pelagia noctiluca* populations (Cnidaria, Medusozoa) between the Atlantic Ocean and the Mediterranean Sea 1753
- Maggio, T., Allegra, A., Bosch-Belmar, M., Cillari, T., Cuttitta, A., Falautano, M., Milisenda, G., Nicosia, A., Perzia, P., Sinopoli, M. and Castriota, L. Molecular identity of the non-indigenous *Cassiopea* sp. from Palermo Harbour (central Mediterranean Sea) 1765
- Fukuda, M.V. and Barroso, R. First report of brooding of eggs in the deep-sea genus *Anguillosyllis* (Annelida: Syllidae) 1775
- Santini, G., Thompson, R.C., Jenkins, S.R., Chelazzi, G., Hartnoll, R.G., Kay, S.M. and Hawkins, S.J. Barnacle cover modifies foraging behaviour of the intertidal limpet *Patella vulgata* 1779
- Seabra, M.I., Cruz, T., Fernandes, J.N., Silva, T. and Hawkins, S.J. Recruitment of the limpet *Patella ulysiponensis* and its relationship with crustose coralline algae: patterns of juvenile distribution and larval settlement 1787
- Ladeira, J.M., Yang, C.-H., Komai, T., Chan, T.-Y. and Wakabayashi, K. Molecular confirmation and description of the larval morphology of *Thalassocaris lucida* (Dana, 1852) (Decapoda, Caridea, Pandaloidea) 1797
- Sancinetti, G.S., Castilho, A.L., Wolf, M.R., Costa, R.C., Azevedo, A. and Fransozo, A. Population dynamics of shrimp *Pleoticus muelleri* in an upwelling region and new implications for latitudinal gradient theories 1807
- Ordines, F., Ramírez-Amaro, S., Fernández-Arcaya, U., Marco-Herrero, E. and Massutí, E. First occurrence of an Ophihelidae species in the Mediterranean: the high abundances of *Ophiomyces grandis* from the Mallorca Channel seamounts 1817
- Ding, J., Yu, Y., Yang, M., Shi, D., Li, Z., Chi, X., Chang, Y., Wang, Q. and Zhao, C. *TRPA1* expression provides new insights into thermal perception by the sea urchin *Strongylocentrotus intermedius* 1825
- Sakai, D., Kakiuchida, H., Harada, K., Nishikawa, J. and Hirose, E. Parallel plications may enhance surface function: physical properties of transparent tunics in colonial ascidians *Clavelina cyclus* and *C. obesa* 1831
- Morales-Rincon, N., Morteo, E. and Delfin-Alfonso, C.A. Influence of artisanal fisheries on the behaviour and social structure of *Tursiops truncatus* in the South-western Gulf of Mexico 1841
- Varela, J.L. and Pincay-Espinoza, J.E. Food habits of South Pacific hake (*Merluccius gayi*) in Ecuadorian waters 1851
- Yoshikawa, K., Tomiyama, T. and Shoji, J. Temporal changes of the fish community in a seagrass bed after disappearance of vegetation caused by disturbance of the sea bottom and sediment deposition 1857
- Čikeš Keč, V., Zorica, B. and Vuletin, V. Does the Atlantic bonito, *Sarda sarda*, spawn in the eastern Adriatic Sea? 1865
- Gianeti, M.D., Yokota, L., Lessa, R.P.T. and Dias, J.F. Diet of longnose stingray *Hypanus guttatus* (Myliobatiformes: Dasyatidae) in tropical coastal waters of Brazil 1869
- Rossi, S., Sánchez-Sarmiento, A.M., dos Santos, R.G., Zamana, R.R., Prioste, F.E.S., Gattamorta, M.A., Ochoa, P.F.C. and Grisi-Filho, J.H.H. and Matushima, E.R. Monitoring green sea turtles in Brazilian feeding areas: relating body condition index to fibropapillomatosis prevalence 1879
- Referees Acknowledgement 2019 1889