

General Notes

INTERNATIONAL SYMPOSIUM AND WORKSHOP
ON
MIDDLE EAR AND SKULL BASE SURGERY

22–26 March, 1987

Haifa, Israel

- Co-Sponsored by:* Department of Otolaryngology, Haifa Medical Center,
Faculty of Medicine-Technion, Haifa, Israel
and
Department of Otolaryngology and Communicative Disorders,
The Cleveland Clinic Foundation,
Cleveland, Ohio, USA
- Course Director:* Professor Ludwik Podoshin, M.D.
- Guest of Honour:* Professor Jacob Sadé, M.D.
- Faculty:* S. Kinney, M.D.; G. Hughes, M.D.; R. Nodar, Ph.D.(USA);
G. Rosen, M.D.; W. Meyer, M.D.; M. Fradis, M.D.;
H. Pratt, PhD.(Israel)
- Agenda:* The five-day symposium will consist of a comprehensive selection of
lectures and videotapes of surgery, and the Temporal Bone Workshops.
- Registration:* Participants may register for the entire Symposium and Workshop
(Registration Limit 20) or for the Symposium only (Registration
Unlimited).
- For further information write to:*
Professor Ludwik Podoshin, M.D.,
Department of Otolaryngology,
Haifa Medical Center,
P.O. Box 4940,
Haifa 31048, Israel.

2ND INTERNATIONAL WORKSHOP 'OTOLOGY TODAY—OTOLOGIA OGGI'

Riva del Garda (Lake of Garda, Trento, Italy)

1-5 April, 1986

Programme Director: Gregorio Babighian, M.D.

A sophisticated and intensive scientific meeting intended for Otolaryngologists, Audiologists, Speech Pathologists and Therapists and Residents in ENT or Otological Institutions, whose aim is to provide the audience with the most updated survey of otological science through lectures, panels, videotapes and poster sessions.

Faculty: Antonelli, Austin, Babighian, Belal Jr., Berruecos, Bosatra, Bricolo, Burian, Calogero, Celestino, Chiossone, Clark, De La Cruz, Del Bo, De Vincentiis, Feenstra, Felletti, Filipo, Finkenzeller, Fisch, Garcia-Ibanez, Giaccai, Grisanti, Hiranandani, Iurato, Jansen, Lim, Linthicum jr., Lundborg, Marquet, May, Mazzoni, Mira, Motta, Ottaviani, Piragine, Pirodda, Plath, Popelka, Portmann, Sadé, Sala, Sanna, Schuknecht, Scola, Smyth, Spöndlin, Sultan, Suzuki, Teatini, Thalmann, Tos, Valvassori, Weerda, Yamashita, Zanibelli, Zini.

Official languages: English and Italian, with simultaneous translation.

Attractive social programme for both participants and accompanying persons, including a trip to Venice.

Registration fees before February 28, 1986:

Specialists: U.S.\$ 300.

Residents: U.S.\$ 240.

Late registrations: add U.S.\$ 50.

For further information:

M. Beltrame, M.D., and M. Amadori, M.D.,
Department of Otolaryngology,
Ospedale S. Chiara,
38100 Trento, Italy.

'FACIAL NERVE'

M. PORTMANN, Editor
Masson Publishers.
(English language)

The Proceedings of the Vth International Symposium on the Facial Nerve (Bordeaux, September 1984) are on sale at the price of 80US\$.

It can be ordered directly from:

Portmann Foundation—Facial Nerve Congress, 114 avenue d'Arès—33000
Bordeaux, France.

(Branch Office: BANQUÉ NATIONALE DE PARIS Barrière Judaïque—33000
Bordeaux France—Account N° 051 823 48)

600 pages (plenary sessions, panel discussions and free papers) covering the following fields: basic sciences, new concepts in pathophysiology, clinical and paraclinical investigations (grading), hemifacial spasm, medical and physical treatment, facial nerve neurosurgery, facio-facial anastomoses, traumatic lesions of the base of the skull, plastic surgery, free muscular transplants.

TEMPORAL BONE SURGICAL DISSECTION COURSE

OFFERED BY

THE DEPARTMENT OF OTORHINOLARYNGOLOGY

THE UNIVERSITY OF MICHIGAN MEDICAL SCHOOL, ANN ARBOR, MICHIGAN

COURSE CO-DIRECTORS: MALCOLM D. GRAHAM, M.D. & JOHN L. KEMINCK, M.D.

14-18 April 1986

12-16 May 1986

6-10 October 1986

3-7 November 1986

Intensive one-week courses emphasize the surgical and anatomical approaches to the temporal bone, and are presented in a manner relevant for the otologic surgeon, utilizing lectures, videotapes, and dissection.

Mornings and afternoons are spent in the dissection laboratory, giving extensive drilling experience in temporal bone anatomy and surgical techniques. All instruments and high-speed handpieces will be provided.

Course fee is \$1,000.00.

For further information write: Malcolm D. Graham, M.D.,
Department of Otorhinolaryngology,
University of Michigan,
Ann Arbor,
Michigan 48109, U.S.A.
Tel: (313) 763-5097

A SYMPOSIUM ON
MIDDLE EAR RECONSTRUCTION

will be held on

THURSDAY 6 MARCH 1986

in the

DREWE LECTURE THEATRE,
Charing Cross and Westminster Hospital Medical School
at Charing Cross Hospital

Chairman: Mr A. Richards.

Speakers include: Prof T. Palva
Prof M. Portmann
Dr R. Reck
Mr G. Smyth

Short papers are invited

Sponsored by: XOMED
Division of Zimmer Ltd,
Dunbeath Road,
Swindon,
Wilts. SN2 6EA

INSTITUTE OF SOUND AND VIBRATION RESEARCH
University of Southampton, Southampton SO9 5NH. Telephone 559122

OCCUPATIONAL DEAFNESS COURSE

7–9 January 1986

Designed primarily for otolaryngologists and other medical and scientific staff concerned with the investigation and assessment of occupational deafness.

The syllabus will include: basic acoustics and noise measurement; relationships between noise and hearing loss; principles of engineering control of noise; diagnosis of noise-induced hearing loss and non-organic hearing loss; electric response audiometry; monitoring audiometry; hearing protection and noise education; medico-legal aspects of occupational deafness including statutory and common law compensation; rehabilitation of patients with occupational deafness, including hearing aids and environmental aids.

There will be demonstrations and practical sessions to support the lectures on most topics.

The course is non-residential; however, a number of single rooms have been reserved at The Albany at a cost of £29.50 per night bed and breakfast. A list of local hotels and guest houses will be supplied on request.

Fees for the course will be £210, inclusive of a comprehensive set of lecture notes and other relevant literature; coffee, lunch and tea daily at the University, and a social function.

Further information may be obtained from:

Mrs Maureen Strickland, ISVR, The University,
Southampton SO9 5NH, Hampshire.
Telephone: 0703 559122, ext. 2310/3532.

THE INSTITUTE OF LARYNGOLOGY & OTOLOGY
PRACTICAL RHINOLOGY

Two-day course (to precede the Rhinoplasty Course) at
THE ROYAL NATIONAL THROAT, NOSE & EAR HOSPITAL

This course presents rhinology as a clinically related subject and will include sections on the assessment of nasal symptoms and smell, autonomic function, endoscopy, radiology, septal and nasal surgery and mast cell function.

FEBRUARY 3–4, 1986

Course organisers: Mr A. Drake Lee and Mr I. MacKay.

Faculty includes: Mr D Brain, Mr T. R. Bull, Mr C. Croft, Dr R. Eccles, Dr G. Lloyd and Professor J. Widdicombe.

Applications by end of November please.

Course Fee: £100.

Applications to:

The Dean's Secretary,
Institute of Laryngology & Otology,
330–332 Gray's Inn Road,
London WC1 8EE.
Telephone 01-837 8855

THE INSTITUTE OF LARYNGOLOGY & OTOLOGY
PLASTIC SURGERY OF THE NOSE

A three-day practical course in Rhinoplasty (to follow the Rhinology Course) at

THE ROYAL NATIONAL THROAT, NOSE & EAR HOSPITAL

Lectures—Operating Sessions—Video—T.V.

FEBRUARY 5–7, 1986

Course affiliated to the European Academy of Facial Surgery.

Registration: £275.

Applications by end of November please to:

The Dean's Secretary,
Institute of Laryngology & Otology,
330–332 Gray's Inn Road,
London WC1 8EE.
Telephone 01-837 8855

THE INSTITUTE OF LARYNGOLOGY & OTOLOGY
FACIAL SOFT TISSUE COURSE

Three-day practical course (to follow the Rhinoplasty course) at:

THE ROYAL NATIONAL THROAT, NOSE & EAR HOSPITAL

Lectures, operating sessions, cadaver dissection, video, t.v. etc., otoplasty, mentoplasty, facial incisions, scar revision, face and neck flaps, surgery of the ageing face are amongst the subjects covered.

FEBRUARY 10–12, 1986

Course affiliated to the European Academy of Facial Surgery.

Registration: £250.

Applications by end of November please to:

The Dean's Secretary,
Institute of Laryngology & Otology,
330–332 Gray's Inn Road,
London WC1 8EE.
Telephone 01-837 8855

THE SEVENTH BRITISH ACADEMIC CONFERENCE IN OTOLARYNGOLOGY
 at the
 UNIVERSITY OF GLASGOW, SCOTLAND, UNITED KINGDOM
 26–31 July 1987

Leading International experts will discuss recent developments in lectures and panel discussions. Topics to be discussed include:

1. Otolaryngology—Cochlear implants, middle ear surgery and reconstruction.
2. Facial plastic and Reconstructive surgery—Myocutaneous and free flaps in Head and Neck surgery.
3. Laryngology—paediatric laryngology, Laser surgery, Laryngology quiz.
4. Nasal Airway disease and surgery.
5. Audiology/Otolaryngology quiz.
6. Immunology in otolaryngology. Recent advances in Otolaryngology.
7. Research Forum. Current techniques. Instructional sessions in small seminar groups will cover all aspects of otolaryngology.

Daily audiovisual programme.

Scientific and Trade Exhibitions.

A full social programme arranged.

Registration fee — Members: £300.

Those interested should apply to:

Air Commodore M. E. Moran, M.Ch., R.A.F.,
 Princess Alexandra Hospital Wroughton,
 Royal Air Force Wroughton,
 Swindon, Wilts. SN4 0QJ,
 United Kingdom.

THE WHIPPS CROSS
 F.R.C.S. (E.N.T.) COURSE

10–19 February 1986
 (Non-Resident)

Intensive programme to include tutorials by distinguished invited Otolaryngologists, controversial issues, mock clinical examinations and vivas, with emphasis on clinical examination techniques. Candidates must possess Part I and numbers will be restricted to 20.

Course Supervisor: Nicholas Frootko M.Sc., F.R.C.S.

Course approved for Study Leave under Section HM(67)27.

Fees: £240.

Closing date for applications: 27 December, 1985.

Application forms and accommodation information available from:

The Administrator,
 Medical Education Centre,
 Whipps Cross Hospital,
 London E11 1NR

THE TWJ FOUNDATION
THE TRUSTEES OF THE TWJ FOUNDATION INVITE APPLICATIONS
for
AN OTOLOGICAL CLINICAL AND RESEARCH FELLOWSHIP
tenable at
THE DEPARTMENT OF OTOLARYNGOLOGY, ANN ARBOR
in
THE UNIVERSITY OF MICHIGAN
for
SIX MONTHS COMMENCING APRIL 1986

Professor Malcolm Graham will act as Clinical Tutor to the Fellow and the emphasis will be on neuro-otology and skull bone surgery. The Fellow will also participate in a research project in the Kresge Laboratory under the direction of Dr. Merle Lawrence.

Applicants must be Fellows of one of the Royal Colleges of Surgeons and a Senior Registrar in Otolaryngology in an appointment recognised for Higher Surgical Training.

Further details concerning applications should be obtained *now* from:

The Trustees of the TWJ Foundation,
Courtlands, 61 Kingswood Firs,
Grayshott, Hindhead,
Surrey GU26 6ER

The closing date for formal applications will be:

Saturday, 11 January 1986

Index

Orig. Art. Original Article

Clin. Rec. Clinical Record

AUTHORS

- Abdel-Kreem, A., Abou Seif, S., Yakout, Y. M. and Elwany, S. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.
- Abdel-Kreim, A., Talaat, M. and Elwany, S. Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis. *Orig. Art.*, 1233.
- Abou Seif, S., Yakout, Y. M., Elwany, S. and Abdel-Kreem, A. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.
- Abril, A., Gavilán, C. and Gavilán, J. Vestibular response in denatured rape oil intoxication. *Orig. Art.*, 973.
- Agarwal, B. K., Chatterji, P. and Soni, N. K. Myxoma of the jaw. *Clin. Rec.*, 391.
- Agostini, V., Fini-Storchi, O. and Lo Russo, D. 'Pseudotumors' of the clavicle subsequent to radical neck dissection. *Orig. Art.*, 73.
- Al Samarrae, S. M., Amr, S. S. and Hyams, V. J. Polypoid lymphangioma of the tonsil. *Clin. Rec.*, 819.
- Alajmo, E. and Salimbeni, C. Laryngostroboscopic observations by means of inferior glottoscopy. *Orig. Art.*, 801.
- Alajmo, E., Polli, G. and Salimbeni, C. Reconstructive laryngectomy. *Orig. Art.*, 463.
- Albert, D. M. and Ali, Z. Two cases of vallecular cyst presenting with acute stridor. *Clin. Rec.*, 421.
- Albrektsson, T. and Tjellström, A. A five-year follow-up of preformed, autologous ossicles in tympanoplasty. *Orig. Art.*, 729.
- Ali, Z. and Albert, D. M. Two cases of vallecular cyst presenting with acute stridor. *Clin. Rec.*, 421.
- Amatya, R. C., Kacker, S. K. and Bahadur, S. The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa. *Orig. Art.*, 763.
- Amr, S. S., Hyams, V. J. and Al Samarrae, S. M. Polypoid lymphangioma of the tonsil. *Clin. Rec.*, 819.
- Andersen, J., Jacobsen, P. and Kristensen, S. Squamous odontogenic tumour. *Clin. Rec.*, 919.
- Anderson, K. R., Stegehuis, H. R. and Guy, A. M. Middle-ear lipoma presenting as airways obstruction. *Clin. Rec.*, 589.
- Ardran, G. M. and Crowther, J. A. Dysphagia due to cervical spondylosis. *Clin. Rec.*, 1167.
- Atherino, C. C. T., Garcia, R. and Lopes, L. J. Ectopic meningioma of the nose and paranasal sinuses. *Clin. Rec.*, 1161.
- Baarsma, E. A., Kazzaz, B. and Soei, K. I. Secondary syphilis of the tonsils. *Clin. Rec.*, 601.
- Babington, P. and Donnelly, J. P. Use of a nasopharyngeal airway as an aid to easy recovery after nasal surgery. *Clin. Rec.*, 399.
- Bagley, J., Randall, C. and Stafford, N. Assessment of bullet injuries in the neck. *Clin. Rec.*, 1315.
- Bahadur, S., Amatya, R. C. and Kacker, S. K. The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa. *Orig. Art.*, 763.
- Bahadur, S., Iyer, S. and Kacker, S. K. The thyroid gland in the management of carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 1251.
- Bailey, C. M. and Wadsworth, P. V. Treatment of the drooling child by submandibular duct transposition. *Orig. Art.*, 1111.
- Bailey, C. M., Smith, M. C. F. and Smith, R. J. H. Primary cervical neuroblastoma in infants. *Clin. Rec.*, 209.
- Bakhshi, K. N., Osborne, J., Collins, M. P. and Church, M. K. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
- Balle, V. H. and Bretlau, P. Remediastinoscopy. *Orig. Art.*, 267.
- Balle, V. H. and Bretlau, P. Tracheostomal stenosis following total laryngectomy. *Orig. Art.*, 577.
- Balm, A. J. M., Tiwari, R. M. and de Rijcke, Th. B. M. Osteomyelitis in the head and neck. *Clin. Rec.*, 1059.
- Banfai, P., Hortmann, G., Kubik, S., Karczag, A., Lüers, P. and Sürth, W. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
- Bang, G. and Liavaag, P. G. Dermal type cylindroma of the parotid gland with malignant transformation. *Clin. Rec.*, 1049.
- Baraka, M. E. and Sadek, S. A. A. Carcinomatous changes in pharyngeal diverticula. *Clin. Rec.*, 297.
- Baraka, M. E., Jones, P. H., Nassar, W. Y. and Sadek, S. A. A. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.

- Baraka, M. E., Didhom, N. N., Sadek, S. A. A., Dogra, T. S. and Khan, M. K. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
- Barbara, M. and Filipo, R. Juvenile Menière's disease. *Clin. Rec.*, 193.
- Barbatis, C., Salama, N. Y., Gleeson, M. J. and Siodlak, M. Z. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
- Barton, R. P. E. Metachranous chondrosarcoma and malignant melanoma of the nose. *Clin. Rec.*, 497.
- Baskill, J. L., Sheldrake, J. B. and Coles, R. R. A. Measurement and management of tinnitus. Part II. *Orig. Art.*, 1.
- Batch, A. J. G. The role of fiberoptic oesophagogastroscopy in E.N.T. practice. *Orig. Art.*, 783.
- Beg, M. H. A. and Marfani, S. The larynx in pulmonary tuberculosis. *Clin. Rec.*, 201.
- Belal, A., Jr. Metastatic tumours of the temporal bone. *Orig. Art.*, 839.
- Ben-David, J., Grishkan, A., Fradis, M. and Podoshin, L. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
- Bende, M. and Flisberg, K. Blood flow in nasal polyps. *Orig. Art.*, 167.
- Berezowski, B. M., McIntosh, W. A. and Lownie, J. F. Haemangioma of the mandible. *Clin. Rec.*, 913.
- Betow, C. H. and Zenev, I. Scanning electronic microscopy of sialit-preserved total middle-ear grafts. *Orig. Art.*, 1201.
- Bharucha, H., Gormley, P. K. and Primrose, W. J. Subglottic plasmacytoma of the larynx: an acute presentation. *Clin. Rec.*, 925.
- Black, N. Causes of glue ear. *Orig. Art.*, 953.
- Bonding, P., Vimpel, T. and Felding, J. U. The value of X-ray examination of the paranasal sinuses after epistaxis. *Orig. Art.*, 253.
- Boss, H., Samet, A., Podoshin, L., Fradis, M., Simon, J. and Lazarov, N. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
- Bowdler, D. A. and Emery, P. J. Tracheostomy tube fatigue. *Clin. Rec.*, 517.
- Bowdler, D. A. and Knight, J. R. A benign middle-ear adenoma producing facial paralysis. *Clin. Rec.*, 809.
- Bowdler, D. A. and Knight, J. R. Lingual claudication and necrosis as a complication of giant cell arteritis. *Clin. Rec.*, 417.
- Bradley, P. J. and Singh, S. D. Nasal glioma. *Orig. Art.*, 247.
- Brama, I. Congenital neural hearing-loss due to inner ear malformation. *Clin. Rec.*, 293.
- Breach, N. C. and Narula, A. A. The use of the latissimus dorsi muscle flap for posterior scalp defects. *Orig. Art.*, 693.
- Brennan, W. J. and Clark, G. M. An animal model of acute otitis media and the histopathological assessment of a cochlear implant in the cat. *Orig. Art.*, 851.
- Bretlau, P. and Balle, V. H. Remediastinoscopy. *Orig. Art.*, 267.
- Bretlau, P. and Balle, V. H. Tracheostomal stenosis following total laryngectomy. *Orig. Art.*, 577.
- Brodie, S. W. and Chaurasia, M. K. A rare intracranial complication of cholesterol granuloma. *Clin. Rec.*, 491.
- Brookes, G. B. and Marks, P. V. Myelomatosis presenting as an isolated lesion in the mastoid. *Clin. Rec.*, 903.
- Brooks, D. N. Fenestration: A twenty-five-year evaluation. *Orig. Art.*, 225.
- Brown, A. M., Clark, G. M., Dowell, R. C., Martin, L. F. A. and Seligman, P. M. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
- Browne, R. M., Tranter, R. M. D. and Frame, J. W. The healing of CO₂ laser wounds of the larynx. *Orig. Art.*, 895.
- Browning, G. G., Swan, I. R. C. and Gatehouse, S. The doubtful value of tympanometry in the diagnosis of otosclerosis. *Orig. Art.*, 545.
- Buller, N., Laurian, N., Shvili, Y. and Zohar, Y. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
- Bulman, C. H., Kane, R. J. and Srivastva, V. N. The ENT manifestations of systemic vasculitis. *Clin. Rec.*, 941.
- Cagnoli, A., Rucci, L. and Pantaleo, T. Tympanometric variations induced by Vidian nerve stimulation in humans. *Orig. Art.*, 355.
- Calabrese, V., Croce, A., de Campora, E., Camaioni, A., Corradini, C. and D'Agnone, N. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
- Camaioni, A., Corradini, C., D'Agnone, N., Calabrese, V., Croce, A. and de Campora, E. Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
- Canter, R. J. and Rogers, J. Tonsillectomy: Home after 24 hours? *Orig. Art.*, 177.
- Carlsöö, B. and Gustafsson, H. Multiple acinic cell carcinoma. *Clin. Rec.*, 1183.
- Carruth, J. A. S. Laryngeal microsurgery with the Carbon Dioxide laser. *Orig. Art.*, 573.
- Carruth, J. A. S. Resection of the tongue with the carbon dioxide laser: 100 cases. *Orig. Art.*, 887.
- Chandran, M., Hazarika, P. and Nayak, R. G. Extra-nasopharyngeal extension of juvenile angiofibroma. *Clin. Rec.*, 813.

- Charles, P., Pedersen, U., Melsen, F. and Elbrønd, O. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
- Chatterji, P., Soni, N. K. and Agarwal, B. K. Myxoma of the jaw. *Clin. Rec.*, 391.
- Chaurasia, M. K. and Brodie, S. W. A rare intracranial complication of cholesterol granuloma. *Clin. Rec.*, 491.
- Choa, D. I. and Ludman, H. Hemifacial spasm: Operative treatment. *Orig. Art.*, 239.
- Church, M. K., Bakhshi, K. N., Osborne, J. and Collins, M. P. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
- Clark, G. M. and Brennan, W. J. An animal model of acute otitis media and the histopathological assessment of a cochlear implant in the cat. *Orig. Art.*, 851.
- Clark, G. M., Dowell, R. C., Martin, L. F. A., Seligman, P. M. and Brown, A. M. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
- Coakley, J. F. Primary oat cell carcinoma of the larynx. *Clin. Rec.*, 301.
- Cohen, M., Hertzanu, Y., Mendelsohn, D. B. and Davidge-Pitts, K. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
- Cole, P., Mackay, I., Greenstone, M. and Stanley, P. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
- Coleman, M., Davis, A. E. and Maw, A. R. Acoustic brainstem electrical responses in congenital nystagmus. *Orig. Art.*, 147.
- Coles, R. R. A., Baskill, J. L. and Sheldrake, J. B. Measurement and management of tinnitus. Part II. *Orig. Art.*, 1.
- Collins, M. P. Abscess of the nasal septum complicating isolated acute sphenoiditis. *Clin. Rec.*, 715.
- Collins, M. P., Church, M. K., Bakhshi, K. N. and Osborne, J. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
- Colosimo, C., Jr., Moschini, M., Malena, S., Gugliantini, P. and Fileni, A. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
- Coman, W. B., Mills, C., McCafferty, G. J. and Lewis, A. N. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
- Comis, S. D., Osborne, M. P., Pickles, J. O., Jeffries, D. J. R. and Rhys Evans, P. H. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
- Cooke, E. T. M. An evaluation and clinical study of severe epistaxis treated by arterial ligation. *Orig. Art.*, 745.
- Corradini, C., D'Agnone, N., Calabrese, V., Croce, A., de Campora, E. and Camaioni, A. Thornell's approach for arytoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
- Couldery, A. D. and Spencer, M. G. Nasal tooth. *Clin. Rec.*, 1147.
- Crawford, M., Nielsen F. and Kristensen, S. Prominent ears: A follow-up study. *Orig. Art.*, 221.
- Cremers, C. W. R. J. Osteoma of the middle ear. *Clin. Rec.*, 383.
- Croce, A., de Campora, E., Camaioni, A., Corradini, C., D'Agnone, N. and Calabrese, V. Thornell's approach for arytoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
- Crow, J., Watts, R. W. E., Friedmann, I. and Spellacy, E. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
- Crowther, J. A. and Ardran, G. M. Dysphagia due to cervical spondylosis. *Clin. Rec.*, 1167.
- Cummings, C. W. and Marks, N. J. The levator scapulae muscle flap. *Orig. Art.*, 471.
- Cutchavaree, A. and Jimakorn, P. Synovial sarcoma of the hypopharynx. *Clin. Rec.*, 205.
- D'Agnone, N., Calabrese, V., Croce, A., de Campora, E., Camaioni, A. and Corradini, C. Thornell's approach for arytoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
- Das Gupta, A. R., Kent, S. E. and Liu, K. C. Post-laryngectomy pharyngo-cutaneous fistulae. *Orig. Art.*, 1005.
- Davidge-Pitts, K., Cohen, M., Hertzanu, Y. and Mendelsohn, D. B. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
- Davies, D. M., Walsh-Waring, G. P., Hodge, R. A., Matthews, R. N. and Eyre, J. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
- Davis, A. E., Maw, A. R. and Coleman, M. Acoustic brainstem electrical responses in congenital nystagmus. *Orig. Art.*, 147.
- Dawes, J. D. K. and Welch, A. R. Suboccipital approach in the removal of acoustic neuromas. *Orig. Art.*, 1217.
- de Campora, E., Camaioni, A., Corradini, C., D'Agnone, N., Calabrese, V. and Croce, A. Thornell's approach for arytoidectomy in the surgical treatment of bilateral abductor paralysis. *Orig. Art.*, 379.
- de Rijcke, Th. B. M., Balm, A. J. M. and Tiwari, R. M. Osteomyelitis in the head and neck. *Clin. Rec.*, 1059.
- Debruyne, F. Lateral sinus thrombosis in the eighties. *Clin. Rec.*, 91.
- Deguchi, K., Sugita, R. and Fujimaki, Y. Bacteriological features and chemotherapy of adult acute purulent otitis media. *Orig. Art.*, 629.
- Delogu, P., Magnani, M., Zini, C., Sanna, M., Gamoletti, R. and Scandellari, R. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
- Dogra, T. S., Khan, M. K., Baraka, M. E., Sidhom, N. N. and Sadek, S. A. A. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.

- Donnelly, J. P. The out-patient use of the fibrebronchoscope for examining the larynx. *Orig. Art.*, 793.
- Donnelly, J. P. and Babington, P. Use of a nasopharyngeal airway as an aid to easy recovery after nasal surgery. *Clin. Rec.*, 399.
- Dowell, R. C., Martin, L. F. A., Seligman, P. M., Brown, A. M. and Clark, G. M. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
- Drake-Lee, A. B. and Mitchell, D. B. Chronic non-specific granulomatous epiglottitis. *Clin. Rec.*, 1305.
- Dutton, J. E. M., Ramsden, R. T., Latif, A. and Lye, R. H. Endaural cerebral hernia. *Orig. Art.*, 643.
- East, D. Mucocoeles of the maxillary antrum. *Orig. Art.*, 49.
- Elbrønd, O., Charles, P., Pedersen, U. and Melsen, F. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
- Elidan, J., Michel, J., Gay, I. and Springer, H. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
- Elwany, S. Delayed ultrastructural radiation induced changes in the human mesotympanic middle ear mucosa. *Orig. Art.*, 343.
- Elwany, S. Histochemical study of cartilage autografts in tympanoplasty. *Orig. Art.*, 637.
- Elwany, S., Abdel-Kreem, A., Abou Seif, S. and Yakout, Y. M. Radiological findings in lipid proteinosis. *Orig. Art.*, 259.
- Elwany, S., Abdel-Kreem, A. and Talaat, M. Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis. *Orig. Art.*, 1233.
- Emery, P. J. and Bowlder, D. A. Tracheostomy tube fatigue. *Clin. Rec.*, 517.
- Eyal, A. and Tovi, F. Branched and polycystic thyroglossal duct anomaly. *Clin. Rec.*, 1179.
- Eyre, J., Davies, D. M., Walsh-Waring, G. P., Hodge, R. A. and Matthews, R. N. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
- Felding, J. U., Bonding, P. and Vimpel, T. The value of X-ray examination of the paranasal sinuses after epistaxis. *Orig. Art.*, 253.
- Ferguson, I. T., Ramsden, R. T. and Lythgoe, M. Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis. *Orig. Art.*, 677.
- Fileni, A., Colosimo, C., Jr., Moschini, M., Malena, S. and Gugliantini, P. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
- Filipo, R. and Barbara, M. Juvenile Menière's disease. *Clin. Rec.*, 193.
- Fini-Storchi, O., Lo Russo, D. and Agostini, V. 'Pseudotumors' of the clavicle subsequent to radical neck dissection. *Orig. Art.*, 73.
- Flisberg, K. and Bende, M. Blood flow in nasal polyps. *Orig. Art.*, 167.
- Flood, L. M., Fraser, J. G., Hazell, J. W. P. and Rothera, M. P. Perilymph fistula. *Orig. Art.*, 671.
- Flood, L. M., Kemink, J. L. and Graham, M. D. The investigation and management of petrous apex erosion. *Orig. Art.*, 439.
- Fradis, M., Podoshin, L., Ben-David, J. and Grishkan, A. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
- Fradis, M., Simon, J., Lazarov, N., Boss, H., Samet, A. and Podoshin, L. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
- Frame, J. W., Browne, R. M. and Tranter, R. M. D. The healing of CO₂ laser wounds of the larynx. *Orig. Art.*, 895.
- Franks, L. M. and Gołąbek, W. Lactate dehydrogenase in human maxillary adenocarcinoma and the experimental adenocarcinoma in mice. *Orig. Art.*, 171.
- Fraser, J. G., Hazell, J. W. P., Rothera, M. P. and Flood, L. M. Perilymph fistula. *Orig. Art.*, 671.
- French, D. A. and Moussa, S. A. Microsurgical reconstruction of the trachea in rats. *Orig. Art.*, 61.
- Friedmann, I., Marquet, J. and Van Goethem, H. Tactile neurofibroma of the stapedia nerve. *Clin. Rec.*, 187.
- Friedmann, I., Spellacy, E., Crow, J. and Watts, R. W. E. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
- Fujimaki, Y., Deguchi, K. and Sugita, R. Bacteriological features and chemotherapy of adult acute purulent otitis media. *Orig. Art.*, 629.
- Gamoletti, R., Scandellari, R., Delogu, P., Magnani, M., Zini, C. and Sanna, M. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
- Garcia, R., Lopes, L. J. and Atherino, C. C. T. Ectopic meningioma of the nose and paranasal sinuses. *Clin. Rec.*, 1161.
- Garty, I., Rosen, G. and Holdstein, Y. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). *Orig. Art.*, 109.
- Garzuzi, H., Rosen, G., Rakover, Y. and Vered, I. Rhinocerebral phycomycosis: combined approach therapy. *Clin. Rec.*, 1279.

- Gatehouse, S., Browning, G. G. and Swan, I. R. C. The doubtful value of tympanometry in the diagnosis of otosclerosis. *Orig. Art.*, 545.
- Gavilán, C., Gavilán, J. and Abril, A. Vestibular response in denatured rape oil intoxication. *Orig. Art.*, 973.
- Gavilán, C., Sarriá, M. J. and Gavilán, J. Facial electroneurography. *Orig. Art.*, 1085.
- Gavilán, J., Abril, A. and Gavilán, C. Vestibular response in denatured rape oil intoxication. *Orig. Art.*, 973.
- Gavilán, J., Gavilán, C. and Sarriá, M. J. Facial electroneurography. *Orig. Art.*, 1085.
- Gay, I., Lijovetzky, G. and Zaarrura, S. Leiomyoma of the nasal cavity. *Clin. Rec.*, 197.
- Gay, I., Springer, H., Elidan, J. and Michel, J. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
- Gertler, R. and Ramages, L. Tuberculous laryngitis—a one year harvest. *Orig. Art.*, 1119.
- Gertler, R. and Ramages, L. J. Aural tuberculosis: a series of 25 patients. *Orig. Art.*, 1073.
- Ghorayeb, B. Y. and Shikhani, A. H. The use of dexamethasone in pediatric bronchoscopy. *Orig. Art.*, 1127.
- Gleeson, M. J., Siodlak, M. Z. and Wengraf, C. L. Fibre optic guided nasal intubation—shouldn't we be the experts? *Orig. Art.*, 775.
- Gleeson, M. J., Siodlak, M. Z., Barbatis, C. and Salama, N. Y. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
- Golgbek, W. and Franks, L. M. Lactate dehydrogenase in human maxillary adenocarcinoma and in experimental adenocarcinoma in mice. *Orig. Art.*, 171.
- Golding-Wood, D. G. and Randall, C. J. Pouch formation in the interposed colon. *Clin. Rec.*, 1043.
- Gormley, P. K., Primrose, W. J. and Bharucha, H. Subglottic plasmacytoma of the larynx: an acute presentation. *Clin. Rec.*, 925.
- Graamans, K. and Lubsen, H. Clinical implications of laryngeal amyloidosis. *Clin. Rec.*, 617.
- Graham, M. D., Flood, L. M. and Kemink, J. L. The investigation and management of petrous apex erosion. *Orig. Art.*, 439.
- Grahne, B., Lamberg, B.-A., Rinne, J., Pelkonen, R., Liesmaa, M. and Tommila, V. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
- Grant, H. R. and Rothera, M. P. Long-term ventilation of the middle ear using the Goode T-Tube. *Orig. Art.*, 335.
- Greenstone, M., Stanley, P., Cole, P. and Mackay, I. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
- Gresham, G. A., Wight, D. G. D. and Russell, G. A. Acute epiglottitis in adults not due to haemophilus. *Clin. Rec.*, 1035.
- Grewal, D. S., Hiranandani, N. L. and Kalgutkar, J. S. Congenital absence of the palatine tonsil associated with congenital malformation of the external ear. *Clin. Rec.*, 285.
- Grishkan, A., Fradis, M., Podoshin, L. and Ben-David, J. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
- Grymer, L. F., Gutierrez, C. and Stoksted, P. Nasal fractures in children: influence on the development of the nose. *Orig. Art.*, 735.
- Grymer, L. F., Gutierrez, C. and Stoksted, P. The importance of nasal fractures during different growth periods of the nose. *Orig. Art.*, 741.
- Gugliantini, P., Fileni, A., Colosimo, C., Jr., Moschini, M. and Malena, S. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
- Gulati, A., Mann, S. B. S., Nayar, R. C. and Mathur, R. P. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
- Gupta, S. C. Septoplasty in unilateral atrophic rhinitis with deviated nasal septum. *Orig. Art.*, 163.
- Gustafsson, H. and Carlsöö, B. Multiple acinic cell carcinoma. *Clin. Rec.*, 1183.
- Gutierrez, C., Stoksted, P. and Grymer, L. F. Nasal fractures in children: influence on the development of the nose. *Orig. Art.*, 735.
- Gutierrez, C., Stoksted, P. and Grymer, L. F. The importance of nasal fractures during different growth periods of the nose. *Orig. Art.*, 741.
- Guy, A. M., Anderson, K. R. and Stegehuis, H. R. Middle-ear lipoma presenting as airways obstruction. *Clin. Rec.*, 589.
- Har-El, G., Zirkin, H. Y., Tovi, F. and Sidi, J. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
- Harada, Y., Ishida, M., Wada, H., Ohta, M., Sakoda, K., Uozumi, T. and Suzuki, M. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
- Hardcastle, P. and Singh, W. Near-total laryngectomy with myo-mucosal valved neoglottis. *Orig. Art.*, 581.
- Hasegawa, M., Nishijima, W., Watanabe, I., Nasu, M. and Kamiyama, R. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
- Hazarika, P., Nayak, R. G. and Chandran, M. Extra-nasopharyngeal extension of juvenile angiofibroma. *Clin. Rec.*, 813.
- Hazell, J. W. P., Rothera, M. P., Flood, L. M. and Fraser, J. G. Perilymph fistula. *Orig. Art.*, 671.

- Hertzanu, Y., Mendelsohn, D. B., Davidge-Pitts, K. and Cohen, M. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
- High, A. S. and Kay, N. J. Solitary neurogenic sarcoma of the nose. *Clin. Rec.*, 1151.
- Hiraide, F., Inouye, T. and Tanaka, E. Lymphangiectatic fibrous polyp of the palatine tonsil. *Clin. Rec.*, 403.
- Hiranandani, N. L., Kalgutkar, J. S. and Grewal, D. S. Congenital absence of the palatine tonsil associated with congenital malformation of the external ear. *Clin. Rec.*, 285.
- Hirano, M., Yoshida, T., Tateishi, O. and Yoshida, Y. Stroboscopic colour video recording of vocal fold vibration. *Orig. Art.*, 795.
- Hodge, R. A., Matthews, R. N., Eyre, J., Davies, D. M. and Walsh-Waring, G. P. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
- Holdstein, Y., Garty, I. and Rosen, G. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). *Orig. Art.*, 109.
- Hortmann, G., Kubik, S., Karczag, A., Lüers, P., Sürth, W. and Banfai, P. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
- Howard, D. J. Life-threatening epistaxis in pregnancy. *Clin. Rec.*, 95.
- Howard, D. J. and Lund, V. J. Primary Ewing's sarcoma of the ethmoid bone. *Clin. Rec.*, 1019.
- Howard, D. J. and Lund, V. J. Skin grafting of the anterior stomach wall following pharyngo-gastric anastomosis. *Orig. Art.*, 273.
- Hyams, V. J., Al Samarrae, S. M. and Amr, S. S. Polypoid lymphangioma of the tonsil. *Clin. Rec.*, 819.
- Inouye, T., Tanaka, E. and Hiraide, F. Lymphangiectatic fibrous polyp of the palatine tonsil. *Clin. Rec.*, 403.
- Irwin, B. C. An unusual para-oesophageal mass. *Clin. Rec.*, 931.
- Ishida, M., Wada, H., Ohta, M., Sakoda, K., Uozumi, T., Suzuki, M. and Harada, Y. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
- Iyer, S., Kacker, S. K. and Bahadur, S. The thyroid gland in the management of carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 1251.
- Jackson, P. A comparison of the effects of eighth nerve section with lidocaine on tinnitus. *Orig. Art.*, 663.
- Jackson, P. Electrocochleographic findings and the effects of lidocaine on tinnitus in non-hearing ears. *Orig. Art.*, 667.
- Jackson, P. and Perucca, E. A controlled study of the suppression of tinnitus by lidocaine infusion. *Orig. Art.*, 657.
- Jacobsen, P., Kristensen, S. and Andersen, J. Squamous odontogenic tumour. *Clin. Rec.*, 919.
- Jefferis, A. F. and Jonathan, D. A. Fibrodysplasia ossificans progressiva presenting acutely as a submandibular swelling. *Clin. Rec.*, 721.
- Jefferis, A. F. and Narula, A. Squamous cell carcinoma and liposarcoma of the larynx occurring metachronously. *Clin. Rec.*, 509.
- Jefferis, A. F., Shaw, H. J. and Lesser, T. H. J. Pseudotumoral mycobacterial infection in the head and neck: A clinical study. *Orig. Art.*, 277.
- Jefferis, A. F., Taylor, P. C. A. and Walsh-Waring, G. P. Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla. *Clin. Rec.*, 1011.
- Jeffries, D. J. R., Rhys Evans, P. H., Comis, S. D., Osborne, M. P. and Pickles, J. O. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
- Jeppesen, F. and Möller, K. Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human autopsy material. *Orig. Art.*, 1225.
- Jimakorn, P. and Cutchavaree, A. Synovial sarcoma of the hypopharynx. *Clin. Rec.*, 205.
- Jonathan, D. A. and Jefferis, A. F. Fibrodysplasia ossificans progressiva presenting acutely as a submandibular swelling. *Clin. Rec.*, 721.
- Jones, A. S. and Lancer, J. M. Flexible fibreoptic rhinolaryngoscopy. *Orig. Art.*, 771.
- Jones, P. H. BIPP allergy causing facial paralysis. *Clin. Rec.*, 389.
- Jones, P. H., Nassar, W. Y., Sadek, S. A. A. and Baraka, M. E. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.
- Juul, A., Nielsen, F. and Kristensen, S. Quinsy: A bilateral presentation. *Clin. Rec.*, 401.
- Kääriäinen, H., Karjalainen, S., Teräsvirta, M. and Kärjä, J. Usher's syndrome type III. *Orig. Art.*, 43.
- Kacker, S. K., Bahadur, S. and Amatya, R. C. The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa. *Orig. Art.*, 763.
- Kacker, S. K., Bahadur, S. and Iyer, S. The thyroid gland in the management of carcinoma of the larynx and laryngopharynx. *Orig. Art.*, 1251.
- Kakar, P. K., Puri, R. K. and Venkatachalam, V. P. Oral Submucous Fibrosis—treatment with hyalase. *Orig. Art.*, 57.
- Kalgutkar, J. S., Grewal, D. S. and Hiranandani, N. L. Congenital absence of the palatine tonsil associated with congenital malformation of the external ear. *Clin. Rec.*, 285.

- Kamiyama, R., Hasegawa, M., Nishijima, W., Watanabe, I. and Nasu, M. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
- Kane, R. J., Srivastva, V. N. and Bulman, C. H. The ENT manifestations of systemic vasculitis. *Clin. Rec.*, 941.
- Karczaga, A., Lüers, P., Sürth, W., Banfai, P., Hortmann, G. and Kubik, S. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
- Kärjä, J., Kääriäinen, H., Karjalainen, S. and Teräsvirta, M. Usher's syndrome type III. *Orig. Art.*, 43.
- Karjalaine, S., Teräsvirta, M., Kärjä, J. and Kääriäinen, H. Usher's syndrome type III. *Orig. Art.*, 43.
- Karma, P. and Rahko, T. Transdermal scopolamine for peripheral vertigo. *Orig. Art.*, 653.
- Kawamura, A., Jr., Lynn, T.-C. and Tu, S.-M. Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma. *Orig. Art.*, 567.
- Kay, N. J. and High, A. S. Solitary neurogenic sarcoma of the nose. *Clin. Rec.*, 1151.
- Kazzaz, B., Soei, K. I. and Baarsma, E. A. Secondary syphilis of the tonsils. *Clin. Rec.*, 601.
- Kemink, J. L., Graham, M. D. and Flood, L. M. The investigation and management of petrous apex erosion. *Orig. Art.*, 439.
- Kent, S. E. and Majumdar, B. Metastatic tumours in the maxillary sinus. *Orig. Art.*, 459.
- Kent, S. E., Liu, K. C. and Das Gupta, A. R. Post-laryngectomy pharyngo-cutaneous fistulae. *Orig. Art.*, 1005.
- Khalil, M. A. and Spector, M. The conical cartilage of the cat's middle ear. *Orig. Art.*, 831.
- Khan, M., Shahdin, Y., Khan, M. R. and Yousaf, N. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
- Khan, M. K., Baraka, M. E., Sidhom, N. N., Sadek, S. A. A. and Dogra, T. S. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
- Khan, M. R., Yousaf, N., Khan, M. and Shahdin, Y. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
- Knight, J. R. and Bowdler, D. A. A benign middle-ear adenoma producing facial paralysis. *Clin. Rec.*, 809.
- Knight, J. R. and Bowdler, D. A. Lingual claudication and necrosis as a complication of giant cell arteritis. *Clin. Rec.*, 417.
- Kristensen, S. Cervical hibernoma. *Clin. Rec.*, 1055.
- Kristensen, S. and Tveterås, K. Lightning-induced acoustic rupture of the tympanic membrane. *Clin. Rec.*, 711.
- Kristensen, S., Andersen, J. and Jacobsen, P. Squamous odontogenic tumour. *Clin. Rec.*, 919.
- Kristensen, S., Crawford, M. and Nielsen, F. Prominent ears: A follow-up study. *Orig. Art.*, 221.
- Kristensen, S., Juul, A. and Nielsen, F. Quinsy: A bilateral presentation. *Clin. Rec.*, 401.
- Kubik, S., Karczaga, A., Lüers, P., Sürth, W., Banfai, P. and Hortmann, G. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
- Kuylensstierna, R. and Mendel, L. A clinical comparison of the results of two different methods of closing tympanic membrane perforations. *Orig. Art.*, 339.
- Kwong, K. Aggressive fibromatosis of the tonsillar fossa—a case report. *Clin. Rec.*, 411.
- Lamberg, B.-A., Rinne, J., Pelkonen, R., Liesmaa, M., Tommila, V. and Grahne, B. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
- Lancer, J. M. and Jones, A. S. Flexible fiberoptic rhinolaryngoscopy. *Orig. Art.*, 771.
- Lancer, J. M. and Moir, A. A. The flexible fiberoptic rhinolaryngoscope. *Orig. Art.*, 767.
- Latif, A., Lye, R. H., Dutton, J. E. M. and Ramsden, R. T. Endaural cerebral hernia. *Orig. Art.*, 643.
- Latif, A., O'Malley, S. and Ramsden, R. T. Electrocochleographic changes in acute salicylate overdose. *Clin. Rec.*, 1269.
- Laurian, N. and Zohar, Y. Facial palsy following stapedectomy. *Clin. Rec.*, 387.
- Laurian, N., Shvili, Y., Zohar, Y. and Buller, N. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
- Laurian, N., Strauss, M. and Zohar, Y. The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps. *Orig. Art.*, 373.
- Lazarov, N., Boss, H., Samet, A., Podoshin, L., Fradis, M. and Simon, J. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
- Lesser, T. H. J., Jefferis, A. F. and Shaw, H. J. Pseudotumoral mycobacterial infection in the head and neck: A clinical study. *Orig. Art.*, 277.
- Lewis, A. N., Coman, W. B., Mills, C. and McCafferty, G. J. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
- Liavaag, P. G. and Bang, G. Dermal type cylindroma of the parotid gland with malignant transformation. *Clin. Rec.*, 1049.
- Liesmaa, M., Tommila, V., Grahne, B., Lamberg, B.-A., Rinne, J. and Pelkonen, R. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
- Lijovetzky, G., Zaarura, S. and Gay, I. Leiomyoma of the nasal cavity. *Clin. Rec.*, 197.
- Lindeman, P. The elongated styloid process as a cause of throat discomfort. *Clin. Rec.*, 505.
- Liu, K. C., Das Gupta, A. R. and Kent, S. E. Post-laryngectomy pharyngo-cutaneous fistulae. *Orig. Art.*, 1005.

- Lo Russo, D., Agostini, V. and Fini-Storchi, O. 'Pseudotumors' of the clavicle subsequent to radical neck dissection. *Orig. Art.*, 73.
- Lopes, L. J., Atherino, C. C. T. and Garcia, R. Ectopic meningioma of the nose and paranasal sinuses. *Clin. Rec.*, 1161.
- Lownie, J. F., Berezowski, B. M. and McIntosh, W. A. Haemangioma of the mandible. *Clin. Rec.*, 913.
- Lubsen, H. and Graamans, K. Clinical implications of laryngeal amyloidosis. *Clin. Rec.*, 617.
- Ludman, H. and Choa, D. I. Hemifacial spasm: Operative treatment. *Orig. Art.*, 239.
- Lüers, P., Sürth, W., Banfai, P., Hortmann, G., Kubik, S. and Karczag, A. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
- Lund, V. J. and Howard, D. J. Primary Ewing's sarcoma of the ethmoid bone. *Clin. Rec.*, 1019.
- Lund, V. J. and Howard, D. J. Skin grafting of the anterior stomach wall following pharyngo-gastric anastomosis. *Orig. Art.*, 273.
- Lye, R. H., Dutton, J. E. M., Ramsden, R. T. and Latif, A. Endaural cerebral hernia. *Orig. Art.*, 643.
- Lynn, T.-C., Tu, S.-M. and Kawamura, A., Jr. Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma. *Orig. Art.*, 567.
- Lyon, D. J., Mok, C. L. L. and Nolan, M. Air pressure changes in the external auditory meatus. *Orig. Art.*, 315.
- Lythgoe, M., Ferguson, I. T. and Ramsden, R. T. Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis. *Orig. Art.*, 677.
- Mackay, I., Greenstone, M., Stanley, P. and Cole, P. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
- Magnani, M., Zini, C., Sanna, M., Gamoletti, R., Scandellari, R. and Delogu, P. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
- Majumdar, B. and Kent, S. E. Metastatic tumours in the maxillary sinus. *Orig. Art.*, 459.
- Mäkinen, J., Palva, T. and Virtanen, H. Acute and latent mastoiditis in children. *Orig. Art.*, 127.
- Malena, S., Gugliantini, P., Fileni, A., Colosimo, C., Jr. and Moschini, M. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
- Mann, S. B. S., Nayar, R. C., Mathur, R. P. and Gulati, A. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
- Marfani, S. and Beg, M. H. A. The larynx in pulmonary tuberculosis. *Clin. Rec.*, 201.
- Marks, N. J. and Cummings, C. W. The levator scapulae muscle flap. *Orig. Art.*, 471.
- Marks, P. V. and Brookes, G. B. Myelomatosis presenting as an isolated lesion in the mastoid. *Clin. Rec.*, 903.
- Marquet, J., Van Goethem, H. and Friedmann, I. Tactile neurofibroma of the stapedia nerve. *Clin. Rec.*, 187.
- Martin, L. F. A., Seligman, P. M., Brown, A. M., Clark, G. M. and Dowell, R. C. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
- Mathur, R. P., Gulati, A., Mann, S. B. S. and Nayar, R. C. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
- Matthews, R. N., Eyre, J., Davies, D. M., Walsh-Waring, G. P. and Hodge, R. A. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
- Maw, A. R., Coleman, M. and Davis, A. E. Acoustic brainstem electrical responses in congenital nystagmus. *Orig. Art.*, 147.
- Mazzoni, M. and Ricci, T. Experimental investigation of temperature gradients in the inner ear following Argon laser exposure. *Orig. Art.*, 359.
- Meikle, D. and Yarrington, C. T., Jr. Synchronous parotid tumors of different histological types in association with metastasizing hypopharyngeal carcinoma. *Orig. Art.*, 1261.
- Melsen, F., Elbrønd, O., Charles, P. and Pedersen, U. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
- Mendel, L. and Kuylenstierna, R. A clinical comparison of the results of two different methods of closing tympanic membrane perforations. *Orig. Art.*, 339.
- Mendelsohn, D. B., Davide-Pitts, K., Cohen, M. and Hertzanu, Y. Preoperative embolization in paediatric maxillofacial haemangiomas. *Orig. Art.*, 1089.
- Michel, J., Gay, I., Springer, H. and Elidan, J. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
- Mills, C., McCafferty, G. J., Lewis, A. N. and Coman, W. B. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
- Mitchell, D. B. and Drake-Lee, A. B. Chronic non-specific granulomatous epiglottitis. *Clin. Rec.*, 1305.
- Miyahara, H., Yoshino, K., Umatani, K. and Sato, T. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
- Mogensen, C., Nielsen, A. L. and Tommerup, B. A leiomyosarcoma of the hypopharynx. *Clin. Rec.*, 605.
- Moir, A. A. and Lancer, J. M. The flexible fiberoptic rhinolaryngoscope. *Orig. Art.*, 767.
- Mok, C. L. L., Nolan M. and Lyon, D. J. Air pressure changes in the external auditory meatus. *Orig. Art.*, 315.
- Møller, K. and Jeppesen, F. Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human autopsy material. *Orig. Art.*, 1225.

- Monkhouse, W. S. and Smelt, G. J. C. The effect of bath water, sea water and swimming pool water on the guinea pig middle ear. *Orig. Art.*, 1209.
- Moschini, M., Malena, S., Gugliantini, P., Fileni, A. and Colosimo, C., Jr. Tomography in the pre-operative evaluation of ear malformations. *Orig. Art.*, 433.
- Moussa, S. A. and French, D. A. Microsurgical reconstruction of the trachea in rats. *Orig. Art.*, 61.
- Mugliston, T. and O'Donoghue, G. Otomycosis—A continuing problem. *Orig. Art.*, 327.
- Mugliston, T. and Redhead, J. Facial electroneuronography. *Orig. Art.*, 369.
- Mugliston, T. A. H. and Sangwan, S. Persistent cavernous haemangioma of the larynx—a pregnancy problem. *Clin. Rec.*, 1309.
- Mugliston, T. A. H. and Stafford, N. A cranio-facial approach to large osteomas of the fronto-ethmoidal region. *Orig. Art.*, 979.
- McCafferty, G. J., Lewis, A. N., Coman, W. B. and Mills, C. A nine-year study of ear disease in Australian Aboriginal children. *Orig. Art.*, 117.
- McCormick, M. S. and Stell, P. M. Carcinoma of the external auditory meatus and middle ear. *Orig. Art.*, 847.
- McCormick, M. S., Sutherland, N. B. and Prescott, C. A. J. Tracheostomy sinuses. *Clin. Rec.*, 1173.
- McIntosh, W. A. Radiological assessment of pharyngeal integrity after total laryngectomy. *Orig. Art.*, 1245.
- McIntosh, W. A., Lownie, J. F. and Berezowski, B. M. Haemangioma of the mandible. *Clin. Rec.*, 913.
- Narula, A. Acoustic trauma and perilymph fistula. *Clin. Rec.*, 909.
- Narula, A. and Jefferis, A. F. Squamous cell carcinoma and liposarcoma of the larynx occurring metachronously. *Clin. Rec.*, 509.
- Narula, A. A. and Breach, N. C. The use of the latissimus dorsi muscle flap for posterior scalp defects. *Orig. Art.*, 693.
- Nassar, W. Y., Sadek, S. A. A., Baraka, M. E. and Jones, P. H. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.
- Nasu, M., Kamiyama, R., Hasegawa, M., Nishijima, W. and Watanabe, I. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
- Navacharoen, N., Sirisanthana, T., Navacharoen, W. and Ruckphaopunt, K. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
- Navacharoen, W., Ruckphaopunt, K., Navacharoen, N. and Sirisanthana, T. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
- Nayak, R. G., Chandran, M. and Hazarika, P. Extra-nasopharyngeal extension of juvenile angiofibroma. *Clin. Rec.*, 813.
- Nayar, R. C., Mathur, R. P., Gulati, A. and Mann, S. B. S. Orbital apex syndrome due to rhinoscleroma. *Clin. Rec.*, 597.
- Nayyer, M., Vrat, V. and Saharia, P. S. Co-existing tuberculosis and malignancy in the maxillary sinus. *Clin. Rec.*, 397.
- Nielsen, A. L., Tommerup, B. and Mogensen, C. A leiomyosarcoma of the hypopharynx. *Clin. Rec.*, 605.
- Nielsen, F., Kristensen, S. and Crawford, M. Prominent ears: A follow-up study. *Orig. Art.*, 221.
- Nielsen, F., Kristensen, S. and Juul, A. Quinsy: A bilateral presentation. *Clin. Rec.*, 401.
- Nishijima, W., Watanabe, I., Nasu, M., Kamiyama, R. and Hasegawa, M. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
- Nolan, M., Lyon, D. J. and Mok, C. L. L. Air pressure changes in the external auditory meatus. *Orig. Art.*, 315.
- O'Donoghue, G. and Mugliston, T. Otomycosis—A continuing problem. *Orig. Art.*, 327.
- O'Malley, S., Ramsden, R. T. and Latif, A. Electrocochleographic changes in acute salicylate overdosage. *Clin. Rec.*, 1269.
- Odetoyinbo, O. The changing pattern of mastoid abscess. *Orig. Art.*, 1081.
- Ohta, M., Sakoda, K., Uozumi, T., Suzuki, M., Harada, Y., Ishida, M. and Wada, H. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
- Oppedal, B. R., Røyne, T. and Titterud, I. Synovial sarcomas of the neck. *Clin. Rec.*, 101.
- Osborne, B. V. and Osborne, J. E. Misleading normal findings after the inhalation of a radio-opaque foreign body. *Clin. Rec.*, 1171.
- Osborne, J., Collins, M. P., Church, M. K. and Bakhshi, K. N. Adenoid histamine and its possible relationship to secretory otitis media. *Orig. Art.*, 685.
- Osborne, J. E. and Osborne, B. V. Misleading normal findings after the inhalation of a radio-opaque foreign body. *Clin. Rec.*, 1171.
- Osborne, J. E. and Parker, A. J. Air in the ventricles: an unusual complication of nasal polypectomy. *Clin. Rec.*, 1275.
- Osborne, M. P., Pickles, J. O., Jeffries, D. J. R., Rhys Evans, P. H. and Comis, S. D. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
- Paaske, P. B. and Tang, E. Tracheopathia osteoplastica in the larynx. *Clin. Rec.*, 305.

- Palva, T. Surgical treatment of cholesteatomatous ear disease. *Orig. Art.*, 539.
- Palva, T., Virtanen, H. and Mäkinen, J. Acute and latent mastoiditis in children. *Orig. Art.*, 127.
- Pantaleo, T., Cagnoli, A. and Rucci, L. Tympanometric variations induced by Vidian nerve stimulation in humans. *Orig. Art.*, 355.
- Parker, A. J. and Osborne, J. E. Air in the ventricles: an unusual complication of nasal polypectomy. *Clin. Rec.*, 1275.
- Pedersen, U., Melsen, F., Elbrønd, O. and Charles, P. Histopathology of the stapes in osteogenesis imperfecta. *Orig. Art.*, 451.
- Pelkonen, R., Liesmaa, M., Tommila, V., Grahne, B., Lamberg, B.-A. and Rinne, J. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
- Penna, M. and Rossi, F. Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult guinea pig. *Orig. Art.*, 363.
- Perucca, E. and Jackson, P. A controlled study of the suppression of tinnitus by lidocaine infusion. *Orig. Art.*, 657.
- Pesce, C. and Toncini, C. Granular cell tumours of the oesophagus and larynx. *Clin. Rec.*, 1301.
- Pickles, J. O., Jeffries, D. J. R., Rhys Evans, P. H., Comis, S. D. and Osborne, M. P. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
- Podoshin, L., Ben-David, J., Grishkan, A. and Fradis, M. Eosinophilic granuloma of the temporal bone. *Clin. Rec.*, 475.
- Podoshin, L., Fradis, M., Simon, J., Lazarov, N., Boss, H. and Samet, A. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
- Polli, G., Salimbeni, C. and Alajmo, E. Reconstructive laryngectomy. *Orig. Art.*, 463.
- Portmann, M. The choice of techniques for the surgery of chronic otitis media with cholesteatoma. *Orig. Art.*, 533.
- Prasad, U. CO₂ surgical laser in the management of bilateral vocal cord paralysis. *Orig. Art.*, 891.
- Prescott, C. A. J., McCormick, M. S. and Sutherland, N. B. Tracheostomy sinuses. *Clin. Rec.*, 1173.
- Priede, V. M. and Wells, S. C. A case of congenital conductive deafness. *Clin. Rec.*, 705.
- Primrose, W. J., Bharucha, H. and Gormley, P. K. Subglottic plasmacytoma of the larynx: an acute presentation. *Clin. Rec.*, 925.
- Puri, R. K., Venkatachalam, V. P. and Kakar, P. K. Oral submucous fibrosis—treatment with hyalase. *Orig. Art.*, 57.
- Pusalkar, A., Steinbach, E. and Shah, D. Paraganglioma of the tympanic membrane. *Clin. Rec.*, 481.
- Puterman, M., Tovi, F., Tiberin, P. and Zirkin, H. J. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
- Radcliffe, G. and Robinson, A. C. Foreign bodies and dementia. *Clin. Rec.*, 609.
- Rahko, T. and Karma, P. Transcranial scopolamine for peripheral vertigo. *Orig. Art.*, 653.
- Raine, C. H. and Swift, A. C. Antibiotic prophylaxis—a survey. *Orig. Art.*, 183.
- Raj, T. B. and Zarod, A. P. Acute non-tuberculous retropharyngeal abscess in adults. *Clin. Rec.*, 1297.
- Rakover, Y., Vered, I., Garzuzi, H. and Rosen, G. Rhinocerebral phycomycosis: combined approach therapy. *Clin. Rec.*, 1279.
- Ramages, L. and Gertler, R. Tuberculous laryngitis—a one year harvest. *Orig. Art.*, 1119.
- Ramages, L. J. and Gertler, R. Aural tuberculosis: a series of 25 patients. *Orig. Art.*, 1073.
- Ramsden, R. T., Latif, A. and O'Malley, S. Electrocochleographic changes in acute salicylate overdose. *Clin. Rec.*, 1269.
- Ramsden, R. T., Latif, A., Lye, R. H. and Dutton, J. E. M. Endaural cerebral hernia. *Orig. Art.*, 643.
- Ramsden, R. T., Lythgoe, M. and Ferguson, I. T. Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis. *Orig. Art.*, 677.
- Randall, C., Stafford, N. and Bagley, J. Assessment of bullet injuries in the neck. *Clin. Rec.*, 1315.
- Randall, C. J. and Golding-Wood, D. G. Pouch formation in the interposed colon. *Clin. Rec.*, 1043.
- Recher, G. Spindle cell squamous carcinoma of the larynx. *Orig. Art.*, 871.
- Redhead, J. and Mugliston, T. Facial electroneuronography. *Orig. Art.*, 369.
- Redmond, J. R. and Rosauer, E. A. Comparative crystallography of vertebrate otoconia. *Orig. Art.*, 21.
- Reid, A. and Spencer, M. G. Drill-generated noise levels in mastoid surgery. *Orig. Art.*, 967.
- Rhys Evans, P. H., Comis, S. D., Osborne, M. P., Pickles, J. O. and Jeffries, D. J. R. Cross-links between stereocilia in the human organ of Corti. *Orig. Art.*, 11.
- Ricci, T. and Mazzoni, M. Experimental investigation of temperature gradients in the inner ear following Argon laser exposure. *Orig. Art.*, 359.
- Rinne, J., Pelkonen, R., Liesmaa, M., Tommila, V., Grahne, B. and Lamberg, B.-A. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
- Robb, P. J. Failure of intubation in acute inflammatory airway obstruction in childhood. *Orig. Art.*, 993.
- Roberto, M. and Zito, F. Ossicular chain interruption with present acoustic reflex. *Clin. Rec.*, 85.

- Robinson, A. C. and Radcliffe, G. Foreign bodies and dementia. *Clin. Rec.*, 609.
- Rogers, J. and Canter, R. J. Tonsillectomy: Home after 24 hours? *Orig. Art.*, 177.
- Rogers, J. H., Yeoh, L. H. and Singh, S. D. Retropharyngeal abscesses in a children's hospital. *Orig. Art.*, 555.
- Rohiwal, R. L. and Tepan, M. G. Multiple salivary calculi in Wharton's duct. *Clin. Rec.*, 1313.
- Rolando, M., Rossi, G. and Solero, P. Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity. *Orig. Art.*, 857.
- Rosauer, E. A. and Redmond, J. R. Comparative crystallography of vertebrate otoconia. *Orig. Art.*, 21.
- Rosen, G., Holdstein, Y. and Garty, I. The radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO). *Orig. Art.*, 109.
- Rosen, G., Rakover, Y., Vered, I. and Garzuzi, H. Rhinocerebral phycomycosis; combined approach therapy. *Clin. Rec.*, 1279.
- Rossi, F. and Penna, M. Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult guinea pig. *Orig. Art.*, 363.
- Rossi, G., Solero, P. and Rolando, M. Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity. *Orig. Art.*, 857.
- Rothera, M. P. and Grant, H. R. Long-term ventilation of the middle ear using the Goode T-Tube. *Orig. Art.*, 335.
- Rothera, M. P., Flood, L. M., Fraser, J. G. and Hazell, J. W. P. Perilymph fistula. *Orig. Art.*, 671.
- Røyne, T., Titterud, I. and Oppedal, B. R. Synovial sarcomas of the neck. *Clin. Rec.*, 101.
- Rucci, L., Pantaleo, T. and Cagnoli, A. Tympanometric variations induced by Vidian nerve stimulation in humans. *Orig. Art.*, 355.
- Ruckphaopunt, K., Navacharoen, N., Sirisanthana, T. and Navacharoen, W. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
- Russell, G. A., Gresham, G. A. and Wight, D. G. D. Acute epiglottitis in adults not due to haemophilus. *Clin. Rec.*, 1035.
- Sadek, S. A. A. and Baraka, M. E. Carcinomatous changes in pharyngeal diverticula. *Clin. Rec.*, 297.
- Sadek, S. A. A., Baraka, M. E., Jones, P. H. and Nassar, W. Y. Intralaryngeal arytenoidectomy. *Clin. Rec.*, 513.
- Sadek, S. A. A., Dogra, T. S., Khan, M. K., Baraka, M. E. and Sidhom, N. N. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
- Saharia, P. S., Nayyer, M. and Vrat, V. Co-existing tuberculosis and malignancy in the maxillary sinus. *Clin. Rec.*, 397.
- Sakoda, K., Uozumi, T., Suzuki, M., Harada, Y., Ishida, M., Wada, H. and Ohta, M. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
- Salama, N. Y., Gleeson, M. J., Siodlak, M. Z. and Barbatis, C. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
- Salimbeni, C., Alajmo, E. and Polli, G. Reconstructive laryngectomy. *Orig. Art.*, 463.
- Salimbeni, C. and Alajmo, E. Laryngostroboscopic observations by means of inferior laryngoscopy. *Orig. Art.*, 801.
- Samet, A., Podoshin, L., Fradis, M., Simon, J., Lazarov, N. and Boss, H. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
- Sangwan, S. and Mugliston, T. A. H. Persistent cavernous haemangioma of the larynx—a pregnancy problem. *Clin. Rec.*, 1309.
- Sanna, M., Gamoletti, R., Scandellari, R., Delogu, P., Magnani, M. and Zini, C. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
- Sarriá, M. J., Gavilán, J. and Gavilán, C. Facial electroneurography. *Orig. Art.*, 1085.
- Sato, T., Miyahara, H., Yoshino, K. and Umatani, K. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
- Savage Jones, H. Auricular complications of acupuncture. *Clin. Rec.*, 1143.
- Scandellari, R., Delogu, P., Magnani, M., Zini, C., Sanna, M. and Gamoletti, R. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
- Seligman, P. M., Brown, A. M., Clark, G. M., Dowell, R. C. and Martin, L. F. A. Telephone use by a multi-channel cochlear implant patient. *Orig. Art.*, 231.
- Sellers, S. L. Surgery of sialorrhoea. *Orig. Art.*, 1107.
- Shah, D., Pusalkar, A. and Steinbach, E. Paraganglioma of the tympanic membrane. *Clin. Rec.*, 481.
- Shahdin, Y., Khan, M. R., Yousaf, N. and Khan, M. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
- Shaheen, O. H. Carcinoma of the floor of the mouth. *Orig. Art.*, 881.
- Shanmugham, M. S. Pseudocysts of the auricle. *Clin. Rec.*, 701.
- Shanmugham, M. S. The role of fibreoptic nasopharyngoscopy in nasopharyngeal carcinoma (NPC). *Orig. Art.*, 779.
- Shaw, H. J. Palliation in head and neck cancer. *Orig. Art.*, 1131.

- Shaw, H. J., Lesser, T. H. J. and Jefferis, A. F. Pseudotumoral mycobacterial infection in the head and neck: A clinical study. *Orig. Art.*, 277.
- Sheldrake, J. B., Coles, R. R. A. and Baskill, J. L. Measurement and management of tinnitus. Part II. *Orig. Art.*, 1.
- Shikhani, A. H. and Ghorayeb, B. Y. The use of dexamethasone in pediatric bronchoscopy. *Orig. Art.*, 1127.
- Shone, G. R. Facial palsy due to myeloma of the temporal bone. *Clin. Rec.*, 907.
- Shvili, Y., Zohar, Y., Buller, N. and Laurian, N. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
- Sidhom, N. N., Sadek, S. A. A., Dogra, T. S., Khan, M. K. and Baraka, M. E. Plasmacytoma of the nasopharynx. *Clin. Rec.*, 1289.
- Sidi, J., Har-El, G., Zirkin, H. Y. and Tovi, F. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
- Simon, J., Lazarov, N., Boss, H., Samet, A., Podoshin, L. and Fradis, M. Unusual sites of schwannoma in the head and neck. *Clin. Rec.*, 523.
- Singh, S. D. and Bradley, P. J. Nasal glioma. *Orig. Art.*, 247.
- Singh, S. D., Rogers, J. H. and Yeoh, L. H. Retropharyngeal abscesses in a children's hospital. *Orig. Art.*, 555.
- Singh, W. and Hardcastle, P. Near-total laryngectomy with myo-mucosal valved neoglottis. *Orig. Art.*, 581.
- Siodlak, M. Z., Barbatis, C., Salama, N. Y. and Gleeson, M. J. Kikuchi's—a new cause of cervical lymphadenopathy. *Clin. Rec.*, 935.
- Siodlak, M. Z., Wengraf, C. L. and Gleeson, M. J. Fibre optic guided nasal intubation—shouldn't we be the experts? *Orig. Art.*, 775.
- Sirisanthana, T., Navacharoen, W., Ruckphaopunt, K. and Navacharoen, N. Oropharyngeal anthrax. *Clin. Rec.*, 1293.
- Smelt, G. J. C. and Monkhouse, W. S. The effect of bath water, sea water and swimming pool water on the guinea pig middle ear. *Orig. Art.*, 1209.
- Smith, M. C. F., Smith, R. J. H. and Bailey, C. M. Primary cervical neuroblastoma in infants. *Clin. Rec.*, 209.
- Smith, R. J. H., Bailey, C. M. and Smith, M. C. F. Primary cervical neuroblastoma in infants. *Clin. Rec.*, 209.
- Soei, K. I., Baarsma, E. A. and Kazzaz, B. Secondary syphilis of the tonsils. *Clin. Rec.*, 601.
- Solero, P., Rolando, M. and Rossi, G. Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity. *Orig. Art.*, 857.
- Soni, N. K., Agarwal, B. K. and Chatterji, P. Myxoma of the jaw. *Clin. Rec.*, 391.
- Spector, M. and Khalil, M. A. The conical cartilage of the cat's middle ear. *Orig. Art.*, 831.
- Spellacy, E., Crow, J., Watts, R. W. E. and Friedmann, I. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
- Spencer, M. G. Riedel's thyroiditis discovered at tracheostomy. *Clin. Rec.*, 97.
- Spencer, M. G. and Coultery, A. D. Nasal tooth. *Clin. Rec.*, 1147.
- Spencer, M. G. and Reid, A. Drill-generated noise levels in mastoid surgery. *Orig. Art.*, 967.
- Springer, H., Elidan, J., Michel, J. and Gay, I. Ear involvement in human brucellosis. *Clin. Rec.*, 289.
- Srivastva, V. N., Bulman, C. H. and Kane, R. J. The ENT manifestations of systemic vasculitis. *Clin. Rec.*, 941.
- Stafford, F. and Welch, A. R. Comparison of endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula. *Orig. Art.*, 179.
- Stafford, N. and Mugliston, T. A. H. A cranio-facial approach to large osteomas of the fronto-ethmoidal region. *Orig. Art.*, 979.
- Stafford, N., Bagley, J. and Randall, C. Assessment of bullet injuries in the neck. *Clin. Rec.*, 1315.
- Stanley, P., Cole, P., Mackay, I. and Greenstone, M. Upper airway manifestations of primary ciliary dyskinesia. *Orig. Art.*, 985.
- Steghuis, H. R., Guy, A. M. and Anderson, K. R. Middle-ear lipoma presenting as airways obstruction. *Clin. Rec.*, 589.
- Steinbach, E., Shah, D. and Pusalkar, A. Paraganglioma of the tympanic membrane. *Clin. Rec.*, 481.
- Stell, P. M. and McCormick, M. S. Carcinoma of the external auditory meatus and middle ear. *Orig. Art.*, 847.
- Stoksted, P., Grymer, L. F. and Gutierrez, C. Nasal fractures in children: influence on the development of the nose. *Orig. Art.*, 735.
- Stoksted, P., Grymer, L. F. and Gutierrez, C. The importance of nasal fractures during different growth periods of the nose. *Orig. Art.*, 741.
- Strauss, M., Zohar, Y. and Laurian, N. The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps. *Orig. Art.*, 373.
- Sugita, R., Fujimaki, Y. and Deguchi, K. Bacteriological features and chemotherapy of adult acute purulent otitis media. *Orig. Art.*, 629.
- Sürth, W., Banfai, P., Hortmann, G., Kubik, S., Karczag, A. and Lüers, P. Extracochlear eight-channel electrode system. *Orig. Art.*, 549.
- Sutherland, N. B., Prescott, C. A. J. and McCormick, M. S. Tracheostomy sinuses. *Clin. Rec.*, 1173.

- Suzuki, M., Harada, Y., Ishida, M., Wada, H., Ohta, M., Sakoda, K. and Uozumi, T. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
- Swan, I. R. C., Gatehouse, S. and Browning, G. G. The doubtful value of tympanometry in the diagnosis of otosclerosis. *Orig. Art.*, 545.
- Swift, A. C. Otorrhoea as a presenting feature of a spontaneous round window rupture in a patient with Menière's disease. *Clin. Rec.*, 1009.
- Swift, A. C. and Raine, C. H. Antibiotic prophylaxis—a survey. *Orig. Art.*, 183.
- Talaat, M., Elwany, S. and Abdel-Kreim, A. Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis. *Orig. Art.*, 1233.
- Tanaka, E., Hiraide, F. and Inouye, T. Lymphangiectatic fibrous polyp of the palatine tonsil. *Clin. Rec.*, 403.
- Tang, E. and Paaske, P. B. Tracheopathia osteoplastica in the larynx. *Clin. Rec.*, 305.
- Tateishi, O., Yoshida, Y., Hirano, M. and Yoshida, T. Stroboscopic colour video recording of vocal fold vibration. *Orig. Art.*, 795.
- Taylor, P. C. A., Walsh-Waring, G. P. and Jefferis, A. F. Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla. *Clin. Rec.*, 1011.
- Tepan, M. G. and Rohiwal, R. L. Multiple salivary calculi in Wharton's duct. *Clin. Rec.*, 1313.
- Teräsvirta, M., Kärjä, J., Kääriäinen, H. and Karjalainen, S. Usher's syndrome type III. *Orig. Art.*, 43.
- Terry, R. M. An unusual presentation of acoustic neuroma. *Clin. Rec.*, 593.
- Thisted, E. First branchial groove anomaly. *Clin. Rec.*, 901.
- Tiberin, P., Zirkin, H. J., Puterman, M. and Tovi, F. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
- Titterud, I., Oppedal, B. R. and Røyne, T. Synovial sarcomas of the neck. *Clin. Rec.*, 101.
- Tiwari, R. Reconstruction after temporal bone resection. *Orig. Art.*, 143.
- Tiwari, R. Reconstruction of the midfacial region after cancer surgery. *Orig. Art.*, 751.
- Tiwari, R. M., de Rijcke, Th. B. M. and Balm, A. J. M. Osteomyelitis in the head and neck. *Clin. Rec.*, 1059.
- Tjellström, A. and Albrektsson, T. A five-year follow-up of preformed, autologous ossicles in tympanoplasty. *Orig. Art.*, 729.
- Tommerup, B., Mogensen, C. and Nielsen, A. L. A leiomyosarcoma of the hypopharynx. *Clin. Rec.*, 605.
- Tommila, V., Grahne, B., Lamberg, B.-A., Rinne, J., Pelkonen, R. and Liesmaa, M. Transantral orbital decompression in the treatment of Graves' disease. *Orig. Art.*, 865.
- Toncini, C. and Pesce, C. Granular cell tumours of the oesophagus and larynx. *Clin. Rec.*, 1301.
- Toppozada, H. H. Laryngeal bilharzia. *Clin. Rec.*, 1039.
- Tovi, F. and Eyal, A. Branched and polycystic thyroglossal duct anomaly. *Clin. Rec.*, 1179.
- Tovi, F., Sidi, J., Har-El, G. and Zirkin, H. Y. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
- Tovi, F., Tiberin, P., Zirkin, H. J. and Puterman, M. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
- Tranter, R. M. D., Frame, J. W. and Browne, R. M. The healing of CO₂ laser wounds of the larynx. *Orig. Art.*, 895.
- Tu, S.-M., Kawamura, A., Jr. and Lynn, T.-C. Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma. *Orig. Art.*, 567.
- Tveterås, K. and Kristensen, S. Lightning-induced acoustic rupture of the tympanic membrane. *Clin. Rec.*, 711.
- Umatani, K., Sato, T., Miyahara, H. and Yoshino, K. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
- Uozumi, T., Suzuki, M., Harada, Y., Ishida, M., Wada, H., Ohta, M. and Sakoda, K. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.
- Van Goethem, H., Friedmann, I. and Marquet, J. Tactile neurofibroma of the stapedial nerve. *Clin. Rec.*, 187.
- Venkatachalam, V. P., Kakar, P. K. and Puri, R. K. Oral Submucous Fibrosis—treatment with hyalase. *Orig. Art.*, 57.
- Vered, I., Garzuzi, H., Rosen, G. and Rakover, Y. Rhinocerebral phycomycosis; combined approach therapy. *Clin. Rec.*, 1279.
- Vimpel, T., Felding, J. U. and Bonding, P. The value of X-ray examination of the paranasal sinuses after epistaxis. *Orig. Art.*, 253.
- Virtanen, H., Mäkinen, J. and Palva, T. Acute and latent mastoiditis in children. *Orig. Art.*, 127.
- Vrat, V., Saharia, P. S. and Nayyer, M. Co-existing tuberculosis and malignancy in the maxillary sinus. *Clin. Rec.*, 397.
- Wada, H., Ohta, M., Sakoda, K., Uozumi, T., Suzuki, M., Harada, Y. and Ishida, M. Aqueductal stenosis—results of vestibular function tests. *Orig. Art.*, 151.

- Wadsworth, P. V. and Bailey, C. M. Treatment of the drooling child by submandibular duct transposition. *Orig. Art.*, 1111.
- Walsh-Waring, G. P., Hodge, R. A., Matthews, R. N., Eyre, J. and Davies, D. M. Aspects of mandibular reconstruction. *Orig. Art.*, 1097.
- Walsh-Waring, G. P., Jefferis, A. F. and Taylor, P. C. A. Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an adontogenic tumour of the maxilla. *Clin. Rec.*, 1011.
- Watanabe, I., Nasu, M., Kamiyama, R., Hasegawa, M. and Nishijima, W. Primary chondroid chordoma arising from the base of the temporal bone. *Clin. Rec.*, 485.
- Watts, R. W. E., Friedmann, I., Spellacy, E. and Crow, J. Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]. *Orig. Art.*, 29.
- Wei, W. I. Rhabdomyosarcoma of soft palate: a case of late relapse. *Clin. Rec.*, 1029.
- Welch, A. R. and Dawes, J. D. K. Suboccipital approach in the removal of acoustic neuromas. *Orig. Art.*, 1217.
- Welch, A. R. and Stafford, F. Comparison of endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula. *Orig. Art.*, 179.
- Wells, S. C. and Priede, V. M. A case of congenital conductive deafness. *Clin. Rec.*, 705.
- Wengraf, C. L., Gleeson, M. J. and Siodlak, M. Z. Fibre optic guided nasal intubation—shouldn't we be the experts? *Orig. Art.*, 775.
- Wight, D. G. D., Russell, G. A. and Gresham, G. A. Acute epiglottitis in adults not due to haemophilus. *Clin. Rec.*, 1035.
- Willatt, D. and Youngs, R. Benign necrotizing osteitis of the external auditory meatus. *Clin. Rec.*, 805.
- Yakout, Y. M., Elwany, S., Abdel-Kreem, A. and Abou Seif, S. Radiological findings in lipoid proteinosis. *Orig. Art.*, 259.
- Yarington, C. T., Jr. and Meikle, D. Synchronous parotid tumors of different histological types in association with metastasizing hypopharyngeal carcinoma. *Orig. Art.*, 1261.
- Yeoh, L. H., Singh, S. D. and Rogers, J. H. Retropharyngeal abscesses in a children's hospital. *Orig. Art.*, 555.
- Yoshida, T., Tateishi, O., Yoshida, Y. and Hirano, M. Stroboscopy colour video recording of vocal fold vibration. *Orig. Art.*, 795.
- Yoshida, Y., Hirano, M., Yoshida, T. and Tateishi, O. Stroboscopy colour video recording of vocal fold vibration. *Orig. Art.*, 795.
- Yoshino, K., Umatani, K., Sato, T. and Miyahara, H. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 999.
- Youngs, R. and Willatt, D. Benign necrotizing osteitis of the external auditory meatus. *Clin. Rec.*, 805.
- Yousaf, N., Khan, M., Shahdin, Y. and Khan, M. R. Spent-bullet injuries in the head and neck region. *Clin. Rec.*, 1319.
- Zaarura, S., Gay, I. and Lijovetzky, G. Leiomyoma of the nasal cavity. *Clin. Rec.*, 197.
- Zakzouk, M. S. Pleomorphic adenoma of the larynx. *Clin. Rec.*, 611.
- Zarod, A. P. and Raj, T. B. Acute non-tuberculous retropharyngeal abscess in adults. *Clin. Rec.*, 1297.
- Zenev, I. and Betow, Ch. Scanning electronic microscopy of sialit-preserved total middle-ear grafts. *Orig. Art.*, 1201.
- Zini, C., Sanna, M., Gamoletti, R., Scandellari, R., Delogu, P. and Magnani, M. Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction. *Orig. Art.*, 137.
- Zirkin, H. J., Puterman, M., Tovi, F. and Tiberin, P. Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma. *Clin. Rec.*, 1025.
- Zirkin, H. Y., Tovi, F., Sidi, J. and Har-El, G. Congenital pleomorphic adenoma of the nasopharynx. *Clin. Rec.*, 1281.
- Zito, F. and Roberto, M. Ossicular chain interruption with present acoustic reflex. *Clin. Rec.*, 85.
- Zohar, Y. and Laurian, N. Facial palsy following stapedectomy. *Clin. Rec.*, 387.
- Zohar, Y., Buller, N., Laurian, N. and Shvili, Y. Conservative surgical management of invasive differentiated thyroid cancer. *Orig. Art.*, 1255.
- Zohar, Y., Laurian, N. and Strauss, M. The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps. *Orig. Art.*, 373.

GENERAL

- Abductor paralysis, Thornell's approach for arytenoidectomy in the surgical treatment of bilateral—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
- Aboriginal children, A nine-year study of ear disease in Australian—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
- Abscess, Acute non-tuberculous retropharyngeal, in adults—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.

- Abscess, mastoid, The changing pattern of—O. Odetoyinbo. *Orig. Art.*, 1081.
- Abscess of the nasal septum complicating isolated acute sphenoiditis—M. P. Collins. *Clin. Rec.*, 715.
- Abscesses, Retropharyngeal, in a children's hospital—L. H. Yeoh, S. D. Singh and J. H. Rogers. *Orig. Art.*, 555.
- Acinic cell carcinoma, Multiple—H. Gustafsson and B. Carlsöö. *Clin. Rec.*, 1183.
- Acoustic brainstem electrical responses in congenital nystagmus—A. E. Davis, A. R. Maw and M. Coleman. *Orig. Art.*, 147.
- Acoustic neuroma, An unusual presentation of—R. M. Terry. *Clin. Rec.*, 593.
- Acoustic neuromas, Suboccipital approach in the removal of—A. R. Welch and J. D. K. Dawes. *Orig. Art.*, 1217.
- Acoustic reflex, Ossicular chain interruption with present—M. Roberto and F. Zito. *Clin. Rec.*, 85.
- Acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity, Relationships between—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
- Acoustic rupture of the tympanic membrane, Lightning-induced—S. Kristensen and K. Tveterås. *Clin. Rec.*, 711.
- Acoustic trauma and perilymph fistula—A. Narula and N. J. Marks. *Clin. Rec.*, 909.
- Acupuncture, Auricular complications of—H. Savage Jones. *Clin. Rec.*, 1143.
- Acute and latent mastoiditis in children—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
- Acute epiglottitis in adults not due to haemophilus—G. A. Russell, G. A. Gresham and D. G. D. Wight. *Clin. Rec.*, 1035.
- Acute inflammatory airway obstruction in childhood, Failure of intubation in—P. J. Robb. *Orig. Art.*, 993.
- Acute non-tuberculous retropharyngeal abscess in adults—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.
- Acute otitis media and the histopathological assessment of a cochlear implant in the cat, An animal model of—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
- Acute purulent otitis media, Bacteriological features and chemotherapy of adult—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
- Acute stridor, Two cases of vallecular cyst presenting with—D. M. Albert and Z. Ali. *Clin. Rec.*, 421.
- Adenocarcinoma, Lactate dehydrogenase in human maxillary, and in experimental adenocarcinoma in mice—W. Gołabek and L. M. Franks. *Orig. Art.*, 171.
- Adenoid histamine and its possible relationship to secretory otitis media—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
- Adenoma, Congenital pleomorphic, of the nasopharynx—G. Har-El, H. Y. Zirkon, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
- Adenoma of the larynx, Pleomorphic—M. S. Zakzouk. *Clin. Rec.*, 611.
- Adenoma producing facial paralysis, A benign middle-ear—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
- Adult acute purulent otitis media, Bacteriological features and chemotherapy of—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
- Aggressive fibromatosis of the tonsillar fossa—K. Kwong. *Clin. Rec.*, 411.
- Air in the ventricles: an unusual complication of nasal polypectomy—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
- Air pressure changes in the external auditory meatus—M. Nolan, D. J. Lyon and C. L. L. Mok. *Orig. Art.*, 315.
- Airway obstruction in childhood, Failure of intubation in acute inflammatory—P. J. Robb. *Orig. Art.*, 993.
- Airway, Upper, manifestations of primary ciliary dyskinesia—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
- Amyloidosis, Clinical implications of laryngeal—K. Graamans and H. Lubsen. *Clin. Rec.*, 617.
- Anastomosis, Skin grafting of the anterior stomach wall following pharyngo-gastric—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
- Angiofibroma, Extra-nasopharyngeal extension of juvenile—P. Hazarika, R. G. Nayak and M. Chandran. *Clin. Rec.*, 813.
- Animal model of acute otitis media and the histopathological assessment of a cochlear implant in the cat, An—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
- Anterior stomach wall following pharyngo-gastric anastomosis, Skin grafting of the—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
- Anthrax, Oropharyngeal—N. Navacharoen, T. Sirisanthana, W. Navacharoen and K. Ruckphaopunt. *Clin. Rec.*, 1293.
- Antibiotic prophylaxis—a survey—C. H. Raine and A. C. Swift. *Orig. Art.*, 183.
- Aqueductal stenosis—results of vestibular function tests—M. Suzuki, Y. Harada, M. Ishida, H. Wada, M. Ohta, K. Sakoda and T. Uozumi. *Orig. Art.*, 151.
- Argon laser exposure, Experimental investigation of temperature gradients in the inner ear following—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
- Arterial ligation, An evaluation and clinical study of severe epistaxis treated by—E. T. M. Cooke. *Orig. Art.*, 745.

- Arytenoidectomy in the surgical treatment of bilateral abductor paralysis, Thornell's approach for—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
- Arytenoidectomy, Intralaryngeal—W. Y. Nassar, S. A. A. Sadek, M. E. Baraka and P. H. Jones. *Clin. Rec.*, 513.
- Aspects of mandibular reconstruction—R. A. Hodge, R. N. Matthews, J. Eyre, D. M. Davies and G. P. Walsh-Waring. *Orig. Art.*, 1097.
- Assessment of bullet injuries in the neck—N. Stafford, J. Bagley and C. Randall. *Clin. Rec.*, 1315.
- Atrophic rhinitis with deviated nasal septum, Septoplasty in unilateral—S. C. Gupta. *Orig. Art.*, 163.
- Auditory evoked potentials and blink reflexes in multiple sclerosis, Brain stem—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
- Aural tuberculosis: a series of 25 patients—L. J. Ramages and R. Gertler. *Orig. Art.*, 1073.
- Auricle, Pseudocysts of the—M. S. Shanmugham. *Clin. Rec.*, 701.
- Auricular complications of acupuncture—H. Savage Jones. *Clin. Rec.*, 1143.
- Australian Aboriginal children, A nine-year study of ear disease in—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
- Autologous fitted incus versus Plastipore PORP in ossicular chain reconstruction—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
- Autopsy material, Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
- Bacteriological features and chemotherapy of adult acute purulent otitis media—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
- Bath water, sea water and swimming pool water on the guinea pig middle ear, The effect of—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
- Benign middle-ear adenoma producing facial paralysis, A—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
- Benign necrotizing osteitis of the external auditory meatus—R. Youngs and D. Willatt. *Clin. Rec.*, 805.
- Bilateral abductor paralysis, Thornell's approach for arytenuoidectomy in the surgical treatment of—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
- Bilateral presentation, A, Quinsy—S. Kristensen, A. Juul and F. Nielsen. *Clin. Rec.*, 401.
- Bilateral retinoblastoma, Malignant fibrous histiocytoma of maxilla following radiotherapy for—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
- Bilateral vocal cord paralysis, CO₂ surgical laser in the management of—U. Prasad. *Orig. Art.*, 891.
- Bilharzia, Laryngeal—H. H. Topozada. *Clin. Rec.*, 1039.
- BIPP allergy causing facial paralysis—P. H. Jones. *Clin. Rec.*, 389.
- Blink reflexes in multiple sclerosis, Brain stem auditory evoked potentials and—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
- Blood flow in nasal polyps—M. Bende and K. Flisberg. *Orig. Art.*, 167.
- Brain stem auditory evoked potentials and blink reflexes in multiple sclerosis—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
- Branched and polycystic thyroglossal duct anomaly—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
- Branchial groove anomaly, First—E. Thisted. *Clin. Rec.*, 901.
- Bronchoscopy, pediatric, The use of dexamethasone in—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
- Brucellosis, Ear involvement in human—J. Elidan, J. Michel, I. Gay and H. Springer. *Clin. Rec.*, 289.
- Bullet injuries in the neck, Assessment of—N. Stafford, J. Bagley and C. Randall. *Clin. Rec.*, 1315.
- Calculi in Wharton's duct, Multiple salivary—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
- Cancer, laryngeal, Multiple primary tumours in—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
- Cancer, Palliation in head and neck—H. J. Shaw. *Orig. Art.*, 1131.
- Cancer surgery, Reconstruction of the midfacial region after—R. Tiwari. *Orig. Art.*, 751.
- Cancer, thyroid, Conservative surgical management of invasive differentiated—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.
- Carbon Dioxide laser, Laryngeal microsurgery with the—J. A. S. Carruth. *Orig. Art.*, 573.
- Carbon dioxide laser, Resection of the tongue with the; 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
- Carcinoma, metastasizing hypopharyngeal, Synchronous parotid tumors of different histiological types in association with—D. Meikle and C. T. Yarrington, Jr. *Orig. Art.*, 1261.
- Carcinoma, Multiple acinic cell—H. Gustafsson and B. Carlsöö. *Clin. Rec.*, 1183.
- Carcinoma, nasopharyngeal, Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
- Carcinoma, nasopharyngeal, (NPC), The role of fiberoptic nasopharyngoscopy in—M. S. Shanmugham. *Orig. Art.*, 779.
- Carcinoma of the external auditory meatus and middle ear—P. M. Stell and M. S. McCormick. *Orig. Art.*, 847.
- Carcinoma of the floor of the mouth—O. H. Shaheen. *Orig. Art.*, 881.

- Carcinoma of the larynx and laryngopharynx, The thyroid gland in the management of—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
- Carcinoma of the larynx and pyriform fossa, The enigma of post-radiation oedema and residual or recurrent—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Carcinoma of the larynx, Spindle cell squamous—G. Recher. *Orig. Art.*, 871.
- Carcinoma, Squamous cell, and liposarcoma of the larynx occurring metachronously—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
- Carcinomatous changes in pharyngeal diverticula—M. E. Baraka and S. A. A. Sadek. *Clin. Rec.*, 297.
- Cartilage autografts in tympanoplasty, Histochemical study of—S. Elwany. *Orig. Art.*, 637.
- Cartilage, conical, of the cat's middle ear, The—M. A. Khalil and M. Spector. *Orig. Art.*, 831.
- Cat, An animal model of acute otitis media and the histopathological assessment of a cochlear implant in the—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
- Cat's middle ear, The conical cartilage of the—M. A. Khalil and M. Spector. *Orig. Art.*, 831.
- Causes of glue ear—N. Black. *Orig. Art.*, 953.
- Cavernous haemangioma of the larynx, Persistent,—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
- Cerebral hernia, Endaural—R. T. Ramsden, A. Latif, R. H. Lye and J. E. M. Dutton. *Orig. Art.*, 643.
- Cervical hibernoma—S. Kristensen. *Clin. Rec.*, 1055.
- Cervical lymphadenopathy, Kikuchi's—a new cause of—M. J. Gleeson, M. Z. Siodlak, C. Barbatis and N. Y. Salama. *Clin. Rec.*, 935.
- Cervical neuroblastoma in infants, Primary—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
- Cervical spondylosis, Dysphagia due to—J. A. Crowther and G. M. Ardran. *Clin. Rec.*, 1167.
- Changing patterns of mastoid abscess, The—O. Odetoyinbo. *Orig. Art.*, 1081.
- Chemotherapy of adult acute purulent otitis media, Bacteriological features and—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
- Childhood, Failure of intubation in acute inflammatory airway obstruction in—P. J. Robb. *Orig. Art.*, 993.
- Children, Acute and latent mastoiditis in—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
- Children, Australian Aboriginal, A nine-year study of ear disease in—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
- Children, Nasal fractures in; influence on the development of the nose—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 735.
- Children's hospital, Retropharyngeal abscesses in a—L. H. Yeoh, S. D. Singh and J. H. Rogers. *Orig. Art.*, 555.
- Choice of techniques for the surgery of chronic otitis media with cholesteatoma, The—M. Portmann. *Orig. Art.*, 533.
- Cholesteatoma, The choice of techniques for the surgery of chronic otitis media with—M. Portmann. *Orig. Art.*, 533.
- Cholesteatomatous ear disease, Surgical treatment of—T. Palva. *Orig. Art.*, 539.
- Cholesterol granuloma, A rare intracranial complication of—S. W. Brodie and M. K. Chaurasia. *Clin. Rec.*, 491.
- Chondrosarcoma and malignant melanoma of the nose, Metachronous—R. P. E. Barton. *Clin. Rec.*, 497.
- Chordoma, Primary chondroid, arising from the base of the temporal bone—M. Hasegawa, W. Nishijima, I. Watanabe, M. Nasu and R. Kamiyama. *Clin. Rec.*, 485.
- Chronic non-specific granulomatous epiglottitis—D. B. Mitchell and A. B. Drake-Lee. *Clin. Rec.*, 1305.
- Ciliary dyskinesia, Upper airway manifestations of primary—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
- Clavicle subsequent to radical neck dissection, 'Pseudotumors' of the—O. Fini-Storchi, D. Lo Russo and V. Agostini. *Orig. Art.*, 73.
- Clinical comparison of the results of two different methods of closing tympanic membrane perforations, A—L. Mendel and R. Kuylentierna. *Orig. Art.*, 339.
- Clinical implications of laryngeal amyloidosis—K. Graamans and H. Lubsen. *Clin. Rec.*, 617.
- Closing tympanic membrane perforations, A clinical comparison of the results of two different methods of—L. Mendel and R. Kuylentierna. *Orig. Art.*, 339.
- CO₂ laser wounds of the larynx, The healing of—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
- CO₂ surgical laser in the management of bilateral vocal cord paralysis—U. Prasad. *Orig. Art.*, 891.
- Cochlear implant in the cat, An animal model of acute otitis media and the histopathological assessment of a—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
- Cochlear implant patient, Telephone use by a multi-channel—A. M. Brown, G. M. Clark, R. C. Dowell, L. F. A. Martin and P. M. Seligman. *Orig. Art.*, 231.
- Co-existing tuberculosis and malignancy in the maxillary sinus—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
- Comparative crystallography of vertebrate otoconia—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.

- Comparison of endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Comparison of the effects of eighth nerve section with lidocaine on tinnitus, A—P. Jackson. *Orig. Art.*, 663.
- Congenital absence of the palatine tonsil associated with congenital malformation of the external ear—D. S. Grewal, N. L. Hiranandani and J. S. Kalgutkar. *Clin. Rec.*, 285.
- Congenital conductive deafness, A case of—S. C. Wells and V. M. Priede. *Clin. Rec.*, 705.
- Congenital neural hearing-loss due to inner ear malformation—I. Brama. *Clin. Rec.*, 293.
- Congenital nystagmus, Acoustic brainstem electrical responses in—A. E. Davis, A. R. Maw and M. Coleman. *Orig. Art.*, 147.
- Congenital pleomorphic adenoma of the nasopharynx—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
- Conical cartilage of the cat's middle ear, The—M. A. Khalil and M. Spector. *Orig. Art.*, 831.
- Conservative surgical management of invasive differentiated thyroid cancer—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.
- Controlled study of the suppression of tinnitus by lidocaine infusion, A—E. Perucca and P. Jackson. *Orig. Art.*, 657.
- Corti, organ of, Cross-links between stereocilia in the human—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
- Cranio-facial approach to large osteomas of the fronto-ethmoidal region, A—T. A. H. Mugliston and N. Stafford. *Orig. Art.*, 979.
- Cross-links between stereocilia in the human organ of Corti—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
- Crystallography of vertebrate otoconia, Comparative—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.
- Curving effect of scarification or unilateral perichondrial lining on septal cartilage from human autopsy material—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
- Cutaneous flaps, The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Cylindroma of the parotid gland with malignant transformation, Dermal type—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
- Deafness, A case of congenital conductive—S. C. Wells and V. M. Priede. *Clin. Rec.*, 705.
- Delayed ultrastructural radiation induced changes in the human mesotympanic middle ear mucosa—S. Elwany. *Orig. Art.*, 343.
- Dementia, Foreign bodies and—A. C. Robinson and G. Radcliffe. *Clin. Rec.*, 609.
- Denatured rape oil intoxication, Vestibular response in—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
- Dermal type cylindroma of the parotid gland with malignant transformation—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
- Deviated nasal septum, Septoplasty in unilateral atrophic rhinitis with—S. C. Gupta. *Orig. Art.*, 163.
- Dexamethasone in pediatric bronchoscopy, The use of—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
- Diathermy, endoscopic, and resection in the surgical treatment of pharyngeal diverticula, Comparison of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Diverticula, pharyngeal, Carcinomatous changes in—M. E. Baraka and S. A. A. Sadek. *Clin. Rec.*, 297.
- Diverticula, pharyngeal, Comparison of endoscopic diathermy and resection in the surgical treatment of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Doubtful value of tympanometry in the diagnosis of otosclerosis, The—G. G. Browning, I. R. C. Swan and S. Gatehouse. *Orig. Art.*, 545.
- Drill-generated noise levels in mastoid surgery—M. G. Spencer and A. Reid. *Orig. Art.*, 967.
- Drooling child by submandibular duct transposition, Treatment of the—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
- Duct anomaly, Branched and polycystic thyroglossal—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
- Duct, submandibular, transposition, Treatment of the drooling child by—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
- Dyskinesia, upper airway manifestations of primary ciliary—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
- Dysphagia due to cervical spondylosis—J. A. Crowther and G. M. Ardran. *Clin. Rec.*, 1167.
- Ear disease in Australian Aboriginal children, A nine-year study of—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
- Ear disease, Surgical treatment of cholesteatomatous—T. Palva. *Orig. Art.*, 539.
- Ear involvement in human brucellosis—J. Elidan, J. Michel, I. Gay and H. Springer. *Clin. Rec.*, 289.
- Ear malformations, Tomography in the pre-operative evaluation of—A. Fileni, C. Colosimo, Jr., M. Moschini, S. Malena and P. Gugliantini. *Orig. Art.*, 433.

- Ears, non-hearing, Electrocochleographic findings and the effects of lidocaine on tinnitus in—P. Jackson. *Orig. Art.*, 667.
- Ears, Prominent,: A follow-up study—F. Nielsen, S. Kristensen and M. Crawford. *Orig. Art.*, 221.
- Ectopic meningioma of the nose and paranasal sinuses—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
- Effect of bath water, sea water and swimming pool water on the guinea pig middle ear, The—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
- Eighth nerve section with lidocaine on tinnitus, A comparison of the effects of—P. Jackson. *Orig. Art.*, 663.
- Electrocochleographic changes in acute salicylate overdosage—R. T. Ramsden, A. Latif and S. O'Malley. *Clin. Rec.*, 1269.
- Electrocochleographic findings and the effects of lidocaine on tinnitus in non-hearing ears—P. Jackson. *Orig. Art.*, 667.
- Electrode system, Extracochlear eight-channel—P. Banfai, G. Hortmann, S. Kubik, A. Karczag, P. Lüers and W. Sürth. *Orig. Art.*, 549.
- Electroneurography, Facial—J. Gavilán, C. Gavilán and M. J. Sarriá. *Orig. Art.*, 1085.
- Electroneurography, Facial—J. Redhead and T. Mugliston. *Orig. Art.*, 369.
- Elongated styloid process as a cause of throat discomfort, The—P. Lindeman. *Clin. Rec.*, 505.
- Embolization, Preoperative, in paediatric maxillofacial haemangiomas—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
- Endaural cerebral hernia—R. T. Ramsden, A. Latif, R. H. Lye and J. E. M. Dutton. *Orig. Art.*, 643.
- Endoscopic diathermy and resection in the surgical treatment of pharyngeal diverticula, Comparison of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa, The—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- ENT manifestations of systemic vasculitis, The—C. H. Bulman, R. J. Kane and V. N. Srivastva. *Clin. Rec.*, 941.
- E.N.T. practice, The role of fiberoptic oesophagogastroscopy in—A. J. G. Batch. *Orig. Art.*, 783.
- Eosinophilic granuloma of the temporal bone—M. Fradis, L. Podoshin, J. Ben-David and A. Grishkan. *Clin. Rec.*, 475.
- Epiglottitis, Chronic non-specific granulomatous—D. B. Mitchell and A. B. Drake-Lee. *Clin. Rec.*, 1305.
- Epiglottitis in adults not due to haemophilus, Acute—G. A. Russell, G. A. Gresham and D. G. D. Wight. *Clin. Rec.*, 1035.
- Epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The management of severe recurrent—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Epistaxis in pregnancy, Life-threatening—D. J. Howard. *Clin. Rec.*, 95.
- Epistaxis, The value of X-ray examination of the paranasal sinuses after—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.
- Epistaxis treated by arterial ligation, An evaluation and clinical study of severe—E. T. M. Cooke. *Orig. Art.*, 745.
- Epstein-Barr virus in nasopharyngeal carcinoma, Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
- Esthesioneuroblastoma, Olfactory groove meningioma following radiation therapy for—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
- Ethmoid bone, Primary Ewing's sarcoma of the—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
- Evaluation and clinical study of severe epistaxis treated by arterial ligation, An—E. T. M. Cooke. *Orig. Art.*, 745.
- Ewing's sarcoma of the ethmoid bone, Primary—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
- Experimental adenocarcinoma in mice, Lactate dehydrogenase in human maxillary adenocarcinoma and in—W. Golqbek and L. M. Franks. *Orig. Art.*, 171.
- Experimental investigation of temperature gradients in the inner ear following Argon laser exposure—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
- External auditory meatus, Air pressure changes in the—M. Nolan, D. J. Lyon and C. L. L. Mok. *Orig. Art.*, 315.
- External auditory meatus and middle ear, Carcinoma of the—P. M. Stell and M. S. McCormick. *Orig. Art.*, 847.
- External auditory meatus, Benign necrotizing osteitis of the—R. Youngs and D. Willatt. *Clin. Rec.*, 805.
- External ear, Congenital absence of the palatine tonsil associated with congenital malformation of the—D. S. Grewal, N. L. Hiranandani and J. S. Kalgutkar. *Clin. Rec.*, 285.
- Extracochlear eight-channel electrode system—P. Banfai, G. Hortmann, S. Kubik, A. Karczag, P. Lüers and W. Sürth. *Orig. Art.*, 549.
- Extra-nasopharyngeal extension of juvenile angiofibroma—P. Hazarika, R. G. Nayak and M. Chandran. *Clin. Rec.*, 813.
- Facial cutaneous flaps, The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Facial electroneurography—J. Gavilán, C. Gavilán and M. J. Sarriá. *Orig. Art.*, 1085.

- Facial electroneuronography—J. Redhead and T. Mugliston. *Orig. Art.*, 369.
- Facial palsy due to myeloma of the temporal bone—G. R. Shone. *Clin. Rec.*, 907.
- Facial palsy following stapedectomy—Y. Zohar and N. Laurian. *Clin. Rec.*, 387.
- Facial paralysis, A benign middle-ear adenoma producing—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
- Facial paralysis, BIPP allergy causing—P. H. Jones. *Clin. Rec.*, 389.
- Failure of intubation in acute inflammatory airway obstruction in childhood—P. J. Robb. *Orig. Art.*, 993.
- Fenestration: A twenty-five-year evaluation—D. N. Brooks. *Orig. Art.*, 225.
- Fibre optic guided nasal intubation—shouldn't we be the experts?—M. J. Gleeson, M. Z. Siodlak and C. L. Wengraf. *Orig. Art.*, 775.
- Fibrebronchoscope for examining the larynx, The out-patient use of the—J. P. Donnelly. *Orig. Art.*, 793.
- Fibreoptic nasopharyngoscopy in nasopharyngeal carcinoma (NPC), The role of—M. S. Shanmugham. *Orig. Art.*, 779.
- Fibreoptic oesophagogastrosocopy in E.N.T. practice, The role of—A. J. G. Batch. *Orig. Art.*, 783.
- Fibreoptic rhinolaryngoscope, The flexible—J. M. Lancer and A. A. Moir. *Orig. Art.*, 767.
- Fibreoptic rhinolaryngoscopy, Flexible—J. M. Lancer and A. S. Jones. *Orig. Art.*, 771.
- Fibrodysplasia ossificans progressiva presenting acutely as a submandibular swelling—D. A. Jonathan and A. F. Jefferis. *Clin. Rec.*, 721.
- Fibromatosis of the tonsillar fossa, Aggressive—K. Kwong. *Clin. Rec.*, 411.
- First branchial groove anomaly—E. Thisted. *Clin. Rec.*, 901.
- Fistula, Acoustic trauma and perilymph—A. Narula and N. J. Marks. *Clin. Rec.*, 909.
- Fistula, Perilymph—L. M. Flood, J. G. Fraser, J. W. P. Hazell and M. P. Rothera. *Orig. Art.*, 671.
- Fistulae, Post-laryngectomy pharyngo-cutaneous—S. E. Kent, K. C. Liu and A. R. Das Gupta. *Orig. Art.*, 1005.
- Five-year follow-up of preformed, autologous ossicles in tympanoplasty, A—A. Tjellström and T. Albrektsson. *Orig. Art.*, 729.
- Flexible fibreoptic rhinolaryngoscope, The—J. M. Lancer and A. A. Moir. *Orig. Art.*, 767.
- Flexible fibreoptic rhinolaryngoscopy—J. M. Lancer and A. S. Jones. *Orig. Art.*, 771.
- Floor of the mouth, Carcinoma of the—O. H. Shaheen. *Orig. Art.*, 881.
- Foreign bodies and dementia—A. C. Robinson and G. Radcliffe. *Clin. Rec.*, 609.
- Foreign body, Misleading normal findings after the inhalation of a radio-opaque—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
- Fronto-ethmoidal region, A cranio-facial approach to large osteomas of the—T. A. H. Mugliston and N. Stafford. *Orig. Art.*, 979.
- Giant cell arteritis, Lingual claudication and necrosis as a complication of—D. A. Bowdler and J. R. Knight. *Clin. Rec.*, 417.
- Glioma, Nasal—P. J. Bradley and S. D. Singh. *Orig. Art.*, 247.
- Glottoscopy, inferior, Laryngostroboscopic observations by means of—C. Salimbeni and E. Alajmo. *Orig. Art.*, 801.
- Glue ear, Causes of—N. Black. *Orig. Art.*, 953.
- Goode T-Tube, Long-term ventilation of the middle ear using the—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
- Grafts, middle-ear, Scanning electronic microscopy of sialit-preserved total—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
- Granular cell tumours of the oesophagus and larynx—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
- Granulomatous epiglottitis, Chronic non-specific—D. B. Mitchell and A. B. Drake-Lee. *Clin. Rec.*, 1305.
- Graves' disease, Transcranial orbital decompression in the treatment of—B. Grahne, B.-A. Lamberg, J. Rinne, R. Pelkonen, M. Liesmaa and V. Tommila. *Orig. Art.*, 865.
- Guinea pig middle ear, The effect of bath water, sea water and swimming pool water on the—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
- Guinea pig, Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult—M. Penna and F. Rossi. *Orig. Art.*, 363.
- Haemangioma of the larynx, Persistent cavernous,—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
- Haemangioma of the mandible—W. A. McIntosh, J. F. Lownie and B. M. Berezowski. *Clin. Rec.*, 913.
- Haemangiomas, paediatric maxillofacial, Preoperative embolization in—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
- Haemophilus, Acute epiglottitis in adults not due to—G. A. Russell, G. A. Gresham and D. G. D. Wight. *Clin. Rec.*, 1035.
- Head and neck cancer, Palliation in—H. J. Shaw. *Orig. Art.*, 1131.
- Head and neck, Osteomyelitis in the—A. J. M. Balm, R. M. Tiwari and Th. B. M. de Rijcke. *Clin. Rec.*, 1059.

- Head and neck, Pseudotumoral mycobacterial infection in the, A clinical study—T. H. J. Lesser, A. F. Jefferis and H. J. Shaw. *Orig. Art.*, 277.
- Head and neck region, Spent-bullet injuries in the—M. R. Khan, N. Yousaf, M. Khan and Y. Shahdin. *Clin. Rec.*, 1319.
- Head and neck, Unusual sites of schwannoma in the—A. Samet, L. Podoshin, M. Fradis, J. Simon, N. Lazarov and H. Boss. *Clin. Rec.*, 523.
- Healing of CO₂ laser wounds of the larynx, The—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
- Hearing-loss due to inner ear malformation, Congenital neural—I. Brama. *Clin. Rec.*, 293.
- Hemifacial spasm: Operative treatment—H. Ludman and D. I. Choa. *Orig. Art.*, 239.
- Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The management of severe recurrent epistaxis due to—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Hernia, Endaural cerebral—R. T. Ramsden, A. Latif, R. H. Lye and J. E. M. Dutton. *Orig. Art.*, 643.
- Hibernoma, Cervical—S. Kristensen. *Clin. Rec.*, 1055.
- Histamine, Adenoid, and its possible relationship to secretory otitis media—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
- Histiocytoma of maxilla following radiotherapy for bilateral retinoblastoma, Malignant fibrous—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
- Histochemical study of cartilage autografts in tympanoplasty—S. Elwany. *Orig. Art.*, 637.
- Histopathological assessment of a cochlear implant in the cat, An animal model of acute otitis media and the—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
- Histopathological studies of the temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH]—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
- Histopathology of the stapes in osteogenesis imperfecta—U. Pedersen, F. Melsen, O. Elbrønd and P. Charles. *Orig. Art.*, 451.
- Human brucellosis, Ear involvement in—J. Elidan, J. Michel, I. Gay and H. Springer. *Clin. Rec.*, 289.
- Human maxillary adenocarcinoma, Lactate dehydrogenase in, and in experimental adenocarcinoma in mice—W. Gołąbek and L. M. Franks. *Orig. Art.*, 171.
- Human mesotympanic middle ear mucosa, Delayed ultrastructural radiation induced changes in the—S. Elwany. *Orig. Art.*, 343.
- Hurler's disease [Mucopolysaccharidosis (MPS) IH], Histopathological studies of the temporal bones in—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
- Hyalase, treatment with, Oral Submucous Fibrosis—P. K. Kakar, R. K. Puri and V. P. Venkatachalam. *Orig. Art.*, 57.
- Hypopharyngeal carcinoma, Synchronous parotid tumors of different histological types in association with metastasizing—D. Meikle and C. T. Yarrington, Jr. *Orig. Art.*, 1261.
- Hypopharynx, A leiomyosarcoma of the—B. Tommerup, C. Mogensen and A. L. Nielsen. *Clin. Rec.*, 605.
- Hypopharynx, Synovial sarcoma of the—A. Cutchavaree and P. Jimakorn. *Clin. Rec.*, 205.
- Hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla, Tumour-associated—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
- IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma, Long-term follow-up of—T.-C. Lynn, S.-M. Tu and Kawamura, Jr. *Orig. Art.*, 567.
- Importance of nasal fractures during different growth periods of the nose, The—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 741.
- Incus versus Plastipore PORP in ossicular chain reconstruction, Autologous fitted—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
- Infants, Primary cervical neuroblastoma in—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
- Inferior laryngoscopy, Laryngostroboscopic observations by means of—C. Salimbeni and E. Alajmo. *Orig. Art.*, 801.
- Inflammatory airway obstruction in childhood, Failure of intubation in acute—P. J. Robb. *Orig. Art.*, 993.
- Inhalation of a radio-opaque foreign body, Misleading normal findings after the—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
- Inner ear following Argon laser exposure, Experimental investigation of temperature gradients in the—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
- Inner ear malformation, Congenital neural hearing-loss due to—I. Brama. *Clin. Rec.*, 293.
- Intoxication, Vestibular response in denatured rape oil—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
- Intracranial complication of cholesterol granuloma, A rare—S. W. Brodie and M. K. Chaurasia. *Clin. Rec.*, 491.
- Intralaryngeal arytenoidectomy—W. Y. Nassar, S. A. A. Sadek, M. E. Baraka and P. H. Jones. *Clin. Rec.*, 513.
- Intubation in acute inflammatory airway obstruction in childhood, Failure of—P. J. Robb. *Orig. Art.*, 993.
- Invasive differentiated thyroid cancer, Conservative surgical management of—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.

- Investigation and management of petrous apex erosion, The—L. M. Flood, J. L. Kemink and M. D. Graham. *Orig. Art.*, 439.
- Isolated lesion in the mastoid, Myelomatosis presenting as an—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 903.
- Jaw, Myxoma of the—P. Chatterji, N. K. Soni and B. K. Agarwal. *Clin. Rec.*, 391.
- Juvenile angiofibroma, Extra-nasopharyngeal extension of—P. Hazarika, R. G. Nayak and M. Chandran. *Clin. Rec.*, 813.
- Juvenile Menière's disease—R. Filipino and M. Barbara. *Clin. Rec.*, 193.
- Kikuchi's—a new cause of cervical lymphadenopathy—M. J. Gleeson, M. Z. Siodlak, C. Barbatis and N. Y. Salama. *Clin. Rec.*, 935.
- Lactate dehydrogenase in human maxillary adenocarcinoma and in experimental adenocarcinoma in mice—W. Gołabek and L. M. Franks. *Orig. Art.*, 171.
- Laryngeal amyloidosis, Clinical implications of—K. Graamans and H. Lubsen. *Clin. Rec.*, 617.
- Laryngeal bilharzia—H. H. Topozada. *Clin. Rec.*, 1039.
- Laryngeal cancer, Multiple primary tumours in—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
- Laryngeal microsurgery with the Carbon Dioxide laser—J. A. S. Carruth. *Orig. Art.*, 573.
- Laryngectomy, Radiological assessment of pharyngeal integrity after total—W. A. McIntosh. *Orig. Art.*, 1245.
- Laryngectomy, Reconstructive—E. Alajmo, G. Polli and C. Salimbeni. *Orig. Art.*, 463.
- Laryngectomy, Tracheostomal stenosis following total—V. H. Balle and P. Bretlau. *Orig. Art.*, 577.
- Laryngectomy with myo-mucosal valved neoglottis, Near-total—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
- Laryngitis, Tuberculous,—a one year harvest—R. Gertler and L. Ramages. *Orig. Art.*, 1119.
- Laryngopharynx, The thyroid gland in the management of carcinoma of the larynx and—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
- Laryngostroboscopic observations by means of inferior glottoscopy—C. Salimbeni and E. Alajmo. *Orig. Art.*, 801.
- Larynx and laryngopharynx, The thyroid gland in the management of carcinoma of the—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
- Larynx and pyriform fossa, The enigma of post-radiation oedema and residual or recurrent carcinoma of the—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Larynx, Granular cell tumours of the oesophagus and—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
- Larynx occurring metachronously, Squamous cell carcinoma and liposarcoma of the—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
- Larynx, Persistent cavernous haemangioma of the,—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
- Larynx, Pleomorphic adenoma of the—M. S. Zakzouk. *Clin. Rec.*, 611.
- Larynx, Spindle cell squamous carcinoma of the—G. Recher. *Orig. Art.*, 871.
- Larynx, Subglottic plasmacytoma of the; an acute presentation—P. K. Gormley, W. J. Primrose and H. Bharucha. *Clin. Rec.*, 925.
- Larynx, The healing of CO₂ laser wounds of the—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
- Larynx, The out-patient use of the fibrebronchoscope for examining the—J. P. Donnelly. *Orig. Art.*, 793.
- Larynx, Tracheopathia osteoplastica in the—P. B. Paaske and E. Tang. *Clin. Rec.*, 305.
- Laser, Carbon dioxide, Resection of the tongue with the; 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
- Laser, CO₂ surgical, in the management of bilateral vocal cord paralysis—U. Prasad. *Orig. Art.*, 891.
- Laser, CO₂, wounds of the larynx, The healing of—R. M. D. Tranter, J. W. Frame and R. M. Browne. *Orig. Art.*, 895.
- Latent mastoiditis in children, Acute and—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
- Lateral sinus thrombosis in the eighties—F. Debruyne. *Clin. Rec.*, 91.
- Latissimus dorsi muscle flap for posterior scalp defects, The use of the—A. A. Narula and N. C. Breach. *Orig. Art.*, 693.
- Leiomyoma of the nasal cavity—G. Lijovetzky, S. Zaarura and I. Gay. *Clin. Rec.*, 197.
- Leiomyosarcoma of the hypopharynx, A—B. Tommerup, C. Mogensen and A. L. Nielsen. *Clin. Rec.*, 605.
- Levator scapulae muscle flap, The—N. J. Marks and C. W. Cummings. *Orig. Art.*, 471.
- Lidocaine infusion, A controlled study of the suppression of tinnitus by—E. Perucca and P. Jackson. *Orig. Art.*, 657.
- Lidocaine on tinnitus, A comparison of the effects of eighth nerve section with—P. Jackson. *Orig. Art.*, 663.
- Lidocaine on tinnitus in non-hearing ears, Electrocochleographic findings and the effects of—P. Jackson. *Orig. Art.*, 667.
- Life-threatening epistaxis in pregnancy—D. J. Howard. *Clin. Rec.*, 95.

- Lightning-induced acoustic rupture of the tympanic membrane—S. Kristensen and K. Tveterås. *Clin. Rec.*, 711.
- Lingual claudication and necrosis as a complication of giant cell arteritis—D. A. Bowdler and J. R. Knight. *Clin. Rec.*, 417.
- Lipoid proteinosis, Radiological findings in—Y. M. Yakout, S. Elwany, A. Abdel-Kreim and S. Abou Seif. *Orig. Art.*, 259.
- Lipoma presenting as airways obstruction, Middle-ear—H. R. Stegehuis, A. M. Guy and K. R. Anderson. *Clin. Rec.*, 589.
- Liposarcoma of the larynx occurring metachronously, Squamous cell carcinoma and—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
- Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
- Long-term ventilation of the middle ear using the Goode T-Tube—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
- Lymphadenopathy, Kikuchi's—a new cause of cervical—M. J. Gleeson, M. Z. Siodlak, C. Barbatis and N. Y. Salama. *Clin. Rec.*, 935.
- Lymphangiectatic fibrous polyp of the palatine tonsil—F. Hiraide, T. Inouye and E. Tanaka. *Clin. Rec.*, 403.
- Lymphangioma of the tonsil, Polypoid—S. M. Al Samarrae, S. S. Amr and V. J. Hyams. *Clin. Rec.*, 819.
- Malignancy in the maxillary sinus, Co-existing tuberculosis and—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
- Malignant external otitis (MEO), The radionuclide diagnosis, evaluation and follow-up of—I. Garty, G. Rosen and Y. Holdstein. *Orig. Art.*, 109.
- Malignant fibrous histiocytoma of maxilla following radiotherapy for bilateral retinoblastoma—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
- Malignant melanoma of the nose, Metachranous chondrosarcoma and—R. P. E. Barton. *Clin. Rec.*, 497.
- Malignant transformation, Dermal type cylindroma of the parotid gland with—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
- Management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Mandible, Haemangioma of the—W. A. McIntosh, J. F. Lownie and B. M. Berezowski. *Clin. Rec.*, 913.
- Mandibular reconstruction, Aspects of—R. A. Hodge, R. N. Matthews, J. Eyre, D. M. Davies and G. P. Walsh-Waring. *Orig. Art.*, 1097.
- Mastoid abscess, The changing pattern of—O. Odetoyinbo. *Orig. Art.*, 1081.
- Mastoid, Myelomatosis presenting as an isolated lesion in the—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 903.
- Mastoid surgery, Drill-generated noise levels in—M. G. Spencer and A. Reid. *Orig. Art.*, 967.
- Mastoiditis in children, Acute and latent—T. Palva, H. Virtanen and J. Mäkinen. *Orig. Art.*, 127.
- Maxilla following radiotherapy for bilateral retinoblastoma, Malignant fibrous histiocytoma of—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
- Maxilla, odontogenic tumour of the, Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
- Maxillary adenocarcinoma, Lactate dehydrogenase in human, and in experimental adenocarcinoma in mice—W. Gołabek and L. M. Franks. *Orig. Art.*, 171.
- Maxillary antrum, Mucocoeles of the—D. East. *Orig. Art.*, 49.
- Maxillary sinus, Co-existing tuberculosis and malignancy in the—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
- Maxillary sinus, Metastatic tumours in the—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
- Maxillary sinusitis, Relevance of the conventional Waters' view in evaluating chronic bacterial—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
- Maxillofacial haemangiomas, Preoperative embolization in paediatric—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
- Melanoma of the nose, Metachranous chondrosarcoma and malignant—R. P. E. Barton. *Clin. Rec.*, 497.
- Menière's disease, Juvenile—R. Filipo and M. Barbara. *Clin. Rec.*, 193.
- Menière's disease, Otorrhoea as a presenting feature of a spontaneous round window rupture in a patient with—A. C. Swift. *Clin. Rec.*, 1009.
- Meningioma of the nose and paranasal sinuses, Ectopic—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
- Meningioma, Olfactory groove, following radiation therapy for esthesioneuroblastoma—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
- Mesotympanic middle ear mucosa, Delayed ultrastructural radiation induced changes in the human—S. Elwany. *Orig. Art.*, 343.
- Metachranous chondrosarcoma and malignant melanoma of the nose—R. P. E. Barton. *Clin. Rec.*, 497.

- Metastasizing hypopharyngeal carcinoma, Synchronous parotid tumors of different histological types in association with—D. Meikle and C. T. Yarrington, Jr. *Orig. Art.*, 1261.
- Metastatic tumours in the maxillary sinus—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
- Metastatic tumours of the temporal bone—A. Belal, Jr. *Orig. Art.*, 839.
- Microscopy of sialit-preserved total middle-ear grafts, Scanning electronic—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
- Microsurgery with the Carbon Dioxide laser, Laryngeal—J. A. S. Carruth. *Orig. Art.*, 573.
- Microsurgical reconstruction of the trachea in rats—S. A. Moussa and D. A. French. *Orig. Art.*, 61.
- Middle-ear adenoma producing facial paralysis, A benign—J. R. Knight and D. A. Bowdler. *Clin. Rec.*, 809.
- Middle ear, Carcinoma of the external auditory meatus and—P. M. Stell and M. S. McCormick. *Orig. Art.*, 847.
- Middle-ear grafts, Scanning electronic microscopy of sialit-preserved total—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
- Middle-ear lipoma presenting as airways obstruction—H. R. Stegehuis, A. M. Guy and K. R. Anderson. *Clin. Rec.*, 589.
- Middle ear mucosa, Delayed ultrastructural radiation induced changes in the human mesotympanic—S. Elwany. *Orig. Art.*, 343.
- Middle ear, Osteoma of the—C. W. R. J. Cremers. *Clin. Rec.*, 383.
- Middle ear, The conical cartilage of the cat's—M. A. Khalil and M. Spector. *Clin. Rec.*, 831.
- Middle ear, The effect of bath water, sea water and swimming pool water on the guinea pig—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
- Middle ear using the Goode T-Tube, Long-term ventilation of the—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
- Midfacial region after cancer surgery, Reconstruction of the—R. Tiwari. *Orig. Art.*, 751.
- Misleading normal findings after the inhalation of a radio-opaque foreign body—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
- Mouth, Carcinoma of the floor of the—O. H. Shaheen. *Orig. Art.*, 881.
- Mucocoeles of the maxillary antrum—D. East. *Orig. Art.*, 49.
- [Mucopolysaccharidosis (MPS) IH], Histopathological studies of the temporal bones in Hurler's disease—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
- Mucosa, middle ear, Delayed ultrastructural radiation induced changes in the human mesotympanic—S. Elwany. *Orig. Art.*, 343.
- Multi-channel cochlear implant patient, Telephone use by a—A. M. Brown, G. M. Clark, R. C. Dowell, L. F. A. Martin and P. M. Seligman. *Orig. Art.*, 231.
- Multiple acinic cell carcinoma—H. Gustafsson and B. Carlsöö. *Clin. Rec.*, 1183.
- Multiple primary tumours in laryngeal cancer—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
- Multiple salivary calculi in Wharton's duct—M. G. Tapan and R. L. Rohiwal. *Clin. Rec.*, 1313.
- Multiple sclerosis, Brain stem auditory evoked potentials and blink reflexes in—I. T. Ferguson, R. T. Ramsden and M. Lythgoe. *Orig. Art.*, 677.
- Muscle flap, The levator scapulae—N. J. Marks and C. W. Cummings. *Orig. Art.*, 471.
- Mycobacterial infection in the head and neck, Pseudotumoral.: A clinical study—T. H. J. Lesser, A. F. Jefferis and H. J. Shaw. *Orig. Art.*, 277.
- Myelin sheath of Scarpa's ganglion cells in the adult guinea pig, Ultrastructural features of the—M. Penna and F. Rossi. *Orig. Art.*, 363.
- Myeloma of the temporal bone, Facial palsy due to—G. R. Shone. *Clin. Rec.*, 907.
- Myelomatosis presenting as an isolated lesion in the mastoid—P. V. Marks and G. B. Brookes. *Clin. Rec.*, 903.
- Myo-mucosal valved neoglottis, Near-total laryngectomy with—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
- Myxoma of the jaw—P. Chatterji, N. K. Soni and B. K. Agarwal. *Clin. Rec.*, 391.
- Narrow band white noise stimuli of different duration but of the same intensity, Relationships between acoustic reflex patterns elicited by unfiltered white noise and—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
- Nasal cavity, Leiomyoma of the—G. Lijovetzky, S. Zaarura and I. Gay. *Clin. Rec.*, 197.
- Nasal fractures during different growth periods of the nose, The importance of—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 741.
- Nasal fractures in children: influence on the development of the nose—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 735.
- Nasal glioma—P. J. Bradley and S. D. Singh. *Orig. Art.*, 247.
- Nasal intubation—shouldn't we be the experts?, Fibre optic guided—M. J. Gleeson, M. Z. Siodlak and C. L. Wengraf. *Orig. Art.*, 775.
- Nasal polypectomy, an unusual complication of, Air in the ventricles:—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
- Nasal polyps, Blood flow in—M. Bende and K. Flisberg. *Orig. Art.*, 167.

- Nasal septum complicating isolated acute sphenoiditis, Abscess of the—M. P. Collins. *Clin. Rec.*, 715.
- Nasal septum, Septoplasty in unilateral atrophic rhinitis with deviated—S. C. Gupta. *Orig. Art.*, 163.
- Nasal surgery, Use of a nasopharyngeal airway as an aid to easy recovery after—P. Babington and J. P. Donnelly. *Clin. Rec.*, 399.
- Nasal tooth—M. G. Spencer and A. D. Couldery. *Clin. Rec.*, 1147.
- Nasopharyngeal airway as an aid to easy recovery after nasal surgery, Use of a—P. Babington and J. P. Donnelly. *Clin. Rec.*, 399.
- Nasopharyngeal carcinoma, Long-term follow-up of IgG and IgA antibodies against viral capsid antigens of Epstein-Barr virus in—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
- Nasopharyngeal carcinoma (NPC), The role of fibreoptic nasopharyngoscopy in—M. S. Shanmugham. *Orig. Art.*, 779.
- Nasopharyngoscopy in nasopharyngeal carcinoma (NPC), The role of fibreoptic—M. S. Shanmugham. *Orig. Art.*, 779.
- Nasopharynx, Congenital pleomorphic adenoma of the—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
- Nasopharynx, Plasmacytoma of the—S. A. A. Sadek, T. S. Dogra, M. K. Khan, M. E. Baraka and N. N. Sidhom. *Clin. Rec.*, 1289.
- Near-total laryngectomy with myo-mucosal valved neoglottis—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
- Neck, Assessment of bullet injuries in the—N. Stafford, J. Bagley and C. Randall. *Clin. Rec.*, 1315.
- Neck, Synovial sarcomas of the—B. R. Oppedal, T. Røyne and I. Titterud. *Clin. Rec.*, 101.
- Necrosis as a complication of giant cell arteritis, Lingual claudication and—D. A. Bowdler and J. R. Knight. *Clin. Rec.*, 417.
- Neoglottis, Near-total laryngectomy with myo-mucosal valved—W. Singh and P. Hardcastle. *Orig. Art.*, 581.
- Neural hearing-loss due to inner ear malformation, Congenital—I. Brama. *Clin. Rec.*, 293.
- Neuroblastoma in infants, Primary cervical—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
- Neurofibroma of the stapodial nerve, Tactile—H. Van Goethem, I. Friedmann and J. Marquet. *Clin. Rec.*, 187.
- Neurogenic sarcoma of the nose, Solitary—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
- Nine-year study of ear disease in Australian Aboriginal children, A—G. J. McCafferty, A. N. Lewis, W. B. Coman and C. Mills. *Orig. Art.*, 117.
- Noise levels in mastoid surgery, Drill-generated—M. G. Spencer and A. Reid. *Orig. Art.*, 967.
- Non-tuberculous retropharyngeal abscess in adults, Acute—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.
- Nose and paranasal sinuses, Ectopic meningioma of the—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
- Nose, influence on the development of the, Nasal fractures in children:—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 735.
- Nose, Metachranous chondrosarcoma and malignant melanoma of the—R. P. E. Barton. *Clin. Rec.*, 497.
- Nose, Solitary neurogenic sarcoma of the—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
- Nose, The importance of nasal fractures during different growth periods of the—L. F. Grymer, C. Gutierrez and P. Stoksted. *Orig. Art.*, 741.
- (NPC), Nasopharyngeal carcinoma, The role of fibreoptic nasopharyngoscopy in—M. S. Shanmugham. *Orig. Art.*, 779.
- Nystagmus, congenital, Acoustic brainstem electrical responses in—A. E. Davis, A. R. Maw and M. Coleman. *Orig. Art.*, 147.
- Odontogenic tumour of the maxilla, Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
- Oedema and residual or recurrent carcinoma of the larynx and pyriform fossa, The enigma of post-radiation—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Oesophagostomy in E.N.T. practice, The role of fibreoptic—A. J. G. Batch. *Orig. Art.*, 783.
- Oesophagus and larynx, Granular cell tumours of the—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
- Olfactory groove meningioma following radiation therapy for esthesioneuroblastoma—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
- Oral Submucous Fibrosis—treatment with hyalase—P. K. Kakar, R. K. Puri and V. P. Venkatachalam. *Orig. Art.*, 57.
- Orbital apex syndrome due to rhinoscleroma—R. C. Nayar, R. P. Mathur, A. Gulati and S. B. S. Mann. *Clin. Rec.*, 597.
- Orbital decompression in the treatment of Graves' disease, Transantral—B. Grahne, B.-A. Lamberg, J. Rinne, R. Pelkonen, M. Liesmaa and V. Tommila. *Orig. Art.*, 865.
- Organ of Corti, Cross-links between stereocilia in the human—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
- Oropharyngeal anthrax—N. Navacharoen, T. Sirisanthana, W. Navacharoen and K. Ruckphaopunt. *Clin. Rec.*, 1293.

- Ossicular chain interruption with present acoustic reflex—M. Roberto and F. Zito. *Clin. Rec.*, 85.
- Ossicular chain reconstruction, Autologous fitted incus versus Plastipore PORP in—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
- Ossicles in tympanoplasty, A five-year follow-up of preformed, autologous—A. Tjellström and T. Albrektsson. *Orig. Art.*, 729.
- Osteitis, Benign necrotizing, of the external auditory meatus—R. Youngs and D. Willatt. *Clin. Rec.*, 805.
- Osteogenesis imperfecta, Histopathology of the stapes in—U. Pedersen, F. Melsen, O. Elbrønd and P. Charles. *Orig. Art.*, 451.
- Osteoma of the middle ear—C. W. R. J. Cremers. *Clin. Rec.*, 383.
- Osteomalacia, hypophosphataemic, occurring in a patient with an odontogenic tumour of the maxilla, Tumour-associated—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
- Osteomas of the fronto-ethmoidal region, A cranio-facial approach to large—T. A. H. Mugliston and N. Stafford. *Orig. Art.*, 979.
- Osteomyelitis in the head and neck—A. J. M. Balm, R. M. Tiwari and Th. B. M. de Rijcke. *Clin. Rec.*, 1059.
- Otitis media, acute purulent, Bacteriological features and chemotherapy of adult—R. Sugita, Y. Fujimaki and K. Deguchi. *Orig. Art.*, 629.
- Otitis media, Adenoid histamine and its possible relationship to secretory—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
- Otitis media and the histopathological assessment of a cochlear implant in the cat, An animal model of acute—W. J. Brennan and G. M. Clark. *Orig. Art.*, 851.
- Otitis media with cholesteatoma, The choice of techniques for the surgery of chronic—M. Portmann. *Orig. Art.*, 533.
- Otoconia, Comparative crystallography of vertebrate—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.
- Otomycosis—A continuing problem—T. Mugliston and G. O'Donoghue. *Orig. Art.*, 327.
- Otorrhoea as a presenting feature of a spontaneous round window rupture in a patient with Menière's disease—A. C. Swift. *Clin. Rec.*, 1009.
- Otosclerosis, The doubtful value of tympanometry in the diagnosis of—G. G. Browning, I. R. C. Swan and S. Gatehouse. *Orig. Art.*, 545.
- Out-patient use of the fibrebronchoscope for examining the larynx, The—J. P. Donnelly. *Orig. Art.*, 793.
- Overdosage, Electrocochleographic changes in acute salicylate—R. T. Ramsden, A. Latif and S. O'Malley. *Clin. Rec.*, 1269.
- Paediatric maxillofacial haemangiomas, Preoperative embolization in—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
- Palatine tonsil associated with congenital malformation of the external ear, Congenital absence of the—D. S. Grewal, N. L. Hiranandani and J. S. Kalgutkar. *Clin. Rec.*, 285.
- Palatine tonsil, Lymphangiectatic fibrous polyp of the—F. Hiraide, T. Inouye and E. Tanaka. *Clin. Rec.*, 403.
- Palliation in head and neck cancer—H. J. Shaw. *Orig. Art.*, 1131.
- Palsy following stapedectomy, Facial—Y. Zohar and N. Laurian. *Clin. Rec.*, 391.
- Paraganglioma of the tympanic membrane—A. Pusalkar, E. Steinbach and D. Shah. *Clin. Rec.*, 481.
- Paralysis, bilateral abductor, Thornell's approach for arytenoidectomy in the surgical treatment of—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
- Paralysis, bilateral vocal cord, CO₂ surgical laser in the management of—U. Prasad. *Orig. Art.*, 891.
- Paralysis, facial, BIPP allergy causing—P. H. Jones. *Clin. Rec.*, 391.
- Paranasal sinuses after epistaxis, The value of X-ray examination of the—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.
- Paranasal sinuses, Ectopic meningioma of the nose and—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
- Para-oesophageal mass, An unusual—B. C. Irwin. *Clin. Rec.*, 931.
- Parotid gland with malignant transformation, Dermal type cylindroma of the—P. G. Liavaag and G. Bang. *Clin. Rec.*, 1049.
- Parotid tumors of different histological types in association with metastasizing hypopharyngeal carcinoma, Synchronous—D. Meikle and C. T. Yarrington, Jr. *Orig. Art.*, 1261.
- Pediatric bronchoscopy, The use of dexamethasone in—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
- Perforations, tympanic membrane, A clinical comparison of the results of two different methods of closing—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
- Perichondrial lining on septal cartilage from human autopsy material, Curving effect of scarification or unilateral—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
- Perilymph fistula—L. M. Flood, J. G. Fraser, J. W. P. Hazell and M. P. Rothera. *Orig. Art.*, 671.
- Perilymph fistula, Acoustic trauma and—A. Narula and N. J. Marks. *Clin. Rec.*, 909.
- Peripheral vertigo, Transdermal scopolamine for—T. Rahko and P. Karma. *Orig. Art.*, 653.

- Persistent cavernous haemangioma of the larynx—a pregnancy problem—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
- Petrous apex erosion, The investigation and management of—L. M. Flood, J. L. Kemink and M. D. Graham. *Orig. Art.*, 439
- Pharyngeal diverticula, Carcinomatous changes in—M. E. Baraka and S. A. A. Sadek. *Clin. Rec.*, 297.
- Pharyngeal diverticula, Comparison of endoscopic diathermy and resection in the surgical treatment of—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Pharyngeal integrity after total laryngectomy, Radiological assessment of—W. A. McIntosh. *Orig. Art.*, 1245.
- Pharyngo-cutaneous fistulae, Post-laryngectomy—S. E. Kent, K. C. Liu and A. R. Das Gupta. *Orig. Art.*, 1005.
- Pharyngo-gastric anastomosis, Skin grafting of the anterior stomach wall following—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
- Phycomycosis, Rhinocerebral,; combined approach therapy: case report—Y. Rakover, I. Vered, H. Garzuzi and G. Rosen. *Clin. Rec.*, 1279.
- Plasmacytoma of the larynx, Subglottic,; an acute presentation—P. K. Gormley, W. J. Primrose and H. Bharucha. *Clin. Rec.*, 925.
- Plasmacytoma of the nasopharynx—S. A. A. Sadek, T. S. Dogra, M. K. Khan, M. E. Baraka and N. N. Sidhom. *Clin. Rec.*, 1289.
- Plastipore PORP in ossicular chain reconstruction, Autologous fitted incus versus—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
- Pleomorphic adenoma of the larynx—M. S. Zakzouk. *Clin. Rec.*, 611.
- Pleomorphic adenoma of the nasopharynx, Congenital—G. Har-El, H. Y. Zirkin, F. Tovi and J. Sidi. *Clin. Rec.*, 1281.
- Polycystic thyroglossal duct anomaly, Branched and—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
- Polypectomy, nasal, an unusual complication of, Air in the ventricles:—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
- Polypoid lymphangioma of the tonsil—S. M. Al Samarrae, S. S. Amr and V. J. Hyams. *Clin. Rec.*, 819.
- Polyps, Blood flow in nasal—M. Bende and K. Flisberg. *Orig. Art.*, 167.
- PORP in ossicular chain reconstruction, Autologous fitted incus versus Plastipore—M. Sanna, R. Gamoletti, R. Scandellari, P. Delogu, M. Magnani and C. Zini. *Orig. Art.*, 137.
- Post-laryngectomy pharyngo-cutaneous fistulae—S. E. Kent, K. C. Liu and A. R. Das Gupta. *Orig. Art.*, 1005.
- Post-radiation oedema and residual or recurrent carcinoma of the larynx and pyriform fossa, The enigma of—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Pregnancy, Life-threatening epistaxis in—D. J. Howard. *Clin. Rec.*, 95.
- Pregnancy problem, A, Persistent cavernous haemangioma of the larynx—T. A. H. Mugliston and S. Sangwan. *Clin. Rec.*, 1309.
- Preoperative embolization in paediatric maxillofacial haemangiomas—Y. Hertzanu, D. B. Mendelsohn, K. Davidge-Pitts and M. Cohen. *Orig. Art.*, 1089.
- Pre-operative evaluation of ear malformations, Tomography in the—A. Fileni, C. Colosimo, Jr., M. Moschini, S. Malena and P. Gugliantini. *Orig. Art.*, 433.
- Primary cervical neuroblastoma in infants—M. C. F. Smith, R. J. H. Smith and C. M. Bailey. *Clin. Rec.*, 209.
- Primary chondroid chordoma arising from the base of the temporal bone—M. Hasegawa, W. Nishijima, I. Watanabe, M. Nasu and R. Kamiyama. *Clin. Rec.*, 485.
- Primary ciliary dyskinesia, Upper airway manifestations of—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.
- Primary Ewing's sarcoma of the ethmoid bone—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
- Primary tumours in laryngeal cancer, Multiple—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
- Prominent ears: A follow-up study—F. Nielsen, S. Kristensen and M. Crawford. *Orig. Art.*, 221.
- Prophylaxis, Antibiotic,—a survey—C. H. Raine and A. C. Swift. *Orig. Art.*, 183.
- Pseudocysts of the auricle—M. S. Shanmugham. *Clin. Rec.*, 701.
- Pseudotumoral mycobacterial infection in the head and neck: A clinical study—T. H. J. Lesser, A. F. Jefferis and H. J. Shaw. *Orig. Art.*, 277.
- 'Pseudotumors' of the clavicle subsequent to radical neck dissection—O. Fini-Storchi, D. Lo Russo and V. Agostini. *Orig. Art.*, 73.
- Pyriform fossa, The enigma of post-radiation oedema and residual or recurrent carcinoma of the larynx and—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Quinsy: A bilateral presentation—S. Kristensen, A. Juul and F. Nielsen. *Clin. Rec.*, 401.
- Radiation induced changes in the human mesotympanic middle ear mucosa, Delayed ultrastructural—S. Elwany. *Orig. Art.*, 343.

- Radiation therapy for esthesioneuroblastoma, Olfactory groove meningioma following—H. J. Zirkin, M. Puterman, F. Tovi and P. Tiberin. *Clin. Rec.*, 1025.
- Radical neck dissection, 'Pseudotumors' of the clavicle subsequent to—O. Fini-Storchi, D. Lo Russo and V. Agostini. *Orig. Art.*, 73.
- Radiological assessment of pharyngeal integrity after total laryngectomy—W. A. McIntosh. *Orig. Art.*, 1245.
- Radiological findings in lipid proteinosis—Y. M. Yakout, S. Elwany, A. Abdel-Kreem and S. Abou Seif. *Orig. Art.*, 259.
- Radionuclide diagnosis, evaluation and follow-up of malignant external otitis (MEO), The—I. Garty, G. Rosen and Y. Holdstein. *Orig. Art.*, 109.
- Radio-opaque foreign body, Misleading normal findings after the inhalation of a—B. V. Osborne and J. E. Osborne. *Clin. Rec.*, 1171.
- Radiotherapy for bilateral retinoblastoma, Malignant fibrous histiocytoma of maxilla following—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
- Rape oil intoxication, Vestibular response in denatured—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
- Rare intracranial complication of cholesterol granuloma, A—S. W. Brodie and M. K. Chaurasia. *Clin. Rec.*, 491.
- Rats, Microsurgical reconstruction of the trachea in—S. A. Moussa and D. A. French. *Orig. Art.*, 61.
- Reconstruction after temporal bone resection—R. Tiwari. *Orig. Art.*, 143.
- Reconstruction of the midfacial region after cancer surgery—R. Tiwari. *Orig. Art.*, 751.
- Reconstructive laryngectomy—E. Alajmo, G. Polli and C. Salimbeni. *Orig. Art.*, 463.
- Recurrent carcinoma of the larynx and pyriform fossa, The enigma of post-radiation oedema and residual or—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using regional facial cutaneous flaps, The management of severe—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Regional facial cutaneous flaps, The management of severe recurrent epistaxis due to Hereditary Hemorrhagic Telangiectasia using—M. Strauss, Y. Zohar and N. Laurian. *Orig. Art.*, 373.
- Relationships between acoustic reflex patterns elicited by unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
- Relevance of the conventional Waters' view in evaluating chronic bacterial maxillary sinusitis—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
- Remediastinoscopy—V. H. Balle and P. Bretlau. *Orig. Art.*, 267.
- Resection in the surgical treatment of pharyngeal diverticula, Comparison of endoscopic diathermy and—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Resection of the tongue with the carbon dioxide laser: 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
- Resection, Reconstruction after temporal bone—R. Tiwari. *Orig. Art.*, 143.
- Residual or recurrent carcinoma of the larynx and pyriform fossa, The enigma of post-radiation oedema and—S. Bahadur, R. C. Amatya and S. K. Kacker. *Orig. Art.*, 763.
- Results of two different methods of closing tympanic membrane perforations, A clinical comparison of the—L. Mendel and R. Kuylenskierna. *Orig. Art.*, 339.
- Retinoblastoma, bilateral, Malignant fibrous histiocytoma of maxilla following radiotherapy for—S. Nishizawa, T. Hayashida, S. Horiguchi, K. Inouye and T. Imamura. *Clin. Rec.*, 501.
- Retropharyngeal abscess in adults, Acute non-tuberculous—T. B. Raj and A. P. Zarod. *Clin. Rec.*, 1297.
- Retropharyngeal abscesses in a children's hospital—L. H. Yeoh, S. D. Singh and J. H. Rogers. *Orig. Art.*, 555.
- Rhabdomyosarcoma of soft palate: a case of late relapse—W. I. Wei. *Clin. Rec.*, 1029.
- Rhinitis, unilateral atrophic, with deviated nasal septum, Septoplasty in—S. C. Gupta. *Orig. Art.*, 163.
- Rhinocerebral phycomycosis; combined approach therapy: case report—Y. Rakover, I. Vered, H. Garzuzi and G. Rosen. *Clin. Rec.*, 1279.
- Rhinolaryngoscope, The flexible fiberoptic—J. M. Lancer and A. A. Moir. *Orig. Art.*, 767.
- Rhinolaryngoscopy, Flexible fiberoptic—J. M. Lancer and A. S. Jones. *Orig. Art.*, 771.
- Rhinoscleroma, Orbital apex syndrome due to—R. C. Nayar, R. P. Mathur, A. Gulati and S. B. S. Mann. *Clin. Rec.*, 597.
- Riedel's thyroiditis discovered at tracheostomy—M. G. Spencer. *Clin. Rec.*, 97.
- Role of fiberoptic nasopharyngoscopy in nasopharyngeal carcinoma (NPC), The—M. S. Shanmugham. *Orig. Art.*, 779.
- Role of fiberoptic oesophagogastrosopy in E.N.T. practice, The—A. J. G. Batch. *Orig. Art.*, 783.
- Round window rupture in a patient with Menière's disease, Otorrhoea as a presenting feature of a spontaneous—A. C. Swift. *Clin. Rec.*, 1009.
- Rupture of the tympanic membrane, Lightning-induced acoustic—S. Kristensen and K. Tveterås. *Clin. Rec.*, 711.
- Rupture, round window, in a patient with Menière's disease, Otorrhoea as a presenting feature of a spontaneous—A. C. Swift. *Clin. Rec.*, 1009.

- Salicylate overdose, Electrocochleographic changes in acute—R. T. Ramsden, A. Latif and S. O'Malley. *Clin. Rec.*, 1269.
- Salivary calculi in Wharton's duct, Multiple—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
- Sarcoma of the hypopharynx, Synovial—A. Cutchavaree and P. Jimakorn. *Clin. Rec.*, 205.
- Sarcoma of the nose, Solitary neurogenic—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
- Sarcoma, Primary Ewing's, of the ethmoid bone—D. J. Howard and V. J. Lund. *Clin. Rec.*, 1019.
- Sarcomas of the neck, Synovial—B. R. Oppedal, T. Røyne and I. Titterud. *Clin. Rec.*, 101.
- Scalp defects, The use of the latissimus dorsi muscle flap for posterior—A. A. Narula and N. C. Breach. *Orig. Art.*, 693.
- Scanning electronic microscopy of sialit-preserved total middle-ear grafts—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
- Scarification or unilateral perichondrial lining on septal cartilage from human autopsy material, Curving effect of—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
- Scarpa's ganglion cells in the adult guinea pig, Ultrastructural features of the myelin sheath of—M. Penna and F. Rossi. *Orig. Art.*, 363.
- Schwannoma in the head and neck, Unusual sites of—A. Samet, L. Podoshin, M. Fradis, J. Simon, N. Lazarov and H. Boss. *Clin. Rec.*, 523.
- Scopolamine for peripheral vertigo, Transdermal—T. Rahko and P. Karma. *Orig. Art.*, 653.
- Sea water and swimming pool water on the guinea pig middle ear, The effect of bath water,—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
- Secondary syphilis of the tonsils—E. A. Baarsma, B. Kazzaz and K. I. Soei. *Clin. Rec.*, 601.
- Secretory otitis media, Adenoid histamine and its possible relationship to—M. P. Collins, M. K. Church, K. N. Bakhshi and J. Osborne. *Orig. Art.*, 685.
- Septal cartilage from human autopsy material, Curving effect of scarification or unilateral perichondrial lining on—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
- Septoplasty in unilateral atrophic rhinitis with deviated nasal septum—S. C. Gupta. *Orig. Art.*, 163.
- Sialit-preserved total middle-ear grafts, Scanning electronic microscopy of—I. Zenev and Ch. Betow. *Orig. Art.*, 1201.
- Sialorrhoea, Surgery of—S. L. Sellars. *Orig. Art.*, 1107.
- Sinus, maxillary, Metastatic tumours in the—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
- Sinus thrombosis in the eighties, Lateral—F. Debruyne. *Clin. Rec.*, 91.
- Sinuses, paranasal, Ectopic meningioma of the nose and—C. C. T. Atherino, R. Garcia and L. J. Lopes. *Clin. Rec.*, 1161.
- Sinuses, Tracheostomy—M. S. McCormick, N. B. Sutherland and C. A. J. Prescott. *Clin. Rec.*, 1173.
- Sinusitis, chronic bacterial maxillary, Relevance of the conventional Waters' view in evaluating—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
- Skin grafting of the anterior stomach wall following pharyngo-gastric anastomosis—D. J. Howard and V. J. Lund. *Orig. Art.*, 273.
- Soft palate, Rhabdomyosarcoma of, A case of late relapse—W. I. Wei. *Clin. Rec.*, 1029.
- Solitary neurogenic sarcoma of the nose—A. S. High and N. J. Kay. *Clin. Rec.*, 1151.
- Spasm, Hemifacial, Operative treatment—H. Ludman and D. I. Choa. *Orig. Art.*, 239.
- Spent-bullet injuries in the head and neck region—M. R. Khan, N. Yousaf, M. Khan and Y. Shahdin. *Clin. Rec.*, 1319.
- Sphenoiditis, Abscess of the nasal septum complicating isolated acute—M. P. Collins. *Clin. Rec.*, 715.
- Spindle cell squamous carcinoma of the larynx—G. Recher. *Orig. Art.*, 871.
- Spondylosis, Dysphagia due to cervical—J. A. Crowther and G. M. Ardran. *Clin. Rec.*, 1167.
- Spontaneous round window rupture in a patient with Menière's disease, Otorrhoea as a presenting feature of a—A. C. Swift. *Clin. Rec.*, 1009.
- Squamous cell carcinoma and liposarcoma of the larynx occurring metachronously—A. Narula and A. F. Jefferis. *Clin. Rec.*, 509.
- Squamous odontogenic tumour—S. Kristensen, J. Andersen and P. Jacobsen. *Clin. Rec.*, 919.
- Stapedectomy, Facial palsy following—Y. Zohar and N. Laurian. *Clin. Rec.*, 387.
- Stapedial nerve, Tactile neurofibroma of the—H. Van Goethem, I. Friedmann and J. Marquet. *Clin. Rec.*, 187.
- Stapes in osteogenesis imperfecta, Histopathology of the—U. Pedersen, F. Melsen, O. Elbrønd and P. Charles. *Orig. Art.*, 451.
- Stenosis, Aqueductal,—Results of vestibular function tests—M. Suzuki, Y. Harada, M. Ishida, H. Wada, M. Ohta, K. Sakoda and T. Uozumi. *Orig. Art.*, 151.
- Stereocilia in the human organ of Corti, Cross-links between—P. H. Rhys Evans, S. D. Comis, M. P. Osborne, J. O. Pickles and D. J. R. Jeffries. *Orig. Art.*, 11.
- Strobifrescopic colour video recording of vocal fold vibration—Y. Yoshida, M. Hirano, T. Yoshida and O. Tateishi. *Orig. Art.*, 795.

- Subglottic plasmacytoma of the larynx: an acute presentation—P. K. Gormley, W. J. Primrose and H. Bharucha. *Clin. Rec.*, 925.
- Submandibular duct transposition, Treatment of the drooling child by—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
- Submandibular swelling, Fibrodysplasia ossificans progressiva presenting acutely as a—D. A. Jonathan and A. F. Jefferis. *Clin. Rec.*, 721.
- Suboccipital approach in the removal of acoustic neuromas—A. R. Welch and J. D. K. Dawes. *Orig. Art.*, 1217.
- Suppression of tinnitus by lidocaine infusion, A controlled study of the—E. Perucca and P. Jackson. *Orig. Art.*, 657.
- Surgery of chronic otitis media with cholesteatoma, The choice of techniques for the—M. Portmann. *Orig. Art.*, 533.
- Surgery of sialorrhoea—S. L. Sellars. *Orig. Art.*, 1107.
- Surgical treatment of bilateral abductor paralysis, Thornell's approach for arytenoidectomy in the—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
- Surgical treatment of cholesteatomatous ear disease—T. Palva. *Orig. Art.*, 539.
- Surgical treatment of pharyngeal diverticula, Comparison of endoscopic diathermy and resection in the—A. R. Welch and F. Stafford. *Orig. Art.*, 179.
- Swimming pool water on the guinea pig middle ear, The effect of bath water, sea water and—G. J. C. Smelt and W. S. Monkhouse. *Orig. Art.*, 1209.
- Synchronous parotid tumors of different histological types in association with metastasizing hypopharyngeal carcinoma—D. Meikle and C. T. Yarrington, Jr. *Orig. Art.*, 1261.
- Synovial sarcoma of the hypopharynx—A. Cutchavaree and P. Jimakorn. *Clin. Rec.*, 205.
- Synovial sarcomas of the neck—B. R. Oppedal, T. Røyne and I. Titterud. *Clin. Rec.*, 101.
- Syphilis of the tonsils, Secondary—E. A. Baarsma, B. Kazzaz and K. I. Soei. *Clin. Rec.*, 601.
- Systemic vasculitis, The ENT manifestations of—C. H. Bulman, R. J. Kane and V. N. Srivastva. *Clin. Rec.*, 941.
- Tactile neurofibroma of the stapedial nerve—H. Van Goethem, I. Friedmann and J. Marquet. *Clin. Rec.*, 187.
- Telephone use by a multi-channel cochlear implant patient—A. M. Brown, G. M. Clark, R. C. Dowell, L. F. A. Martin and P. M. Seligman. *Orig. Art.*, 231.
- Temperature gradients in the inner ear following Argon laser exposure, Experimental investigation of—T. Ricci and M. Mazzoni. *Orig. Art.*, 359.
- Temporal bone, Eosinophilic granuloma of the—M. Fradis, L. Podoshin, J. Ben-David and A. Grishkan. *Clin. Rec.*, 475.
- Temporal bone, Facial palsy due to myeloma of the—G. R. Shone. *Clin. Rec.*, 907.
- Temporal bone, Metastatic tumours of the—A. Belal, Jr. *Orig. Art.*, 839.
- Temporal bone, Primary chondroid chordoma arising from the base of the—M. Hasegawa, W. Nishijima, I. Watanabe, M. Nasu and R. Kamiyama. *Clin. Rec.*, 485.
- Temporal bone resection, Reconstruction after—R. Tiwari. *Orig. Art.*, 143.
- Temporal bones in Hurler's disease [Mucopolysaccharidosis (MPS) IH], Histopathological studies of the—I. Friedmann, E. Spellacy, J. Crow and R. W. E. Watts. *Orig. Art.*, 29.
- Thornell's approach for arytenoidectomy in the surgical treatment of bilateral abductor paralysis—E. de Campora, A. Camaioni, C. Corradini, N. D'Agnone, V. Calabrese and A. Croce. *Orig. Art.*, 379.
- Throat discomfort, The elongated styloid process as a cause of—P. Lindeman. *Clin. Rec.*, 505.
- Thrombosis in the eighties, Lateral sinus—F. Debruyne. *Clin. Rec.*, 91.
- Thyroglossal duct anomaly, Branched and polycystic—F. Tovi and A. Eyal. *Clin. Rec.*, 1179.
- Thyroid cancer, Conservative surgical management of invasive differentiated—Y. Shvili, Y. Zohar, N. Buller and N. Laurian. *Orig. Art.*, 1255.
- Thyroid gland in the management of carcinoma of the larynx and laryngopharynx, The—S. Bahadur, S. Iyer and S. K. Kacker. *Orig. Art.*, 1251.
- Thyroiditis discovered at tracheostomy, Riedel's—M. G. Spencer. *Clin. Rec.*, 97.
- Tinnitus, A comparison of the effects of eighth nerve section with lidocaine on—P. Jackson. *Orig. Art.*, 663.
- Tinnitus by lidocaine infusion, A controlled study of the suppression of—E. Perucca and P. Jackson. *Orig. Art.*, 657.
- Tinnitus in non-hearing ears, Electrocochleographic findings and the effects of lidocaine on—P. Jackson. *Orig. Art.*, 667.
- Tinnitus, Measurement and management of—R. R. A. Coles, J. L. Baskill and J. B. Sheldrake. Part II. *Orig. Art.*, 1.
- Tomography in the pre-operative evaluation of ear malformations—A. Fileni, C. Colosimo, Jr., M. Moschini, S. Malena and P. Gugliantini. *Orig. Art.*, 433.
- Tongue, Resection of the, with the carbon dioxide laser: 100 cases—J. A. S. Carruth. *Orig. Art.*, 887.
- Tonsil, palatine, Lymphangiectatic fibrous polyp of the—F. Hiraide, T. Inouye and E. Tanaka. *Clin. Rec.*, 403.
- Tonsil, Polypoid lymphangioma of the—S. M. Al Samarrae, S. S. Amr and V. J. Hyams. *Clin. Rec.*, 819.

- Tonsillar fossa, Aggressive fibromatosis of the—K. Kwong. *Clin. Rec.*, 411.
- Tonsillectomy: Home after 24 hours?—R. J. Canter and J. Rogers. *Orig. Art.*, 177.
- Tonsils, Secondary syphilis of the—E. A. Baarsma, B. Kazzaz and K. I. Soei. *Clin. Rec.*, 601.
- Tooth, Nasal—M. G. Spencer and A. D. Couldery. *Clin. Rec.*, 1147.
- Total laryngectomy, Radiological assessment of pharyngeal integrity after—W. A. McIntosh. *Orig. Art.*, 1245.
- Trachea in rats, Microsurgical reconstruction of the—S. A. Moussa and D. A. French. *Orig. Art.*, 61.
- Tracheopathia osteoplastica in the larynx—P. B. Paaske and E. Tang. *Clin. Rec.*, 305.
- Tracheostomal stenosis following total laryngectomy—V. H. Balle and P. Bretlau. *Orig. Art.*, 577.
- Tracheostomy, Riedel's thyroiditis discovered at—M. G. Spencer. *Clin. Rec.*, 97.
- Tracheostomy sinuses—M. S. McCormick, N. B. Sutherland and C. A. J. Prescott. *Clin. Rec.*, 1173.
- Tracheostomy tube fatigue—D. A. Bowdler and P. J. Emery. *Clin. Rec.*, 517.
- Transcranial orbital decompression in the treatment of Graves' disease—B. Grahne, B.-A. Lamberg, J. Rinne, R. Pelkonen, M. Liesmaa and V. Tommila. *Orig. Art.*, 865.
- Transdermal scopolamine for peripheral vertigo—T. Rahko and P. Karma. *Orig. Art.*, 653.
- Treatment of the drooling child by submandibular duct transposition—C. M. Bailey and P. V. Wadsworth. *Orig. Art.*, 1111.
- Tuberculosis and malignancy in the maxillary sinus, Co-existing—V. Vrat, P. S. Saharia and M. Nayyer. *Clin. Rec.*, 397.
- Tuberculosis, Aural; a series of 25 patients—L. J. Ramages and R. Gertler. *Orig. Art.*, 1073.
- Tuberculous laryngitis—a one year harvest—R. Gertler and L. Ramages. *Orig. Art.*, 1119.
- Tumors, Synchronous parotid, of different histiological types in association with metastasizing hypopharyngeal carcinoma—D. Meikle and C. T. Yarrington, Jr. *Orig. Art.*, 1261.
- Tumour, Squamous odontogenic—S. Kristensen, J. Andersen and P. Jacobsen. *Clin. Rec.*, 919.
- Tumour-associated hypophosphataemic osteomalacia occurring in a patient with an odontogenic tumour of the maxilla—A. F. Jefferis, P. C. A. Taylor and G. P. Walsh-Waring. *Clin. Rec.*, 1011.
- Tumours in the maxillary sinus, Metastatic—S. E. Kent and B. Majumdar. *Orig. Art.*, 459.
- Tumours, Multiple primary, in laryngeal cancer—H. Miyahara, K. Yoshino, K. Umatani and T. Sato. *Orig. Art.*, 999.
- Tumours of the oesophagus and larynx, Granular cell—C. Toncini and C. Pesce. *Clin. Rec.*, 1301.
- Tumours of the temporal bone, Metastatic—A. Belal, Jr. *Orig. Art.*, 839.
- Twenty-five-year evaluation, A, Fenestration:—D. N. Brooks. *Orig. Art.*, 225.
- Two cases of vallecular cyst presenting with acute stridor—D. M. Albert and Z. Ali. *Clin. Rec.*, 421.
- Tympanic membrane, Lightning-induced acoustic rupture of the—S. Kristensen and K. Tveterås. *Clin. Rec.*, 711.
- Tympanic membrane, Paraganglioma of the—A. Pusalkar, E. Steinbach and D. Shah. *Clin. Rec.*, 481.
- Tympanic membrane perforations, A clinical comparison of the results of two different methods of closing—L. Mendel and R. Kuylenstierna. *Orig. Art.*, 339.
- Tympanometric variations induced by Vidian nerve stimulation in humans—L. Rucci, T. Pantaleo and A. Cagnoli. *Orig. Art.*, 355.
- Tympanometry in the diagnosis of otosclerosis, The doubtful value of—G. G. Browning, I. R. C. Swan and S. Gatehouse. *Orig. Art.*, 545.
- Tympanoplasty, A five-year follow-up of preformed, autologous ossicles in—A. Tjellström and T. Albrektsson. *Orig. Art.*, 729.
- Tympanoplasty, Histochemical study of cartilage autografts in—S. Elwany. *Orig. Art.*, 637.
- Ultrastructural features of the myelin sheath of Scarpa's ganglion cells in the adult guinea pig—M. Penna and F. Rossi. *Orig. Art.*, 363.
- Ultrastructural radiation induced changes in the human mesotympanic middle ear mucosa, Delayed—S. Elwany. *Orig. Art.*, 343.
- Unfiltered white noise and narrow band white noise stimuli of different duration but of the same intensity, Relationships between acoustic reflex patterns elicited by—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
- Unilateral atrophic rhinitis with deviated nasal septum, Septoplasty in—S. C. Gupta. *Orig. Art.*, 163.
- Unilateral perichondrial lining on septal cartilage from human autopsy material, Curving effect of scarification or—K. Møller and F. Jeppesen. *Orig. Art.*, 1225.
- Unusual para-oesophageal mass, An—B. C. Irwin. *Clin. Rec.*, 931.
- Unusual presentation of acoustic neuroma, An—R. M. Terry. *Clin. Rec.*, 593.
- Unusual sites of schwannoma in the head and neck—A. Samet, L. Podoshin, M. Fradis, J. Simon, N. Lazarov and H. Boss. *Clin. Rec.*, 523.
- Upper airway manifestations of primary ciliary dyskinesia—M. Greenstone, P. Stanley, P. Cole and I. Mackay. *Orig. Art.*, 985.

- Use of a nasopharyngeal airway as an aid to easy recovery after nasal surgery—P. Babington and J. P. Donnelly. *Clin. Rec.*, 399.
- Use of dexamethasone in pediatric bronchoscopy, The—B. Y. Ghorayeb and A. H. Shikhani. *Orig. Art.*, 1127.
- Use of the latissimus dorsi muscle flap for posterior scalp defects, The—A. A. Narula and N. C. Breach. *Orig. Art.*, 693.
- Usher's syndrome type III—S. Karjalainen, M. Teräsvirta, J. Kärjä and H. Kääriäinen. *Orig. Art.*, 43.
- Vallecular cyst presenting with acute stridor, Two cases of—D. M. Albert and Z. Ali. *Clin. Rec.*, 421.
- Value of X-ray examination of the paranasal sinuses after epistaxis, The—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.
- Vasculitis, systemic, The ENT manifestations of—C. H. Bulman, R. J. Kane and V. N. Srivastva. *Clin. Rec.*, 941.
- Ventilation of the middle ear using the Goode T-Tube, Long-term—M. P. Rothera and H. R. Grant. *Orig. Art.*, 335.
- Ventricles, Air in the,; an unusual complication of nasal polypectomy—J. E. Osborne and A. J. Parker. *Clin. Rec.*, 1275.
- Vertebrate otoconia, Comparative crystallography of—E. A. Rosauer and J. R. Redmond. *Orig. Art.*, 21.
- Vertigo, Transdermal scopolamine for peripheral—T. Rahko and P. Karma. *Orig. Art.*, 653.
- Vestibular function tests, Aqueductal stenosis—results of—M. Suzuki, Y. Harada, M. Ishida, H. Wada, M. Ohta, K. Sakoda and T. Uozumi. *Orig. Art.*, 151.
- Vestibular response in denatured rape oil intoxication—C. Gavilán, J. Gavilán and A. Abril. *Orig. Art.*, 973.
- Vidian nerve stimulation in humans, Tympanometric variations induced by—L. Rucci, T. Pantaleo and A. Cagnoli. *Orig. Art.*, 355.
- Viral capsid antigens of Epstein-Barr virus in nasopharyngeal carcinoma, Long-term follow-up of IgG and IgA antibodies against—T.-C. Lynn, S.-M. Tu and A. Kawamura, Jr. *Orig. Art.*, 567.
- Vocal cord paralysis, CO₂ surgical laser in the management of bilateral—U. Prasad. *Orig. Art.*, 891.
- Vocal fold vibration, Stroboscopic colour video recording of—Y. Yoshida, M. Hirano, T. Yoshida and O. Tateishi. *Orig. Art.*, 795.
- Waters' view in evaluating chronic bacterial maxillary sinusitis, Relevance of the conventional—S. Elwany, A. Abdel-Kreim and M. Talaat. *Orig. Art.*, 1233.
- Wharton's duct, Multiple salivary calculi in—M. G. Tepan and R. L. Rohiwal. *Clin. Rec.*, 1313.
- White noise, unfiltered, and narrow band white noise stimuli of different duration but of the same intensity, Relationships between acoustic reflex patterns elicited by—G. Rossi, P. Solero and M. Rolando. *Orig. Art.*, 857.
- X-ray examination of the paranasal sinuses after epistaxis, The value of—T. Vimpel, J. U. Felding and P. Bonding. *Orig. Art.*, 253.