

# The Journal of Laryngology and Otology

EDITED BY  
G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

## Contents

LIGHT MICROSCOPIC OBSERVATIONS ON THE PATHOLOGY OF ENDOLYMPH . . . . .	HAROLD F. SCHUKNECHT and RONALD A. McNEILL ✓
HUMAN STAPES AND ITS VARIATIONS. I. GENERAL FEATURES . . . . .	RAMJI DASS, ✓ B. S. GREWAL and S. P. THAPAR
EXUDATIVE OTITIS MEDIA IN CHILDREN . . . . .	J. A. KERSLEY and ✓ H. WICKHAM
PRELIMINARY OBSERVATIONS ON THE HISTOPATHOLOGY OF WET MASTOID CAVITIES . . . . .	MILES TAYLOR and R. M. H. McMINN
DIPLACUSIS BINAURALIS—A COMPLICATION OF STAPEDECTOMY . . . . .	ALAN BRACEWELL
POST-TRAUMATIC VERTIGO SECONDARY TO BASILAR ARTERY INSUFFICIENCY. A CASE REPORT . . . . .	BORIS NURKO and ROBERT J. WOLFSON
CEREBROSPINAL FLUID OTORRHOEA . . . . .	JAN KINNMAN and CHANG WON LEE
ULTRASONIC HYPOPHYSECTOMY . . . . .	MICHELE ARSLAN
CLINICAL RECORDS—	
THE TREATMENT OF POST-INFLAMMATORY ATRESIA OF THE EXTERNAL AUDITORY MEATUS . . . . .	PHILIP H. BEALES and B. S. CRAWFORD
A CASE OF TREACHER COLLIN'S SYNDROME AND CROCODILE TEARS . . . . .	J. P. NIGAM
CALCULUS IN THE PREAURICULAR SINUS . . . . .	DINKAR TEMBE
CONGENITAL COLUMELLA TYPE STAPES . . . . .	T. M. BANHAM

### GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

ADVERTISEMENTS

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

#### *United States of America*

Orders for this *Journal* may be sent through local booksellers, or to STEGHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1966

Please mention *The Journal of Laryngology and Otology* when replying to advertisements


# CONTENTS

	PAGE
LIGHT MICROSCOPIC OBSERVATIONS ON THE PATHOLOGY OF ENDOLYMPH. Harold F. Schuknecht and Ronald A. McNeill (Boston, Mass.) . . . . .	I
HUMAN STAPES AND ITS VARIATIONS. I. GENERAL FEATURES. Ramji Dass, B. S. Grewal and S. P. Thapar (Patiala) . . . . .	II
EXUDATIVE OTITIS MEDIA IN CHILDREN. J. A. Kersley and H. Wickham (Preston) . . . . .	26
PRELIMINARY OBSERVATIONS ON THE HISTOPATHOLOGY OF WET MASTOID CAVITIES. Miles Taylor and R. M. H. McMinn (London) . . . . .	42
DIPLACUSIS BINAURALIS—A COMPLICATION OF STAPEDECTOMY. Alan Bracewell (London) . . . . .	55
POST-TRAUMATIC VERTIGO SECONDARY TO BASILAR ARTERY INSUFFICIENCY. A CASE REPORT. Boris Nurko and Robert J. Wolfson (Phila- delphia) . . . . .	61
CEREBROSPINAL FLUID OTORRHOEA. Jan Kinnman and Chang Won Lee (Seoul, Korea) . . . . .	66
ULTRASONIC HYPOPHYSECTOMY. Michele Arslan (Padua) . . . . .	73
CLINICAL RECORDS—	
THE TREATMENT OF POST-INFLAMMATORY ATRESIA OF THE EXTERNAL AUDITORY MEATUS. Philip H. Beales (Doncaster) and B. S. Crawford (Sheffield) . . . . .	86
A CASE OF TREACHER COLLIN'S SYNDROME AND CROCODILE TEARS. J. P. Nigam (Jabalpur, India) . . . . .	90
CALCULUS IN THE PREAURICULAR SINUS. Dinkar Tembe (Wigan) . . . . .	95
CONGENITAL COLUMELLA TYPE STAPES. T. M. Banham (Truro) . . . . .	98
GENERAL NOTES . . . . .	101

# KAMPLEX

## AUDIOMETRIC EQUIPMENT

### AUDIOMETERS



CLINIC AUDIOMETER DA1

SCREENING PORTABLE TA16  
DIAGNOSTIC PORTABLE TA15


CLINIC AUDIOMETER DA1  
DOUBLE CHANNEL DA2

AUTOMATIC AUDIOMETER  
AB1

ACOUSTIC IMPEDANCE  
APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE  
APPARATUS RA4



SOUND LEVEL METER GA6


VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

*Write for full catalogue and detailed descriptions to:*


**ALFRED PETERS & SONS LTD**  
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# Staphylococci cannot live with **Orbenin**

Regd.



*Cells of Staphylococcus aureus (phage type 80), a typical penicillinase-producing organism, are illustrated before and after exposure to 10 µg/ml. of Orbenin (cloxacillin sodium). These photoelectron micrographs are magnified 25,000 times.*

Orbenin (cloxacillin sodium B.P.) is one of the BRL semi-synthetic 'tailor-made' penicillins, developed specifically for the treatment of resistant staphylococcal infections. It has the two important qualities of penicillin, being bactericidal and of low toxicity. It is acid-stable and so can be given in the convenient oral form as well as by intramuscular injection, giving effective serum and tissue levels by either route.

Orbenin is also indicated in the treatment of mixed Gram-positive infections, as it is active against all Gram-positive bacteria normally sensitive to penicillin.

Availability: Capsules, syrup and vials for injection.




Orbenin is a product of British research at  
**Beecham Research Laboratories**  
Brentford, England. Telephone: ISLeworth 4111


Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# Now . . . Rule Out Mononucleosis In 2 Minutes

## INTERPRETATION OF READINGS



⊕ READING  
AGGLUTINATION



⊖ READING  
NO  
AGGLUTINATION

# with new **DENCO-IM Test**

rapid slide test for the detection of infectious mononucleosis

- rapid, simple procedure – results in 2 minutes
- 99% accuracy reported, with no instance of false negative<sup>1</sup>
- employs standardized, specially treated erythrocytes – more specific for infectious mononucleosis than raw sheep-cell procedures
- specificity and accuracy so high that the need for differential tests may be eliminated<sup>1</sup>
- negative results conclusive – virtually rule out mononucleosis
- all materials ready to use, stable for at least one year

"The test had further advantages aside from its great specificity. It did not require the inactivation of complement, nor did it require fresh sheep cells."<sup>1</sup>

**Supplied.** DENCO-IM Test—40 Tests (including controls) Contents: 1 bottle DENCO-IM Reagent 2 ml., 1 bottle positive control 1 ml., 1 bottle negative control 1 ml., 2 divided glass slides 1. Hoff, G., and Bauer, S.: A New Rapid Slide Test for Infectious Mononucleosis. (1965): J. Amer. Med. Ass., **194**, 351.

---


DENVER LABORATORIES LIMITED, 12 CARLISLE ROAD, LONDON, N.W.9

**ONLY AMPLIVOX**  
 provides a  
*complete* audiometric service!



**Transistor Audiometers**

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.



**Clinical Audiometers**


with narrow band masking for the highest accuracy and extended resolution.

**Audiometer Booths**

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



**Industrial Audiometry  
 Speech Audiometers  
 Speech Training Equipment  
 Loop Amplifiers, etc.**



**PLUS** An efficient and speedy **calibration service**

*please write for technical literature to meet your needs*


**AMPLIVOX**

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**DOWN S**



**FULLER'S TEFLON  
PISTON HOLDING**

**and**

**INTRODUCING FORCEPS**

**DOWN BROS. AND MAYER & PHELPS LTD  
CHURCH PATH, MITCHAM, SURREY, ENGLAND**


**In Canada**

**410 Dundas Street West, Toronto, 2B, Canada**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# BÉKÉSY ACCESSORY



For the very first time a fully automatic unit is being made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to :



**ALFRED PETERS & SONS LIMITED**  
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# WINHO

## AUDITORY TRAINING UNIT

- ★ Robust Construction—high grade components
- ★ Portable, Battery Operated
- ★ Modern transistor circuitry
- ★ Versatile with many facilities
- ★ Improved Performance
- ★ Treble and Bass Tone Controls
- ★ Loop Drive
- ★ Reasonably priced—£55 Ex. Works



PROFESSIONAL MODEL

For further details please write to:

**G. C. JOHNSON,**  
**LEYTON INSTRUMENT CO. LTD.,**  
**54 ALBERT ROAD,**  
**CAVERSHAM,**  
**READING, BERKS.**  
 Telephone: READING 72295

# THE LARYNGOSCOPE

A Monthly Journal  
 devoted to the disease of  
**EAR, NOSE AND THROAT**

*Official organ for the American Laryngological  
 Rhinological and Otological Society*

Price \$18.00 per year      Canada \$19.00 per year  
 Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.  
 EDITOR

517 SOUTH EUCLID AVENUE  
 SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**all clear**


**in sinusitis, otitis media and coryza**

'Triogesic' provides decongestion with analgesia.

	<b>TABLETS</b>	<b>ELIXIR</b>
	scored (per tablet)	cherry flavoured (per 5 ml.)
<b>Formula</b>	Phenylpropanolamine-HCl 12.5 mg. Mepyramine maleate B.P. 6.25 mg. Pheniramine maleate 6.25 mg. Paracetamol B.P. 500 mg.	Phenylpropanolamine-HCl 3 mg. Mepyramine maleate B.P. 1.5 mg. Pheniramine maleate 1.5 mg. Paracetamol B.P. 125 mg. Alcohol (95%) 0.5 ml.
	Part 1 S7	Part 1 S7
<b>Packs</b>	tubes of 30	bottles of 8 and 20 fl. oz.
<b>Basic N.H.S. Price</b>	3/6. for 30 tablets	5/10d. for 8 fl. oz.

Literature, dosage card and sample on request.

A. Wander Ltd., 42 Upper Grosvenor St., London W. 1



M438B

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

*For Advertisement  
Space in this Journal  
please apply to:*

The Journal of  
Laryngology and Otology  
109 Kingsway  
London W.C.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**WHEN A HEARING AID  
IS RECOMMENDED  
ONLY AMPLIVOX  
OFFERS THIS  
HEARING AID SERVICE**

The design and manufacture of a complete range with  
individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox  
hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.


**FOR YOUR PATIENTS' GREATEST SATISFACTION  
SPECIFY AMPLIVOX**

**AMPLIVOX**

World's most experienced and complete hearing service

**AMPLIVOX HEARING ADVISORY SERVICE  
80 NEW BOND STREET  
LONDON, W.1**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# 'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

**'OTOSPORIN'** BRAND Drops ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements