

# The Journal of Laryngology and Otology

EDITED BY  
G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

## Contents

PRESENT PROBLEMS IN THE SURGERY OF OTOSCLEROSIS	J. CAUSSE
A MICROSCOPIC STUDY OF TETRACYCLINE LOCALIZATION IN OTOSCLEROTIC STAPES . . . . .	J. A. CLARKE
OTOSCLEROSIS—STUDIED WITH X-RAY MICROSCOPY AND FLUORESCENCE MICROSCOPY AFTER ADMINISTRATION OF TETRACYCLINES . . . . .	H. RÖCKERT, H. ENGSTRÖM, O. HALLÉN, G. HERBERTS, G. LIDÉN, B. NORDLUND and J. J. SHEA
DISORDER IN BLOOD SUPPLY OF THE INNER EAR AS EARLY SYMPTOM OF DIABETIC ANGIOPATHY.	J. ZELENKA and P. KOZÁK
THE PROVISION OF BETTER EARMOULDs FOR DEAF CHILDREN . . . . .	A. BOOTHROYD
COCHLEAR SYMPTOMS AND SIGNS IN VESTIBULAR NEURONITIS . . . . .	A. BOFFI
CLINICAL RECORDS—	
GONADAL DYSGENESIS AND THE EARS . . . . .	H. J. M. STRATTON
A MENINGIOMA OF THE MIDDLE EAR . . . . .	NORMAN A. PUNT
GANGRENE OF TONSIL . . . . .	P. M. BINNS and O. C. LORD
TEFLON—AS AN AID IN PREVENTING NASAL ADHESIONS . . . . .	A. C. M. L. MILLER and G. D. L. SMYTH
TUBERCULOSIS OF THE MASTOID . . . . .	J. L. D. WILLIAMS
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

ADVERTISEMENTS

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

#### United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1965

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# CONTENTS

	PAGE
PRESENT PROBLEMS IN THE SURGERY OF OTOSCLEROSIS. J. Causse (Beziere, France) . . . . .	265
A MICROSCOPIC STUDY OF TETRACYCLINE LOCALIZATION IN OTOSCLEROTIC STAPES. J. A. Clarke (Glasgow) . . . . .	300
OTOSCLEROSIS—STUDIED WITH X-RAY MICROSCOPY AND FLUORESCENCE MICROSCOPY AFTER ADMINISTRATION OF TETRACYCLINES. H. Röckert, H. Engström, O. Hallén, G. Herberts, G. Lidén, B. Nordlund and J. J. Shea (Göteborg, Sweden and Memphis, Tenn., U.S.A.). . . . .	305
DISORDER IN BLOOD SUPPLY OF THE INNER EAR AS EARLY SYMPTOM OF DIABETIC ANGIOPATHY. J. Zelenka and P. Kozák (Czechoslovakia) . . . . .	314
THE PROVISION OF BETTER EARMOULDS FOR DEAF CHILDREN. A. Boothroyd (Manchester) . . . . .	320
COCHLEAR SYMPTOMS AND SIGNS IN VESTIBULAR NEURONITIS. A. Boffi (Trelew, Argentine) . . . . .	336
CLINICAL RECORDS—	
GONADAL DYSGENESIS AND THE EARS. H. J. M. Stratton (Ashford, Middlesex) . . . . .	343
A MENINGIOMA OF THE MIDDLE EAR. Norman A. Punt (London) . . . . .	347
GANGRENE OF TONSIL. P. M. Binns and O. C. Lord (Leeds) . . . . .	349
TEFLON—AS AN AID IN PREVENTING NASAL ADHESIONS. A. C. M. L. Miller and G. D. L. Smyth (Belfast) . . . . .	352
TUBERCULOSIS OF THE MASTOID. J. L. D. Williams (Newport, Mon.) . . . . .	355
GENERAL NOTES . . . . .	360

## THE LARYNGOSCOPE

A Monthly Journal  
devoted to the disease of  
**EAR, NOSE AND THROAT**

*Official organ for the American Laryngological  
Rhinological and Otological Society*

Price \$18.00 per year      Canada \$19.00 per year  
Foreign \$19.00 per year


ESTABLISHED 1896

THEODORE E. WALSH, M.D.  
EDITOR

517 SOUTH EUCLID AVENUE  
SAINT LOUIS MO. 63110.



# In cases of PERCEPTIVE DEAFNESS whenever a Hearing Aid is indicated let your patients test the MULTITONE PERCEPTOR

A New small Post-Aural Aid of British design and manufacture. The unique Multitone method of mounting the microphone at the top of the unit in an acoustic chamber facing *forward* produces direct **FRONTAL RECEPTION** of astonishingly wide frequency response.



Frequency Response 500 - 5000 cps. Maximum Amplification (at 3000 cps) 46 dB. Maximum power output (1000 cps) 120 dB.

Arrangements can be made for your patients to test the Perceptor without charge or obligation. For information please contact



MULTITONE ELECTRIC CO LTD · 12-20 UNDERWOOD STREET  
LONDON N1 · TELEPHONE: CLERKENWELL 8022

CRC 50

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# PENBRITIN

brings new hope to the Chronic Bronchitic

Three effective dosage schemes can now be considered for bronchitic patients

## 1 Routine Dosage

Doses of 250mg. q.i.d. of Penbritin or other broad spectrum antibiotics will usually suppress *H. influenzae*, the most pathogenic organism in Chronic Bronchitis, with consequent relief of exacerbations. In the majority of cases, this method, repeated whenever an exacerbation occurs, is all that is required to keep the patient ambulant.

## 2 Prophylaxis

When continuous daily treatment is considered desirable, one capsule (250mg.) is recommended every twelve hours.

## 3 High Dosage Therapy\*

This technique offers great promise in the treatment of winter-long purulent cases, particularly those which fail to respond to other antibiotic regimens<sup>1</sup> or who have previously required continuous antibiotic cover<sup>2</sup>. Moreover, many of the patients remained free from exacerbations for long periods after treatment was stopped. These high doses have been given without side-effects<sup>1,2</sup>.

A likely explanation for these clinical results is that a concentration of Penbritin bactericidal to *H. influenzae* has been attained in the sputum<sup>1,2,3</sup>, and estimations of sputum level of the antibiotic give support to this probability<sup>2</sup>. A bactericidal concentration of the tetracyclines is unattainable in any practical dosage<sup>2</sup>. One of the authors<sup>2</sup> commented: 'Such a response to other antibiotics is, in our experience, extremely rare in patients of the type taking part in this trial.'

\* 1G. q.i.d. for one week, repeating the course if necessary.

- 1 Lancet, (1964), 2,445  
2 Thorax, (1964), 19,298  
3 Lancet, (1964), 2,444

Penbritin (Ampicillin) is a product of British research at  
**Beecham Research Laboratories**  
Brentford, England. Telephone: ISLeworth 4111



Please mention *The Journal of Laryngology and Otology* when replying to advertisements

## House-Urban equipment for all Zeiss operating microscopes

Observation tubes  
with upright image

35mm camera unit with  
automatic film wind-over and  
operated by either a hand  
or foot pedal switch

Cine-photography with normal  
binocular viewing

Closed circuit television



Sole UK agents

Degenhardt & Co Ltd  
Carl Zeiss House  
20/22 Mortimer Street  
London W1  
Langham 6097 (9 lines)

Scottish enquiries to

Degenhardt & Co  
(Scotland) Ltd  
22 Burnbank Gardens  
Glasgow NW  
Douglas 0520

**D**egenhardt

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

When  
the patient  
needs a  
hearing aid—  
**whom do  
you recommend?**

**INGRAMS, of course,**  
the firm with the different makes  
to choose from.


**INGRAMS, 2 Shepherd Street, London, W.1**

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**Elliott—UniBristol**

**ULTRASONIC SURGICAL THERAPY EQUIPMENT**



**PROBE**—2mm. diameter beam produced by micro-cone concentrator gives precisely controlled energy pattern ■ Incorporates saline irrigation tube ■ Built-in thermistor thermometer monitors saline temperature ■ Finished in stainless steel and sealed for autoclave sterilisation

**GENERATOR**—Output variable—(meter indicates in Acoustic Watts/cm<sup>2</sup>)  
 ■ Nominal frequency 3Mc/s (tuning facility provided)  
 ■ Incorporates 60-minute manual re-set timing clock

**ACOUSTIC BALANCE**—an acoustic radiation balance is provided for calibration of energy output

*The Elliott-UniBristol Ultrasonic equipment is based on a design due to the Physics Department of the United Bristol Hospitals and developed in conjunction with the surgeons of the ENT Department*

**E LLIOTT MEDICAL AUTOMATION LTD**

Medical Equipment Division  
 97 Maidstone Road, Rochester, Kent



A Member of the Elliott-Automation Group

Chatham 44824/5

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



NEW  
SYSTEMIC  
HAEMOSTATIC

# Dicynene

ethamsylate

ENSURES  
A CLEAR FIELD  
FOR SURGERY



Clinical studies of DICYNENE have shown its efficacy in the prevention and treatment of haemorrhage due to the rupture of small vessels. DICYNENE exhibits low toxicity. The drug is well tolerated and there are no known contra-indications. For further details write to BAXTER LABORATORIES LTD., High Wycombe, Bucks. Tel. High Wycombe 4612

 BAXTER

BAXTER

Please mention *The Journal of Laryngology and*

advertisements

# 14 NEW BOOKS

## in LARYNGOLOGY and OTOTOLOGY

**MANUAL OF SURGICAL TECHNIQUE** by Warner F. Bowers, *New York Med. Coll., New York City*; Thomas H. Hewlett, *Fitzsimons General Hosp., Denver, Colo.*; and George J. Thomas, *Brooke General Hosp., Ft. Sam Houston, Texas*. A step by step how-to-do-it manual with concise descriptive legends for each informative drawing. A section on basic surgical technique includes a chapter in the field of nose and throat surgery. '63, 382 pp. ( $3\frac{1}{2} \times 11$ ), 977 il., \$14.00

**BIOPHYSICS OF THE EAR** by F. L. Dittrich, *Univ. of Geneva, Geneva, Switzerland*. The first synthesis in the scientific literature to treat the delicate problems of biophysics of the ear. Section I places the subject in its anatomical, physiological, and historical context. Sections II, III, and IV cover the biophysics of the cochlear system, biophysics of the vestibular system, and cochleo-vestibular cybernetics. '63, 136 pp., 73 il. (*Amer. Lec. Biochemistry and Biophysics* edited by W. Bladergroen, Jr.), \$6.75

**ROENTGENOGRAPHY AND ROENTGENOLOGY OF THE MIDDLE EAR AND MASTOID PROCESS** by Lewis E. Etter, *Univ. of Pittsburgh*. With the collaboration of Lawrence C. Cross and Merle J. Stuart, both of *Western Psychiatric Institute and Clinic, All of Pittsburgh, Pa.* Stresses the necessity of teamwork between the radiologist and technologist. Illustrates methods that will enable the radiologist to point out exactly what he wants to see, making it possible for the technologist to get it for him with a minimum of effort. '65, 168 pp. ( $8\frac{1}{2} \times 11$ ), 157 il., \$9.75

**NEUROLOGICAL ASPECTS OF AUDITORY AND VESTIBULAR DISORDERS.** *Eleventh Annual Scientific Meeting of the Houston Neurological Society. Compiled and edited by William S. Fields, and Bob R. Alford, both of Baylor Univ., Houston, Texas. (With 16 Contributors.)* Presents new and provocative information and techniques for the diagnosis and treatment of the auditory and vestibular mechanisms. Strict criteria for diagnosis before institution of therapy are stressed. '64, 400 pp., 210 il., \$12.50

**EXTERNAL OTITIS: Diagnosis and Treatment** by Edley H. Jones, *Univ. of Mississippi, Jackson, Miss.* The first complete presentation of the micropathology of external otitis . . . types of external otitis covered include traumatic, infectious, allergic, seborrhoeic, neurogenic, non-specific, and complicated. Clinical findings are correlated with pathology and well illustrated with photomicrographs. *About 272 pp., 63 B & W il., 26 colour plates, 19 tables. In Press*

**RHINOSCLEROMA** by Francisco Kerdel-Vegas and Jacinto Convit, both of *Universidad Central de Venezuela, Caracas, Venezuela*; Bernard Gordon, *Univ. of Calif., San Francisco, Calif.*; and Mauricio Goihman, *Vargas Hosp., Caracas, Venezuela*. A critical analysis of various views as to the cause of rhinoscleroma is appraised. Considers the history and geographic distribution of the condition of the disease. '63, 128 pp., 58 il. (1 plate in full colour), (*Amer. Lec. Dermatology* edited by Arthur C. Curtis), \$9.75

**AUDIOLOGICAL EVALUATION OF THE PEDIATRIC PATIENT** by Maurice H. Miller and Ira A. Polisar, both of *State Univ. of New York Downstate Medical Center, Brooklyn, N.Y.* Describes the personnel, equipment, and physical plant needed to perform various diagnostic techniques for hearing evaluations. Techniques are then evaluated as to over-all clinical value and related to other aspects of the total evaluation. '64, 132 pp., 8 il. (*Amer. Lec. Speech and Hearing* edited by Robert W. West), \$5.75

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**THE HUMAN LARYNX** by Mervin C. Myerson, *Cedars of Lebanon Hosp., Los Angeles, Calif.* Covers in concise, comprehensive form all phases of the larynx and its diseases. Presents some unorthodox views on management of contact ulcer and granulomatous polyp and introduces a new feature in the discussion of laryngeal manifestations of systemic disease. The complicated subject of cancer of the larynx is thoroughly covered. '64, 408 pp., 191 il., 17 tables, \$14.50

**EAR, NOSE AND THROAT FOR THE GENERAL PRACTITIONER** by Albert P. Seltzer, *Univ. of Pennsylvania, Philadelphia, Pa.* This book was especially prepared to show by example how diseased conditions in widely different parts of the body do have either their primary origin or a secondary relationship in abnormal conditions in the ear, nose and throat cavities and in their nearby tissues. **A comprehensive text, compactly and concisely presented.** '64, 244 pp., \$7.75

**MENINGIOMAS INVOLVING THE TEMPORAL BONE: Clinical and Pathological Aspects** by George T. Nager, *The Johns Hopkins Univ., Baltimore, Md.* Foreword by A. Earl Walker, *The Johns Hopkins Univ.* This monograph points the way toward early recognition of the condition and better clinical care of such patients. *Presented in three parts*, covering present-day concepts of endocranial meningiomas, seven case histories of meningiomas, aetiology, etc. '64, 192 pp. (6½ × 9½), 129 il., \$11.50

**ILLUSTRATED SPEECH ANATOMY** by William M. Shearer, *Northern Illinois Univ., DeKalb, Ill.* A simple, well-illustrated anatomy text which deals exclusively with the structures involved in *respiration, phonation, articulation, and resonance.* Bone and muscles are presented in a clear and systematic manner to allow for maximum accessibility in study and reference. Exercises are provided at the end of each section as a further guide to visual learning. '63, 96 pp. (6½ × 9½), 48 il., \$4.75

**THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD** by Donald F. Proctor, *The Johns Hopkins Univ., Baltimore, Md.* Designed to provide the physician with a background of knowledge essential to management of ear and respiratory disease. *Covers such areas as fundamentals of physiology and pathology; general principles underlying diagnostic and therapeutic considerations; specific problems related to the nose and paranasal sinuses, the ears and temporal bones, etc.* '63, 200 pp. (8½ × 11), 183 il. (*Pediatric Surgical Monograph Series* edited by Mark M. Ravitch), \$12.50

**ABSORBABLE GELATIN (GELFOAM) SPONGE: An Annotated Bibliography, 1945-1965** by Harold A. Tucker, *The Upjohn Company, Kalamazoo, Mich.* All abstracts included in this volume involve articles which cover new and original applications of gelatin sponge in diverse areas of medicine and surgery . . . in such fields as otolaryngology, dental surgery, the study of skin and oral mucosa, otologic surgery, etc. '65, 140 pp., \$4.50

**THE TEMPOROMANDIBULAR JOINT** (2nd Ed.) edited by Bernard G. Sarnat, *Cedars of Lebanon and Mount Sinai Hospitals, Los Angeles, Calif.* (With 9 Contributors.) "The presentation of each subject has been scholarly, clearly, and concisely achieved . . . all physicians or dentists who may have occasion to treat any injury to, or disease of, the temporomandibular joint or adjacent structure . . . will find this book of value . . ." *Journal of the American Medical Association.* '64, 282 pp. (6½ × 9½), 249 il., \$12.50

**CHARLES C. THOMAS  
PUBLISHER**

301-327 East Lawrence Avenue  
Springfield . Illinois . U.S.A.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



when the patient  
must remain alert

# Fabahistin<sup>®</sup>

Mebhydrolin B.P.C.

the non-sedating antihistamine

Children : 1-4 tablets daily · Adults : 2-6 tablets daily



<sup>®</sup> Registered trade mark of **BAYER GERMANY**  
U.K. Subsidiary **FBA PHARMACEUTICALS LTD**, Haywards Heath, Sussex

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**ONLY AMPLIVOX**  
 provides a  
complete audiometric service!




**Transistor Audiometers**


for the school screening service, ward use, etc.

**Speech Audiometry Equipment**

via records and tape, including new attachment for use with tape recorders.



**Industrial Audiometry  
 Speech Training Equipment  
 Loop Amplifiers, etc., etc.**




**Clinical Audiometers**

with narrow band masking for the highest accuracy and extended resolution.

**Audiometer Booths**

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.



**PLUS** An efficient and speedy **calibration service**


*Please write for technical literature covering your needs*

**AMPLIVOX LTD**

Medical Acoustic Division

80 New Bond Street London, W1 Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# 'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

**'OTOSPORIN'** BRAND Drops ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements