

Right at Your Fingertips

Stephen W. Carmichael¹
Mayo Clinic
 stephen.carmichael@mayo.edu

They're right at your fingertips, but how often do you consider the microscopic anatomy of your fingernails? How is their form fitted to function? Primates, including humans, use fingernails to maintain the anatomic integrity at the distal end of our phalanges, which often serves as the leading edge of our physical sensory apparatus. The nails serve as a stiff backing to the soft pads of our fingers, helping to improve the grip and sensitivity by allowing the pad to "push back" on the object we are touching. Nails also serve specific functions in maneuvering within cracks, scratching, and fighting.

The gross structure of nails helps to resist upward bending forces that are encountered in these functions. The convex curvature contributes, just like a curved piece of paper has more stiffness than a flat sheet. The composition of nails is also suitable. As with the outer layer of skin, and the structure of hair, nails are also composed of keratin. Specifically, long, slender α -keratin protein fibers are embedded in an amorphous protein matrix. But the orientation of these fibers required microscopic analysis. Laura Farren, Stephanie Shayler, and Roland Ennos have now provided an interesting insight in to the structure of the human fingernail.²

Scanning electron microscopy (SEM) clearly demonstrated three distinct layers; a relatively thick intermediate layer, and thinner dorsal and ventral layers. The outer layers appeared to be composed of flat, overlapping tile-like sheets, oriented in the plane of the nail. In contrast, the thick intermediate layer was more fibrous, with the fibers oriented transversely, parallel with the edge of the nail. At the sides of the nail, the tile-like outer layers wrapped around the intermediate layer to produce a smooth lateral border of the nail.

Polarized light microscopy gave results consistent with the SEM study. The isolated layers were observed between crossed Nicol prisms. If the fibers in a layer had a predominant orientation, the object would appear bright when the fibers are 45° to the prisms, and dark when they are parallel or perpendicular to the prisms. The intermediate layer demonstrated a clear transverse orientation of the fibers, whereas the image remained dark when the outer layers were examined, indicating no specific fiber orientation.

Mechanical testing demonstrated that the transverse orientation of fibers in the thick middle layer dominated the characteristics of the nail. Specifically, shear stress almost always tore the nail transversely. Measurements of force applied to scissors showed that twice as much energy was required to cut the nail longitudinally, as opposed to transversely (6 kJ m⁻² versus 3 kJ m⁻²). When just the intermediate layer was cut, about four times more energy was required! Clearly it is easier to separate the transversely oriented fibers than it is the sever them.

This fascinating study is applicable to everyday life. Whenever a nail is torn or chewed, it preferentially separates transversely. This is better than a longitudinal tear that could extend into the delicate nail bed and cause a more serious injury. Also, one may notice that the top layer may delaminate, which is the tile-like layer separating from the transverse fibers. Farren *et al.* point out that a brittle layer of varnish (for some reason called "fingernail polish") might make nails more prone to destructive cracking, often opposite to the intention of the self-applier. This study sets the standard for future studies that could help improve nail care and related products and prostheses. As Farren *et al.* conclude, a better understanding of nail morphology is well within our grasp!

1. The author gratefully acknowledges Dr. Roland Ennos for reviewing this article.
2. Farren, S. Shayler, and A.R. Ennos, The fracture properties and mechanical design of human fingernails, *J. Experimental Biol.* 207:735-741, 2004.

INDEX OF ARTICLES

Right at Your Fingertips	3
<i>Stephen W. Carmichael, Mayo Clinic</i>	
On the Trail of the Fathers: The Serendipitous Santos	8
<i>Harry A. Alden* and Alvaro E. Galvis** - *Smithsonian CMRE & **San Francisco State University</i>	
Advantages of Adobe Photoshop Elements 2.0 over the full version of Photoshop	14
<i>Jerry Sedgewick, University of Minnesota</i>	
ETEM Issues and Opportunities for Dynamic In-situ Experiments	24
<i>Edward D Boyes and Pratibha L Gai, DuPont Company</i>	
Microscopical Evaluation of Glass Delamination in Pharmaceutical Vials: A Look at Three Different Vial Manufacturers	28
<i>Kristie Diebold, McCrone Associates</i>	
Chromatic Aberration in Digital Photomicrographs from Microscopes Requiring Compensating Eyepieces	34
<i>Ted Clarke, Metallurgical Failure Analysis Consultant</i>	
The Structural and Chemical Analyser – A New Analytical Technique for SEM	38
<i>A.D.Brooker, T.Prusnick, R.M.Jarvis, R.Goodacre, R.Bennett, C.J.Dawe, D.J.Leak, M.R.Hill, M.J.Lainchbury, Renishaw, Plc. & Inc.</i>	
Comments on the Use of Digital Filters	42
<i>Scott D. Walck, PPG Industries, Inc.</i>	
Gradient Reference Specimens for Advanced Scanned Probe Microscopy	48
<i>D. Julthongpiput, M. Fasolka & E. Amis, National Institute of Standards and Technology</i>	

Three-dimensional Volume Reconstructions Using Focused Ion Beam Serial Sectioning	52
<i>D.N. Dunn* and R. Hull,** *IBM, **University of Virginia</i>	
Surveillance of Bioterrorism Agents: Considerations for EM Laboratories	56
<i>Sara E. Miller, Duke University</i>	
Industry News	60
NetNotes	64
Index of Advertisers	70



ABOUT THE COVER

Microscopical Identification of Colorin (*Erythrina sp.*) wood.

Radial section of *Erythrina* wood, showing a large numbers of crystals in parenchyma cells using circular polarized light (λ plate). Most of the crystals are prismatic in long chains, with others being smaller "crystal sand" type. The Colorin plant (*Erythrina*.) was an important part of the native (Tarahumara) religion (the seeds are hallucinogenic) and the wood was incorporated into Catholic statues (*Santos*).

When LN₂ is not practical

Introducing

Sahara

PGT Sahara SD Detector is quickly becoming the detector of choice for X-ray applications requiring excellent energy resolution, high count rate capability and low energy sensitivity, ...without liquid nitrogen!



Excellent Energy Resolution
No liquid nitrogen, no water-cooling
No moving parts, or vibration

For more information visit our web site: www.pgt.com/sahara.html

Princeton Gamma-Tech, Inc.
C/N 863
Princeton, NJ 08542-0863
Web site: www.pgt.com

Tel: (609) 924-7310
Fax: (609) 924-1729
Toll free: 800-229-7484
e-mail: sales@pgt.com


PRINCETON GAMMA TECH

THE DOOR IS ALWAYS OPEN.



ENTER OUR WORLD
AND MAKE IT YOUR OWN.

Openness is the cornerstone of an enduring relationship.

It is essential that we are not only open to new ideas - yours and ours - but that we let your challenges drive us to excellence. That's why FEI is dedicated to developing the NanoPort™ concept: a true center of competence where knowledge, experience and ideas all lead to practical, real-life 'solutions for all' in TEM, SEM, DualBeam™ and SIMS, separately or combined. Our centers of competence are located in Europe, Asia and North America, and serve as a meeting place for consultation, collaboration and innovation.

**WELCOME TO FEI. OPENING THE DOOR TO A
NEW ERA**



 **FEI COMPANY™**
TOOLS FOR NANOTECH

WWW.FEICOMPANY.COM

COMING EVENTS

- ✓ **Microscopy and Microanalysis 2004**
August 1-5, 2004, Savannah, GA
www.msa.microscopy.com
- ✓ **EMC 2004 (former EUREM)**
August 22-27, 2004, Antwerp, Belgium
www.emc2004.be
- ✓ **Society for Neuroscience**
October 23-28, 2004, San Diego, CA
info@sfn.org
- ✓ **NCAFM'04 7th Int'l. Conf. on Non-Contact Atom Microscopy**
September 12-16, 2004, Seattle, WA
ncafm04@phys.washington.edu
- ✓ **Int'l Soc. for Testing & Failure Analysis (ISTFA)**
November 14-18, 2004, Worcester, MA
www.edfas.org/istfa
- ✓ **Materials Research Society**
November 29-December 3, 2004, Boston, MA
info@mrs.org
- ✓ **American Society for Cell Biology 2004**
December 4-8, 2004, Washington, DC
www.ascb.org
- 2005**
- ✓ **Materials Research Society**
March 28-April 1, 2005, San Francisco, CA
info@mrs.org
- ✓ **American Society for Biochemistry & Molecular Biology**
April 2-6, 2005, San Diego, CA
www.asbmb.org
- ✓ **Scanning 2005**
April 30-May 2, 2005, New Orleans, LA
scanning@fams.org
- ✓ **IUMAS and 9th Microbeam Analysis Workshop**
May 22-26, 2005, Firenze, Italy
www.emas.ac.uk
- ✓ **Microscopy and Microanalysis 2005**
July 31- August 4, 2005, Honolulu, HA
www.msa.microscopy.com
- ✓ **Society for Neuroscience**
November 12-16, 2005, Washington, DC
info@sfn.org
- ✓ **Materials Research Society**
November 28- December 2, 2005, Boston, MA
info@mrs.org
- ✓ **American Society for Cell Biology 2004**
December 10-14, 2005, San Francisco, CA
www.ascb.org
- 2006**
- ✓ **Microscopy and Microanalysis 2006**
August 6-10, 2006, Chicago, IL
www.msa.microscopy.com
- 2007**
- ✓ **Microscopy and Microanalysis 2007**
August 5-9, 2007, Fort Lauderdale, FL
www.msa.microscopy.com
- 2008**
- ✓ **Microscopy and Microanalysis 2008**
August 3-7, 2008, Albuquerque, NM
www.msa.microscopy.com

Please check the "Calendar of Meetings and Courses" in the MSA journal "Microscopy and Microanalysis" for more details and a much larger listing of meetings and courses.

MICROSCOPY TODAY

The objective of this publication is to provide material of interest and value to working microscopists!

The publication is owned by the Microscopy Society of America (MSA) and is produced six times each year in odd months, alternating with MSA's peer-reviewed, scientific journal *Microscopy and Microanalysis*. We greatly appreciate article and material contributions from our readers—"users" as well as manufacturers/suppliers. The only criterion is that the subject matter be of interest to a reasonable number of working microscopists. *Microscopy Today* has authors from many disparate fields in both biological and materials sciences, each field with its own standards. Therefore *MT* does not have a rigid set of style instructions and encourages authors to use their own style, asking only that the writing be clear, informative, and accurate. Length: typical article length is 1,500 to 2,000 words plus images, longer articles will be considered. Short notes are encouraged for our Microscopy 101 section.

MICROSCOPY TODAY

Ron Anderson, Editor

randerson20@tampabay.rr.com

José Mascorro, Technical Editor

jmascor@tulane.edu

Thomas E. Phillips, Contributing Editor

PhillipsT@missouri.edu

Dale Anderson, Art Director

microscopytoday@tampabay.rr.com

Regular Mail to:

Microscopy Today, P.O. Box 247, Largo, FL 33779

Courier Mail to:

1001 Starkey Road, Lot #374, Largo, FL 33771

Telephones:

1-(727)507-7101 • Fax: (727)507-7102 • Cell: (727) 631-1022

e-Mail:

microscopytoday@tampabay.rr.com

www Page:

<http://www.microscopy-today.com>

Total Circulation: 15,822

Disclaimer: By submitting a manuscript to *Microscopy Today*, the author warrants that the article is original (or that the author has the right to use any material copyrighted by others). The use of trade names, trademarks, etc., does not imply that these names lack protection by relevant laws and regulations. *Microscopy Today*, the Microscopy Society of America, and any other societies stated, cannot be held responsible for opinions, errors, or for any consequences arising from the use of information contained in *Microscopy Today*. The appearance of advertising in *Microscopy Today* does not constitute an endorsement or approval by the Microscopy Society of America of the quality or value of the products advertised or any of the claims, data, conclusions, recommendations, procedures, results or any information found in the advertisements. While the contents of this magazine are believed to be accurate at press time, neither the Microscopy Society of America, the editors, nor the authors can accept legal responsibility for errors or omissions.

© Copyright, 2004, The Microscopy Society of America. All rights reserved.

DIGITAL IMAGING SYSTEM

analySIS[®] FIVE


Finely-Tuned System Precision

Looking for premium efficiency in your daily lab routines?

Check out analySIS[®] FIVE, Soft Imaging System's new image analysis platform.

analySIS[®] FIVE is systematically oriented towards microscopy imaging requirements and workflows. analySIS[®] FIVE ensures effective image and data acquisition, processing, analyzing, archiving and report generation in all dimensions. Get analySIS[®] FIVE - enticingly simple, yet intuitive user operation, a generous range of perfectly interacting functions and a modular structure offering flexible expansion to suit users needs precisely.

analySIS[®] FIVE - Universal Imaging Platform



Turning Visions into Realities
Soft Imaging System 

For detailed information please contact

Soft Imaging System

info.de@soft-imaging.net

www.soft-imaging.net/five

North America

(888) FIND SIS

+1 (303) 234-9270

Europe

+49 (251) 79800-0

Asia | Pacific

+60 (3) 8313-1400