

VOL. XII.—1897.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** *and* **NORRIS WOLFENDEN**

EDITORS :

JOHN MACINTYRE, M.B., F.R.S.E.,
DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.,
ARTHUR SANDFORD, M.D., M.Ch.R.U.I.

W. MILLIGAN, M.D. (Manchester), Sub-Ed.
R. LAKE, F.R.C.S. (London), Managing Sub-Ed.

WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), BETTMAN (*Rome*), BOTEY (*Barcelona*),
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*), DODD (*Chicago*),
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),
HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*), HUTCHISON (*Glasgow*),
JOAL (*Paris*), KARWOWSKI (*Warsaw*), KELLY (*Glasgow*),
LACARRET (*Toulouse*), LICHTWITZ (*Bordeaux*),
LIEVEN (*Aix-la-Chapelle*), PROF. JOHN N. MACKENZIE (*Baltimore*),
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Berlin*),
HOLGER MYGIND (*Copenhagen*), PORTER (*St. Louis*),
STGEORGE REID (*London*), RUEDA (*Madrid*), SAJOUS (*Paris*),
SENDZIAK (*Warsaw*), SOTA (*Seville*), STCLAIR THOMSON (*London*),
WAGGETT (*London*), WOODS (*Dublin*), AND ZIEM (*Dantzic*).

CONTENTS.

Original Articles—

- Influence of Adenoid Vegetations on the Growth and Configuration of the Upper Maxilla and Nasal Septum. By J. W. GLEITSMANN Pages 357 to 361
 The Treatment of Suppurative Diseases of the Accessory Sinuses of the Ear by Ozone Gas. By W. SCHEPPEGRELL Pages 361 to 366

Societies' Meetings—

AMERICAN LARYNGOLOGICAL ASSOCIATION.—Guaiacol as an Anæsthetic in Minor Operations on the Nose and Throat, *Newcomb*—Submucous Hæmorrhage of the Vocal Cords, *Langmaid*—Hysterical Dysphagia, *Coolidge*—Bacteriology of the Nose, *Park and Wright*—Treatment of Chronic Affections of the Tonsils, *Gleitsmann* Pages 357, 368

LARYNGOLOGICAL SOCIETY OF LONDON.—Discussion on the Uses of Turbinotomy as applied to the Inferior Turbinated Body. Recurrent Dendriform Hyperplasia of Turbinate, *Pegler*—Fibroma of Cord, *Pegler*—Tuberculosis of Palate, *De Santis*—Abductor Paralysis, *Potter*—Cases of Turbinectomy, *Spicer*—Denture for Antral Drainage, *Hill*—Case of Nasal Obstruction, *Bennett*—Malignant Disease of Larynx, *Bennett*—Leontiasis, *Bennett*—Tubercular Ulcer of Septum, *Watson Williams*—Reflex due to Enlarged Lingual Veins, *Grant*—Sub-hyoid Fistula, *Charlsey* Pages 368 to 382

BERLIN MEDICAL SOCIETY.—Syphilis of Tonsil, *Holz*—(Esophageal Carcinoma, *Zadek*—Diphtheria Paralysis, *Katz* Pages 382 to 384

GLASGOW MEDICO-CHIRURGICAL SOCIETY.—Antitoxin, *Downie*—Mycosis Tonsillaris, *Downie* Page 384

CONGRESS OF WEST GERMAN LARYNGOLOGISTS AND OTOLOGISTS.—Leukoplakia, *Lieven*—Dermoid of Floor of Mouth, *Kronenberg*—Instrument, *Schneider* Pages 384 to 386

SPANISH CONGRESS (concluded).—Ozœna, *Compaired*—High Necrosis of Temporal, *Molist*—Otitic Brain Disease, *Castaneda*—Ethmoiditis, *Rueda*—Vocal Exercises in Unilateral Paralysis, *Barbera*—Reflexes: Nasal, Aural, Laryngeal, *Pimilla*—Tracheotomy, *Uruuela* Pages 387 to 389

Abstracts—

Diphtheria.—Antitoxin, *Békésy* Page 389

Mouth, etc.—Course of Taste Fibres, *Dixon* Page 390

Nose, etc.—Worms in Nose, *Folkes*—Meningo-coccus in Nasal Secretion, *Heubner*—Nasal Polypi and Suppuration, *Kronenberg*—Cancer of Naso-Pharynx, Cure, *Kuhl*—Chloroform and Adenoids, *Lange*—Acute Suppurative Meningitis, Operation, Cure, *Luc*—Adenoids, *McBride and Turner*—Antitoxin and Ozœna, *Moliné*—Ethmoiditis, *Reichert*—Treatment of Acute Catarrh, *Sanger*—Sinusitis, Treatment of, *Speiss, Tilley* Pages 390 to 397

Larynx.—Pin in Epiglottis, *Kitchen*—Chorditis Vocalis Inferior Hypertrophica, *Kuttner*—Abductor Paralysis in Gonorrhœa, *Lazarus*—Laryngeal Vertigo, *Schadewaldt* Pages 397 to 401

Esophagus.—Foreign Body removed by X Rays, *Delatour*—Foreign Bodies, *Franken*—Diagnosis of Spindle-shaped Dilatation, *Rumpel* Pages 401 to 402

Thyroid.—Section of Sympathetic for Graves' Disease, *Jaboulay*—Operation in Graves' Disease, *Sänger*—Thyroidism, *Silberstein* Pages 402, 403

Ears.—Otitic Brain Disease, *Cottrell, Gellé, Gradenigo, Kuhn, Swain*—Mastoid Disease, *Flanders, Lichtwitz, Sattler, Spira*—Tinnitus, *Grant*—Tuning-fork Tests, *Harris*—Hyperostosis of External Meatus, *Hartmann* Pages 404 to 407

Reviews—

HEYMANN—Handbuch, 7, 8, 9 Lief (Wien: Holder, 1896) Page 407

BISHOP—Diseases of Ear, Nose, and Throat (F. A. Davis & Co., Chicago) " 410

OWEN—Surgical Diseases of Children (Cassell & Co.) " 410

WRIGHT—The Induction Coil in Practical Work (Macmillan & Co.) " 411

LAUTMANN—Atrophic Ozœna: Pathology and Serumtherapy (Paris: H. Jouve) " 411

Appointments, etc. " 412

Notice.—Bibliography Title page

SUPPLEMENT.

Bibliography Pages 1 to 38

GUIDE TO ADVERTISEMENTS.

	PAGE
Bullock & Co.	vii.
Burroughs, Wellcome & Co.	vi.
Central London Throat Hospital	xiv.
Globe Manufacturing Company	x.
Ingram & Royle	vii., xi.
Lambert Pharmaceutical Co.	ii.
Mayer & Meltzer	xiii.
Pearl Life Assurance Company	x.
Rebman Publishing Company	vii., viii., ix.
Slater, Bros. & Crossley	iv.
Woodruff	xii.

"TABLOIDS" and "SOLOIDS"

For Laryngological Use.

A "TABLOID," when intended for the treatment of the throat and voice, is compressed hard so as to dissolve slowly and produce a prolonged action on the mucous membrane. There are no sugary or gummy substances present to interfere with the direct application of the medicament to the affected surfaces. Placed upon the tongue, a "Tabloid" is immediately acted upon by the saliva forming a highly concentrated solution, which remains in continuous contact with the affected mucous membrane until the whole of the "Tabloid" is dissolved.

RED GUM "TABLOIDS."

Red Gum, an exudation from the Australian *Eucalyptus rostrata*, is a mild styptic and antiseptic, and an excellent local anæsthetic of general astringent. The *Practitioner* reports:—"When a Red Gum 'Tabloid' is allowed to dissolve in the mouth, the continuous action of the drug on the throat is fully secured. Great care has been exercised so to adjust the relative portions of the ingredients that the full therapeutic effect of the drug may be obtained without offending the palate or affecting the appetite."



Supplied in boxes of 30 and bottles of 100 "Tabloids" at 5d. and 1s. each.

TAR "TABLOIDS."

In a paper, entitled "A Mode of Administering Tar," which appeared in the *Medical Press and Circular*, a distinguished physician reports as follows:—

"I have recently had my attention called to 'Tabloids' of Tar, containing one grain; and these, I think, constitute by far the best mode of administering the drug. They contain the whole of the constituents of tar and are palatable and speedily disintegrate. The new mode of administration is three or four every four hours; but a better plan is to suck one frequently—in fact, every time the cough is troublesome."

Supplied in bottles of 50 and 100 at 5d. and 9d. each.

EUCAINE HYDROCHLORIDE "SOLOIDS." (Gr. 1 and Gr. 5.)

Eucaine is a synthetic compound allied to cocaine and having a similar chemical composition. Its local anæsthetic action is not unlike that of cocaine, and it has not been found to produce untoward after-effects. The anæsthesia of eucaine develops more slowly than that of cocaine, but lasts longer. In nose and throat surgery, when a large quantity of anæsthetic has occasionally to be used, it is found to act efficiently and to be without the poisonous effect previously produced in the same patients by similar doses of cocaine.

Owing to the sparing solubility of eucaine in cold water, and to the fact that it freely crystallizes from hot water on cooling, it is necessary that solutions for anæsthetic purposes should be made only at the moment they are required. For this purpose Eucaine Hydrochloride "Soloids" are most convenient. By dissolving one or more of these "Soloids" in definite quantities of warm water, solutions of any desired strength can be instantly prepared, and the operator is assured of obtaining the full anæsthetic effect of the drug. In laryngological practice eucaine may be used, either as a spray or as an injection, in the same strength as cocaine.

Eucaine Hydrochloride "Soloids" are supplied in bottles of 25 "Soloids" (1 gr. and 5 gr.) at 1s. 8d. and 7s. per bottle.

BURROUGHS, WELLCOME & Co.,

SNOW HILL BUILDINGS, LONDON.

Australasian Branch: 108, PITT STREET, SYDNEY, N.S.W.

Cable and Telegraphic Address: "BURCOME, LONDON"