Index of Subjects

Aboriginal, epidemiology and microbiology of diarrhoea in young, children in the Kimberly region of Western Australia, 67

African horse sickness virus, the detection of, antigens and antibodies in young equidae, 193 Anthrax, serology and, in humans, livestock and Etosha National Park Wildlife, 299

Bovine respiratory syncytial virus, class-specific antibodies to, in experimentally infected lambs, 135

Bronchiolitis, epidemiology and aetiology of acute, in Hong Kong infants, 147

Brucellosis, the serological relationship between *Escherichia coli* O157 and *Yersinia enterocolitica* O9 using sera from patients with. 77

Campylobacter coli, extended phage-typing scheme for Campylobacter jejuni and, 403 Campylobacter enteritis in Saudi Arabia. 51

Campylobacter jejuni. extended phage-typing scheme for, and Campylobacter coli. 403

Cytomegalovirus, methods for estimating the incidence of primary infection in pregnancy: a reappraisal of toxoplasmosis and, data, 367

Diarrhoea, epidemiology and microbiology of, in young Aboriginal children in the Kimberley region of Western Australia, 67

Egg. the influence of temperature on the behaviour of mixed bacterial contamination of the shell membrane of the hen's, 115

Enteric viral infections, a 2-year survey of the prevalence of, in children compared with contamination in locally-harvested oysters. 155

Enteroviruses in recreational waters of Northern Ireland. 529

Escherichia coli, apramycin resistance plasmids in: possible transfer to Salmonella typhimurium in calves, 271

Escherichia coli, distribution and characteristics of verocytotoxigenic, isolated from Ontario dairy cattle, 423

Escherichia coli, numerical index of the discriminatory ability of biotyping and resistotyping for strains of, 279

 ${\it Escherichia~coli.}\ {\it reactivity~of~human~serum~antibody~with~lipopolysaccharide~O78~antigen~from~enterotoxigenic.~315}$

Escherichia coli, the importance of P and type 1 fimbriae for the persistence of, in the human gut, 415

Escherichia coli, the serological relationship between, O157 and Yersinia enterocolitica O9 using sera from patients with brucellosis, 77

Filariasis, bancroftian, in Pondicherry, South India – epidemiological impact of recovery of the vector population, 483

Filtration, removal of micro-organisms by, through unwoven cloth coated with a pyridinium-type polymer, 123

Helicobacter pylori, ribosomal RNA gene patterns of, from surgical patients with healed and recurrent peptic ulcers, 39

Helicobacter pylori, seroepidemiology of, infection in vegans and meat-eaters, 457

Herpes zoster, antibody-capture enzyme-linked immunosorbent assays that use enzyme-labelled antigen for detection of virus-specific immunoglobulin M, A and G in patients with varicella or, 165

Hookworm, a new approach to morbidity risk assessment in, endemic communities, 469

Influenza C. antigenic and genetic analyses of eight, strains isolated in various areas of Japan during 1985–9, 353

Influenza deaths in Leicestershire during the 1989–90 epidemic: implications for prevention, 537

Legionella pneumophila, each water outlet is a unique niche for, 261

Legionella pneumophila, legionellae isolated from clinical and environmental samples in Spain (1983–90): monoclonal typing of, serogroup 1 isolates, 397

Meningococcal disease, an outbreak of serogroup B:15:P1.16, Frederiksborg county, Denmark, 1987-9, 19

Neisseria gonorrhoeae, genetic relationships among, serovars analysed by multilocus enzyme electrophoresis, 31

Neisseria meningitidis, antibiotic sensitivities of, isolates from patients and carriers in Greece, 449

Neisseria meningitidis, factors affecting carriage of, among Greek military recruits, 441

Ornithosis, a prolonged outbreak of, in duck processors, 203

Oysters, a 2-year survey of the prevalence of enteric viral infections in children with contamination in locally-harvested, 155

Poliomyelitis: Eradication in sight, 1

Pseudomonas aeruginosa, virulence determinants in, strains from urinary tract infections, 323

Rift Valley fever, patterns of, activity in Zambia, 185

Rotavirus detection by dot blot hybridization assay using a non-radioactive synthetic oligodeoxynucleotide probe, 175

Salmonella arizonae in the United Kingdom from 1966 to 1990, 59

Salmonella enteritidis, genetic relationships among strains of, in a national epidemic in Switzerland, 213

Salmonella, persistence of contamination of hens' egg albumen in vitro with, serotypes, 389 Salmonella typhimurium, apramycin resistance plasmids in Escherichia coli: possible transfer to, in calves, 271

Salmonella typhimurium, further observations on the serological response to experimental, in chickens measured by ELISA, 231

Sarcocystis, the epidemiology of, spp. in cattle of Western Australia, 107

Shigellae, drug resistance and plasmid profile of, in Taiwan, 87

Spotted fever, isolation of an agent of the, group rickettsia from tick eggs in Madrid, Spain, 555 Staphylococcus aureus, an epidemic methicillin-resistant strain of, in Spain, 287

Subacute sclerosing panencephalitis (SSPE) in Papua New Guinea: a high incidence in young children, 547

Swine fever, estimation of the dynamics and rate of transmission of classical, (hog cholera) in wild pigs, 377

Toxoplasma, longitudinal study of, seroprevalence in South Yorkshire, 99

Toxoplasmosis, methods for estimating the incidence of primary infection in pregnancy: a reappraisal of, and cytomegalovirus data, 367

Trachoma, a longitudinal study of, in a Gambian village: implications concerning the pathogenesis of chlamydial infection, 343

Typhoid, epidemiology and control of an outbreak of, in a psychiatric institution, 221

Varicella, antibody-capture enzyme-linked immunosorbent assays that use enzyme-labelled antigen for detection of virus-specific immunoglobulin M. A and G in patients with, or herpes zoster, 165

Varicella-zoster, the epidemiology of, virus infections: a mathematical model, 495

Varicella-zoster, the epidemiology of, virus infections: the influence of varicella on the prevalence of herpes zoster, 513

Vibrio vulnificus, analysis of some virulence factors of, isolated from Rio de Janeiro, Brazil, 463

Xanthomonas maltophilia. prevalence of serotypes of, from world-wide sources, 337

 $Yersinia\ enterocolitica,$ the serological relationship between $Escherichia\ coli\ O157$ and, $O9\ using\ sera$ from patients with brucellosis, 77