

CORRIGENDUM

**The reaction of two spring wheat varieties exposed to epidemics of
Septoria nodorum and *S. tritici* of varying intensity and duration**

BY D. G. JONES AND R. D. W. ROWLING

J. agric. Sci., Camb. (1976), **87**, 401–406

The initials of the second author should read R. H. D. throughout.

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

PROF. J. W. L. BEAMENT, SC.D., F.R.S., Department of Applied Biology, Cambridge

G. D. H. BELL, C.B.E., PH.D., F.R.S. Plant Breeding Institute, Cambridge

K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S.,
Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., F.R.S., Agricultural Research Council,
160 Great Portland Street, London WIN 6DT

S. K. ELTRINGHAM, PH.D., Department of Applied Biology, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., Emeritus Professor of
Agriculture, Department of Applied Biology, Cambridge

PROF. J. B. OWEN, B.SC., PH.D., M.A., School of Agriculture, Aberdeen

H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden

PROF. A. T. PHILLIPSON, PH.D., M.R.C.V.S., F.R.S.E., Department of Clinical Veterinary
Medicine, Cambridge

W. J. RIDGMAN, M.A., Department of Applied Biology, Cambridge

H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge

L. E. A. ROWSON, O.B.E., M.R.C.V.S., F.R.S., Agricultural Research Council, Unit of
Reproductive Physiology and Biochemistry, Animal Research Station,
Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME 87

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE · LONDON · NEW YORK

1976

**PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS**

**The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, 200 Euston Road, London, NW1 2DB
32 East 57th Street, New York, N.Y.10022**

© Cambridge University Press 1976

Printed in Great Britain at the University Printing House, Cambridge

Contents

PART 1 (AUGUST 1976)

	PAGE
TRUSCOTT, T. G., LANG, C. P. and TULLOH, N. M. A comparison of body composition and tissue distribution of Friesian and Angus steers	1
HADJIPANAYIOTOU, M. and LOUCA, A. The effects of partial suckling on the lactation performance of Chios sheep and Damascus goats and the growth rate of the lambs and kids	15
PEARCE, S. C. An examination of Fairfield Smith's law of environmental variation	21
DAVIES, I. Developmental characteristics of grass varieties in relation to their herbage production. 1. An analysis of high-digestibility varieties of <i>Dactylis glomerata</i> at three stages of development	25
DAVIES, I. Developmental characteristics of grass varieties in relation to their herbage production. 2. Spring defoliation of <i>Dactylis glomerata</i> : the fate of reproductive tillers which are cut, but whose stem apex is retained	33
MACARTHUR, A. W. and KILLICK, R. J. Environmental and genetic variation in some economically important traits in potatoes	39
WILMAN, D., KOOCHEKI, A., LWOGA, A. B., DROUSHIOTIS, D. and SHIM, J. S. The effect of interval between harvests and nitrogen application on the numbers and weights of tillers and leaves in four ryegrass varieties	45
WILMAN, D., KOOCHEKI, A. and LWOGA, A. B. The effect of interval between harvests and nitrogen application on the proportion and yield of crop fractions and on the digestibility and digestible yield and nitrogen content and yield of two perennial ryegrass varieties in the second harvest year	59
DUFFUS, C. M. and ROSIE, R. Changes in trace element composition of developing barley grain	75
KAMPEN, M. VAN. Activity and energy expenditure in laying hens. 2. The energy cost of exercise	81
KAMPEN, M. VAN. Activity and energy expenditure in laying hens. 3. The energy cost of eating and posture	85
LUCAS, E. O. and MILBOURN, G. M. The effect of density of planting on the growth of two <i>Phaseolus vulgaris</i> varieties in England	89
WOOD, P. D. P. and NEWCOMB, R. The effect of supplementary winter feeding on the total yield and lactation curves of cows in a herd of British Friesian cattle	101
DRAYCOTT, A. P. and DURRANT, M. J. Response by sugar beet to potassium and sodium fertilizers, particularly in relation to soils containing little exchangeable potassium	105
FISCHER, R. A. and LAING, D. R. Yield potential in a dwarf spring wheat and response to crop thinning	113
DYKE, G. V. and BARNARD, A. J. Suppression of couch grass by Italian ryegrass and broad red clover undersown in barley and field beans	123
DONEY, J. M., GUNN, R. G. and SMITH, W. F. Effects of pre-mating environmental stress, ACTH, cortisone acetate or metyrapone on oestrus and ovulation in sheep	127

	PAGE
DONEY, J. M. SMITH, W. F. and GUNN, R. G. Effects of post-mating environmental stress or administration of ACTH on early embryonic loss in sheep	133
FISCHER, R. A., AGUILAR M. I., MAURER, O. R. and RIVAS, A. S. Density and row spacing effects on irrigated short wheats at low latitude	137
BOYD, D. A., YUEN, LOWSING, T. K. and NEEDHAM, P. Nitrogen requirement of cereals. 1. Response curves	149
NEEDHAM, P. and BOYD, D. A. Nitrogen requirement of cereals. 2. Multi-level nitrogen tests with spring barley in south-western England	163
MURRAY, D. M. and SLEZACEK, O. Growth rate and its effect on empty body weight, carcass weight and dissected carcass composition of sheep	171
SHIVASHANKAR, K., VLASSAK, K. and LIVENS, J. A comparison of the effect of straw incorporation and CO ₂ enrichment on the growth, nitrogen fixation and yield of soya beans.	181
BAKER, R. D., LE DU, Y. L. P. and BARKER, J. M. Milk-fed calves. 1. The effect of milk intake upon the herbage intake and performance of grazing calves	187
LE DU, Y. L. P., BAKER, R. D. and BARKER, J. M. Milk-fed calves. 2. The effect of length of milk feeding period and milk intake upon herbage intake and performance of grazing calves	197
LE DU, Y. L. P., BAKER, R. D. and BARKER, J. M. Milk-fed calves. 3. The milk intake, herbage intake and performance of suckled calves	205
NORDIN, M. and CAMPLING, R. C. Effect of the amount and form of roughage in the diet on digestibility of whole maize grain in cows and steers	213
GHOSH, P. K., KHAN, M. S. and ABICHANDANI, R. K. Effect of short-term water deprivation in summer on Marwari sheep	221
NANGJU, D. Effect of harvest frequency on yield, quality and variability of indeterminate cowpea seed	225
OLLERENSHAW, J. H., STEWART, W. S., GALLIMORE, J. and BAKER, R. H. Low temperature growth in grasses from northern latitudes	237

PART 2 (OCTOBER 1976)

ASIF, M. I. and KHAN, A. A. Absorption and movement of ¹⁴ C-labelled MH and 2,4-D in onions	241
GATELY, T. F. and McALEESE, D. M. Effects of fertilizer N and number of years in tillage on the protein and non-protein content of feeding barley grain (cv. Nessa) and on N uptake and recovery	243
GATELY, T. F. Effects of fertilizer N and number of years in tillage on the protein content of feeding barley straw (cv. Nessa) and on N uptake and recovery	251
FENLON, J. S. and BEEVER, D. E. An examination of the net changes in amino-acid composition within the rumen of mature wether sheep using canonical variate analysis	255
HARRICHARAN, H., MAHADEVAN, P. and SPRINGER, B. G. F. The performance of Santa Gertrudis, Sahiwal, Brahman and cross-bred animals in the intermediate savannahs of Guyana. 2. Birth weight and preweaning performance	269

	PAGE
ASIF, M. I., KHAN, A. A. and AJAKAIYE, M. N. Zinc nutrition of onions as influenced by phosphorus	277
PUSHMAN, FIONA M. and BINGHAM, J. The effects of a granular nitrogen fertilizer and a foliar spray of urea on the yield and breadmaking quality of ten winter wheats	281
GUPTA, A. and SAXENA, M. C. Total nitrogen concentration in leaves of potatoes (<i>Solanum tuberosum</i> L.) as an index of nutritional status	293
HODGSON, J. C., THOMAS, P. C. and WILSON, AGNES G. The influence of the level of feeding on fermentation in the rumen of sheep receiving a diet of ground barley, ground hay and flaked maize	297
DYKE, G. V. and SHELLEY, CHRISTINE F. Serial designs balanced for effects of neighbours on both sides	303
JESSOP, R. S. and PALMER, B. Seasonal dependence of wheat variety response to superphosphate	307
TUCKER, ELIZABETH M., KILGOUR, L. and YOUNG, J. D. The genetic control of red cell glutathione deficiencies in Finnish Landrace and Tasmanian Merino sheep and on crosses between these breeds	315
SINGH, BIJAY, HUNDAL, H. S. and SEKHON, G. S. Evaluation of nitric phosphates differing in water solubility of their phosphorus fraction	325
PROCTOR, J. M. and SMARTT, A. Effects of seed size and spacing of seed tubers and stems on yields of early and canning potatoes	331
RICHARDS, I. R., WOLTON, K. M. and IVINS, J. D. A note on the effect of sheep grazing on the yield of grass swards	344
BALDWIN, J. P. Competition for plant nutrients in soil; a theoretical approach	341
KAISER, A. G. The effects of milk feeding on the pre- and post-weaning growth of calves, and on stomach development at weaning	357
BÖHM, W. <i>In situ</i> estimation of root length at natural soil profiles	365
EL-SHAZLY, K., AHMED, E. I. A., NAGA, M. A. and BORHAMI, B. E. A. A colorimetric technique using chromium-ethylene diamine tetra acetate for measuring rumen volume	369
SINGH, SUDAMA and REDDY, M. SANJIVA. Effect of inhibition of flowering on improvement of cane yield and juice quality under Coimbatore conditions	375
ADDISCOTT, T. M. and COX, D. Winter leaching of nitrate from autumn-applied calcium nitrate, ammonium sulphate, urea and sulphur-coated urea in bare soil	381
SINGH, R. P., NAIR, K. P. P. and SHARMA, K. C. A note on leaf removal in hybrid maize	391
FREE, J. B. and WILLIAMS, INGRID H. Pollination as a factor limiting the yield of field beans (<i>Vicia faba</i> L.)	395
JONES, D. G. and ROWLING, R. D. W. The reaction of two spring wheat varieties exposed to epidemics of <i>Septoria nodorum</i> and <i>S. tritici</i> of varying intensity and duration	401
HERRIMAN, I. D., HEITZMAN, R. J., PRIESTLEY, I. and SANDHU, G. S. Concentrations of intermediate metabolites in the blood and hepatic tissues of pregnant and non-pregnant ewes.	407
ONWUEME, I. C. Performance of yam (<i>Dioscorea</i> spp.) setts planted without water	413

RANAWEERA, ANOMA and FORD, E. J. H. The effect of two synthetic steroids on plasma glucose concentration and total entry rate of glucose in sheep	417
ROWELL, J. G. and WALTERS, D. E. Analysing data with repeated observations on each experimental unit	423
WINTER, W. H., TULLOH, N. M. and MURRAY, D. M. The effect of compensatory growth in sheep on empty body weight, carcass weight and the weights of some offals	433
DENTON, O. A. and WHITTINGTON, W. J. Genetic variation amongst swede varieties and their hybrids and their response to soil fertility	443
SHORT NOTES	
SOH, A. C., YAP, T. C. and GRAHAM, K. M. Heterosis and combining ability in a diallel cross of chilli (<i>Capsicum annum</i> L.)	447
YOUSSEF, S. A. M. and ABDEL-RAHMAN, A. Y. Effect of nitrogen and zinc on yield, protein content and quality of wheat in Egypt	451
LOUDA, F. and DONEY, J. M. Persistency of lactation in the Improved Valachian breed of sheep	455
MAYEE, C. D. and RATTAN, B. K. A factor in the break-down of resistance of 'Basmati-370' rice to stem-rot disease	459
BOARD, P. G., PETER, D. W. and MORRIS, R. J. H. Seasonal variations in sheep erythrocyte reduced glutathione	461

PART 3 (DECEMBER 1976)

BALASUBRAMANIAN, V. and SINHA, S. K. Nodulation and nitrogen fixation in chickpea (<i>Cicer arietinum</i> L.) under salt stress	465
SHEMESH, M., AYALON, N. and LINDNER, H. R. Identification of phyto-oestrogens in berseem clover (<i>Trifolium alexandrinum</i>)	467
MCMANUS, W. R. and CHOUNG, C. C. Studies on forage cell walls. 4. Flow and degradation of alkali-treated rice hull digesta in the ruminant digestive tract	471
MATHEWS, M. G. and MCMANUS, W. R. Studies on forage cell walls. 5. Alkali-treated lucerne	485
HADJICHRISTODOULOU, A. Effect of genotype and rainfall on yield and quality of forage barley and wheat varieties in a semi-arid region	489
HOUSEMAN, R. A. and McDONALD, I. The comparative precision of estimates of body composition in living pigs, obtained from numerous different predictors applied severally or jointly	499
DONEY, J. M. and PEART, J. N. The effect of sustained lactation on intake of solid food and growth rate of lambs	511
KAMBAL, A. E., BOND, D. A. and TOYNBEE-CLARKE, GILLIAN. A study on the pollination mechanism in field beans (<i>Vicia faba</i> L.)	519
RICHARDS, S. A. Evaporative water loss in domestic fowls and its partition in relation to ambient temperature	527

	PAGE
KEMPSTER, A. J., CUTHBERTSON, A. and SMITH, R. J. Variation in lean distribution among steer carcasses of different breeds and crosses	533
EL-HELALY, M. S., EL-GAYAR, F. H. and EL-SHAZLI, A. Y. Development of a standard bio-assay technique for the adults of <i>Bemisia tabaci</i> Gennadius (Homoptera, Aleyrodidae) .	543
HOLMES, M. R. J. and DEVINE, J. R. Nitrogen requirement of sugar beet	549
HOLMES, M. R. J. and WHITEAR, J. D. Nitrogen requirement of sugar beet in relation to irrigation	559
OFFER, N. W., EVANS, R. A. and AXFORD, R. F. E. A comparative study of non-protein nitrogen supplements for sheep	567
NDUBIZU, T. O. C. Delaying ripening in harvested Nigerian green plantains	573
BUNTING, E. S. Accumulated temperature and maize development in England	577
CACCO, G., FERRARI, G. and LUCCI, G. C. Uptake efficiency of roots in plants at different ploidy levels	585
JENKINS, G., KIRBY, E. J. M. and ROFFEY, A. P. Selection for developmental responses in winter barley	591
MILNE, J. A. and BAGLEY, L. The nutritive value of diets containing different proportions of grass and heather (<i>Calluna vulgaris</i> L. Hull) to sheep	599
NEWTON, J. E., YOUNG, N. E. and ORR, R. J. A comparison of the sown swards of perennial ryegrass S. 24 and Italian ryegrass RvP in a two-year lamb production system, with different breeds of sheep	605
GRACEY, H. I., STEWART, T. A., WOODSIDE, J. D. and THOMPSON, R. H. The effect of disposing high rates of copper-rich pig slurry on grassland on the health of grazing sheep	617
LUDLOW, M. M., TROUGHTON, J. H. and JONES, R. J. A technique for determining the proportion of C ₃ and C ₄ species in plant samples using stable natural isotopes of carbon	625
DRAYCOTT, A. P., DURRANT, M. J., DAVIES, D. B. and VAIDYANATHAN, L. V. Sodium and potassium fertilizer in relation to soil physical properties and sugar-beet yield	633
ROWLING, R. H. D. and JONES, D. G. The reaction of three spring barley varieties exposed to epidemics of <i>Rhynchosporium secalis</i> of varying intensity and duration	643
HAMMERTON, J. L. Effects of planting date on growth and yield of pigeon pea (<i>Cajanus cajan</i> (L.) Millsp.)	649
VERMA, D. N., SINGH, U. B., SRIVASTAVA, S. K. and SRIVASTAVA, R. V. N. Comparison of the production rate of bacteria in rumen of buffalo calves estimated by using labelled <i>Streptococcus bovis</i> and mixed ruminal bacterial cells	661
HUNDAL, H. S. and SEKHON, G. S. Efficiency of Mussoorie rock phosphate as a source of fertilizer phosphorus to guar (<i>Cyamopsis tetragonaloba</i>) and groundnut (<i>Arachis hypogaea</i>)	665
RIZZOLI, D. J., WINFIELD, C. G., HOWARD, T. J., ENGLUND, I. K. J. and GODING, J. R. Diagnosis of multiple pregnancy in ewes on a field scale	671
EDWIN, E. E., NANCY HEBERT, C., JACKMAN, R., and MASTERMAN, SHEILA. Thiamine requirement of young ruminants	679

Continued from back page

	PAGE
MILNE, J. A. and BAGLEY, L. The nutritive value of diets containing different proportions of grass and heather (<i>Calluna vulgaris</i> L. Hull) to sheep	599
NEWTON, J. E., YOUNG, N. E. and ORR, R. J. A comparison of the sown swards of perennial ryegrass S. 24 and Italian ryegrass RvP in a two-year lamb production system, with different breeds of sheep	605
GRACEY, H. I., STEWART, T. A., WOODSIDE, J. D. and THOMPSON, R. H. The effect of disposing high rates of copper-rich pig slurry on grassland on the health of grazing sheep	617
LUDLOW, M. M., TROUGHTON, J. H. and JONES, R. J. A technique for determining the proportion of C ₃ and C ₄ species in plant samples using stable natural isotopes of carbon	625
DRAYCOTT, A. P., DURRANT, M. J., DAVIES, D. B. and VAIDYANATHAN, L. V. Sodium and potassium fertilizer in relation to soil physical properties and sugar-beet yield	633
ROWLING, R. H. D. and JONES, D. G. The reaction of three spring barley varieties exposed to epidemics of <i>Rhynchosporium secalis</i> of varying intensity and duration	643
HAMMERTON, J. L. Effects of planting date on growth and yield of pigeon pea (<i>Cajanus cajan</i> (L.) Millsp.)	649
VERMA, D. N., SINGH, U. B., SRIVASTAVA, S. K. and SRIVASTAVA, R. V. N. Comparison of the production rate of bacteria in rumen of buffalo calves estimated by using labelled <i>Streptococcus bovis</i> and mixed ruminal bacterial cells.	661
HUNDAL, H. S. and SEKHON, G. S. Efficiency of Mussoorie rock phosphate as a source of fertilizer phosphorus to guar (<i>Cyamopsis tetragonaloba</i>) and groundnut (<i>Arachis hypogaea</i>)	665
RIZZOLI, D. J., WINFIELD, C. G., HOWARD, T. J., ENGLUND, I. K. J. and GODING, J. R. Diagnosis of multiple pregnancy in ewes on a field scale	671
EDWIN, E. E., NANCY HEBERT, C., JACKMAN, R. and MASTERMAN, SHEILA. Thiamine requirement of young ruminants	679

THE JOURNAL OF AGRICULTURAL SCIENCE

CONTENTS

Vol. 87 Part 3 December 1976

	PAGE
BALASUBRAMANIAN, V. and SINHA, S. K. Nodulation and nitrogen fixation in chickpea (<i>Cicer arietinum</i> L.) under salt stress	465
SHEMESH, M., AYALON, N. and LINDNER, H. R. Identification of phyto-oestrogens in berseem clover (<i>Trifolium alexandrinum</i>)	467
MCMANUS, W. R. and CHOUNG, C. C. Studies on forage cell walls. 4. Flow and degradation of alkali-treated rice hull digesta in the ruminant digestive tract	471
MATHEWS, M. G. and MCMANUS, W. R. Studies on forage cell walls. 5. Alkali-treated lucerne	485
HADJICHRISTODOULOU, A. Effect of genotype and rainfall on yield and quality of forage barley and wheat varieties in a semi-arid region	489
HOUSEMAN, R. A. and McDONALD, I. The comparative precision of estimates of body composition in living pigs, obtained from numerous different predictors applied severally or jointly	499
DONEY, J. M. and PEART, J. N. The effect of sustained lactation on intake of solid food and growth rate of lambs	511
KAMBAL, A. E., BOND, D. A. and TOYNBEE-CLARKE, GILLIAN. A study on the pollination mechanism in field beans (<i>Vicia faba</i> L.)	519
RICHARDS, S. A. Evaporative water loss in domestic fowls and its partition in relation to ambient temperature	527
KEMPSTER, A. J., CUTHBERTSON, A. and SMITH, R. J. Variation in lean distribution among steer carcasses of different breeds and crosses	533
EL-HELALY, M. S., EL-GAYAR F. H. and EL-SHAZLI, A. Y. Development of a standard bioassay technique for the adults of <i>Bemisia tabaci</i> Gennadius (Homoptera, Aleyrodidae)	543
HOLMES, M. R. J. and DEVINE, J. R. Nitrogen requirement of sugar beet	549
HOLMES, M. R. J. and WHITEAR, J. D. Nitrogen requirement of sugar beet in relation to irrigation	559
OFFER, N. W., EVANS, R. A. and AXFORD, R. F. E. A comparative study of non-protein nitrogen supplements for sheep	567
NDUBIZU, T. O. C. Delaying ripening in harvested Nigerian green plantains	573
BUNTING, E. S. Accumulated temperature and maize development in England	577
CACCO, G., FERRARI, G. and LUCCI, G. C. Uptake efficiency of roots in plants at different ploidy levels	585
JENKINS, G., KIRBY, E. J. M. and ROFFEY, A. P. Selection for developmental responses in winter barley	591

Continued on inside back cover

© Cambridge University Press 1976

SUBSCRIPTIONS. Two volumes of three parts are published annually. The subscription price of volumes 86 and 87, 1976, is £17.50 net (U.S.A. and Canada US \$47.50) per volume (post free); single parts are available at £7.00 net (U.S.A. and Canada US \$18.50) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or to Cambridge University Press, P.O. Box 92, London NW1 2DB (U.S.A. and Canada, Cambridge University Press, 32 East 57th Street, New York, N.Y. 10022, U.S.A.).

Printed in Great Britain at the University Printing House, Cambridge