

Index of Passages Cited

- Aelian
VH (Various History)
 12.22: 117n125
 14.47b: 117n125
- Aelius Aristides
Oration 2 178n13
- Aëtius of Amida
Tetrabiblos
 16.60, 83.1-2 Zervos: 96n9
- Alcinous
Manual of Platonic Doctrine (Didaskalikos)
 1.2-3: 165n104
 32.4: 219
- Anonymous
Timarion
 ch.29, 75.715-724 Romano: 236n1
- Anonymous Londiniensis
 2.34-41 (5.34-41 Manetti): 138n41
- Anonymous Parisinus
 19.3.7-10 (118.27-120.9 Garofalo):
 70n5
 51.1-3 (258.1-260.19 Garofalo):
 47-48n56
- Arætaeus
Acut. Morb. (On Acute Diseases)
 2.2.17-18 (21.16-26 Hude): 6-7n19
Chr. Morb. (On Chronic Diseases)
 1.1.2 (36.11-13 Hude): 7n21
 2.13 (85.16-90.32 Hude): 48n58
Ther. Chr. Morb. (On the Therapy of Chronic Diseases)
 2.13 (167.27-170.24 Hude) 48n58
- Aristotle
De An. (On the Soul)
 II.3, 414b28 ff.: 99n26
Eth. Nic. (Nicomachean Ethics)
 1095b19-22: 31
 1102a26-1103a3: 99n26
 1104b32: 83n50
 1106b37-1107a2: 35n12
 1107a6-8: 159
- 1124a1: 75
 1127b9-13: 148n68
 1128b12: 47n54
Poet. (Poetics)
 1453a5: 220
Pol. (Politics)
 1253b.32: 152
 1326b2-25: 179
Rh. (Rhetoric)
 1379b17-18: 219
 1383b15: 47n54
- Athenaeus
The Sophists at Dinner
 1.1e: 1-2n4
 2.36a-b: 37-38n22
- Caelius Aurelianus
Acut. Morb. (On Acute Diseases)
 3.13.109-111 (356.21-358.17 Bendz):
 6-7n19
 3.15.118-125 (362.11-366.33 Bendz):
 47-48n56
Chr. Morb. (On Chronic Diseases)
 4.1.1-13 (774.13-782.7 Bendz): 48n58
 4.9.131-137 (848.14-852.25 Bendz):
 48n58
- Cassius Dio
Hist. Rom. (Roman History)
 72.1.1: 120
 72.7.1: 120
 72.7.4: 120
 72.15: 120
 72.16.1: 120
 72.17.3-4: 120
 72.18.3-4: 120
 72.19.4: 120
 72.24: 71-72n14
 72.102-3: 120
 73.2.2-3: 121n140
 80.7.1-2: 95
- Cebes
Tabula

- Cebes (cont.)
 7.1-3: 103n48
 9.4: 103n48
 18.1-3: 103n48
- Celsus
De Med. (On Medicine)
 Proem. (17.15-18.2 M.): 53n4
 1.3.15-16 (34.19-25 M.): 7n21
 1.5.2 (39.25-26 M.): 7n21
 3.6.6-7 (111.32-112.7 M.): 7n21
 3.18.11-12 (124.17-125.2 M.): 70n5
 3.18.18-24 (126.5-127.15 M.): 7n21
 7.pr.4 (301.24-302.5 M.): 7n21
- Chrysippus
 fragm. 401.7: 219
 fragm. 402, apud Stobaeus *Ecl.* II 91, 20
 Wachsmuth: 219
 fragm. 416 *SVF*: 46n49
 fragm. 478 *SVF*: 149
 fragm. 876 *SVF*: 74
- Cicero
Mur. (For Lucius Murena) 66: 107n72
Off. (On Duties) 3.51-64: 52
Sen. (On Old Age) 10.33: 117n125
Tusc. (Tusculan Disputations)
 2.17-18: 90n86
 3.9: 220n73
 5.31: 90n86
- Clement of Alexandria
Paed. (The Instructor)
 1.1: 98n18
 1.9 (76.1-81.3): 145n58
Quis Div. (Who is the Rich Man that Shall be Saved?)
 41.1: 137n37
- Damascius
In Phaed. (Commentary on Plato's Phaedo)
 I 138 Westerink vol. 2: 41n33
- Democritus
 fragm. 80 DK: 60n19
- Dig. (Digest)*
 9.2.5.2 (Ulpian): 35n8
 21.1.4.1 (Vivianus): 35n8
- Dio of Prusa
Oration 7, esp. 38-39, 48-50: 222n78
Oration 8.5: 57
Oration 8.7-8: 243
Oration 33.2-8: 145-146n60
Orations 63-65: 103
Orations 77/78: 213
- Diogenes Laertius
Lives of the Philosophers
 3.49: 132n21
 7.5: 83n51
 7.19: 109n83
 7.110-111: 138n41
 7.114.6-10: 219n71
 7.175: 87n70
- Epicetetus
Discourses
 1.13: 152
 3.23.33-38: 121
 3.24.67-69: 108n78
 3.24.116: 72n19
- Eupolis
Demes
 fragm. 116, *PCG* vol. 5, p. 363: 25n11
- Euripides
 fragm. 964; Kannicht, *TrGF* vol. 5, p. 963:
 85n61
 fragm. 1079; Kannicht, *TrGF* vol. 5, p. 1010:
 69
 fragm. 1086; Kannicht, *TrGF* vol. 5, p. 1012:
 44
Or. (Orestes)
 258-9: 208n46
Phoen. (Phoenician Women)
 404-405: 106
 499-500: 24n10
- Galen
AA (Anatomical Procedures)
 2.2, 73.18-22 Garofalo = II.283.7-12 K.:
 128
 3.9, 185.13-15 Garofalo = II.393.7-10 K.:
 65
 4.10
 261.25-27 Garofalo = II.470.1-3 K.:
 128n13
 263.7-10 Garofalo = II.470.12-16 K.:
 128
Adv. Jul. (Against Julian)
 1, 32.5-18 Wenkebach = XVIII.A.246.1-
 247.11 K.: 233n106
 2, 38.8-15 Wenkebach = XVIII.A.253.11-
 254.11 K.: 58
 2, 39.3-4 Wenkebach = XVIII.A.254.6-7 K.:
 58
 2, 39.4-8 Wenkebach = XVIII.A.254.7-12
 K.: 58
 2, 39.7-10 Wenkebach = XVIII.A.253.11-
 254.12-16 K.: 59
Aff. Pecc. Dig. (Affections and Errors of the Soul)
 1, 3.8-9 DB = V.1.5-7 K.: 126
 1, 3.10-17 DB = V.2.1-9 K.: 127
 1, 3.11-13 DB = V.2.3-5 K.: 126-127
 1, 3.20-4.7 DB = V.2.11-3.5 K.: 128
 1, 4.9 DB = V.3.6-7 K.: 128
 1, 4.11-12 DB = V.3.9-10 K.: 128
 1, 4.1.11 DB = V.59.2 K.: 202
 1, 4.1.16-19 DB = V.59.7-10 K.: 203

- 1, 42.7-10 DB = V.60.3-6 K.: 203
 1, 42.10-15 DB = V.60.6-11 K.: 203
 1, 42.10-15 DB = V.60.6-12 K.: 135n32
 2, 4.17-25 DB = V.3.16-4.7 K.: 132
 2, 5.1-3 DB = V.4.8-10 K.: 133
 2, 5.3-5 DB = V.4.11-13 K.: 134
 2, 5.5-9 DB = V.4.13-17 K.: 134
 2, 5.9-16 DB = V.4.17-5.10 K.: 135
 2, 5.18 DB = V.5.10 K.: 135
 2, 5.21-23 DB = V.5.13-16 K.: 135
 2, 5.23-6.3 DB = V.5.16-6.3 K.: 136
 2, 6.7-9 DB = V.6.8-9 K.: 132-133
 2, 6.16-24 DB = V.6.17-7.9 K.: 136, 162
 2, 44.1-3 DB = V.64.12-15 K.: 134n29
 2, 44.11-14 DB = V.63.10-14 K.: 138n39
 2, 45.3-7 DB = V.64.15-65.3 K.: 150n76
 2, 45.20-23 DB = V.66.1-4 K.: 137
 3, 6.25-7.6 DB = V.7.10-8.1 K.: 138
 3, 6.26-7.1 DB = V.7.10-11 K.: 231
 3, 7.7 DB = V.8.1 K.: 138
 3, 7.11-8.1 DB = V.8.6-9.7 K.: 139
 3, 8.1-21 DB = V.9.7-10.13 K.: 139-140
 3, 8.3-4 DB = V.9.9-11 K.: 146
 3, 9.11-14 DB = V.11.8-12 K.: 141
 3, 9.20-10.14 DB = V.12.2-13.2 K.:
 136n35
 3, 10.19-21 DB = V.13.6-10 K.: 142
 3, 10.22-11.3 DB = V.13.11-15 K.: 142
 3, 11.4-7 DB = V.13.16-14.1 K.: 143
 3, 48.3-5 DB = V.69.11-12 K.: 204
 3, 48.14-18 DB = V.70.7-12 K.: 29n17
 3, 49.22-50.2 DB = V.72.10-12 K.:
 201-202
 3, 51.3-6 DB = V.74.8-11 K.: 135n32
 3, 51.5-6 DB = V.74.9-10 K.: 202
 3, 51.16-22 DB = V.75.5-12 K.:
 173n115
 3, 52.13-53.8 DB = V.76.13-77.12 K.:
 125n4
 4, 11.15-25 DB = V.14.11-15.7 K.: 146
 4, 12.3-10 DB = V.15.11-16.3 K.: 147
 4, 12.11-15 DB = V.16.3-9 K.: 148
 4, 12.19-21 DB = V.16.13-16 K.: 148
 4, 13.1-4 DB = V.17.3-6 K.: 149
 4, 13.4-8 DB = V.17.6-12 K.: 149
 4, 13.12-18 DB = V.17.16-18.4 K.: 149
 4, 13.19-15.5 DB = V.18.4-20.9 K.: 151
 4, 15.6-15 DB = V.20.9-21.5 K.: 151
 5, 15.21-16.4 DB = V.21.12-22.3 K.:
 153-154
 5, 16.4 DB = V.22.4 K.: 154
 5, 16.5-15 DB = V.22.4-18 K.: 154
 5, 16.15-18 DB = V.22.18-23.3 K.: 154n85
 5, 16.19-17.1 DB = V.23.3-13 K.: 155
 5, 17.2-4 DB = V.23.14-17 K.: 155
 5, 17.5-6 DB = V.23.17-24.3 K.: 156
 5, 17.8-10 DB = V.24.4-7 K.: 138n40
 5, 18.3-4 DB = V.25.7-8 K.: 156
 5, 18.4-5 DB = V.25.8-10 K.: 89n79
 5, 18.14-25 DB = V.26.2-16 K.: 156
 5, 19.1-7 DB = V.6.26.17-27.6 K.: 155n86
 6, 19.8-10 DB = V.6.27.6-9 K.: 155n86
 6, 19.8-20 DB = V.27.6-28.3 K.: 101n43
 6, 19.8-20.19 DB = V.26.17-29.15 K.: 131
 6, 19.8ff DB = V.27.6 ff K.: 156
 6, 19.13-14 DB = 27.12-14 K.: 131n18
 6, 19.20-21 DB = V.28.4-5 K.: 131n18
 6, 20.16-17 DB = V.29.11-13 K.: 157
 6, 20.19-31 DB = V.29.15-30.3 K.: 131
 6, 20.32-21.10 DB = V.30.3-18 K.: 157
 6, 21.11 DB = V.31.18 K.: 157
 6, 21.12-22.2 DB = V.31.2-16 K.: 157-158
 6, 21.19-22.2 DB = V.31.10-16 K.:
 132n22
 6, 22.3-5 DB = V.31.16-32.1 K.: 158
 6, 22.5-9 DB = V.32.1-6 K.: 158
 6, 22.15-17 DB = V.32.13-15 K.: 159
 6, 22.17-20 DB = V.32.15-33.2 K.: 159
 6, 23.14-16 DB = V.34.5-7 K.: 131
 6, 23.19-23 DB = V.34.11-15 K.: 132n22
 7, 24.3-4 DB = V.35.1-2 K.: 132
 7, 24.4-10 DB = V.35.3-10 K.: 162
 7, 24.7-8 DB = V.35.6-7 K.: 162
 7, 24.10-11 DB = V.35.10-11 K.: 159n94
 7, 25.16 DB = V.37.6 K.: 163
 7, 25.18 DB = V.37.8 K.: 163
 7, 25.20-21 DB = V.37.10-11 K.: 86n65
 7, 25.21-24 DB = V.37.12-14 K.: 86, 163
 7, 26.12-13 DB = V.38.11-13 K.: 163n99
 7, 65.16-68.18 DB = V.98.9-103.16 K.:
 129
 8, 27.22-28.8 DB = V.40.15-41.9 K.:
 88n74, 164
 8, 28.12-15 DB = V.41.13-17 K.: 142n48
 8, 28.17-19 DB = V.42.3-4 K.: 165
 8, 28.25-29.6 DB = V.42.11-18 K.: 165
 8, 29.13-14 DB = V.43.6-8 K.: 166
 8, 29.15 DB = V.43.9 K.: 166
 8, 29.15-16 DB = V.43.9-11 K.: 166
 8, 29.18-19 DB = V.43.13-14 K.: 166
 8, 30.10 DB = V.44.10-11 K.: 166
 8, 30.10-16 DB = V.44.10-45.1 K.: 88
 8, 30.12-13 DB = V.44.13-15 K.: 166, 169
 8, 30.18-21 DB = V.45.4-6 K.: 166
 9, 31.1-12 DB = V.45.8-46.5 K.: 146n61,
 167-168
 9, 31.12-26 DB = V.46.5-47.5 K.: 169
 9, 32.2-3 DB = V.47.7-8 K.: 169
 9, 32.5-8 DB = V.47.10-15 K.: 170
 9, 32.9-10 DB = V.47.15-16 K.: 170

Galen (cont.)

- 9, 32.11-12 DB = V.47.18-48.1 K.:
170n112
- 9, 32.12-33.2 DB = V.48.1-16 K.: 170
- 9, 33.20-22 DB = V.50.1-4 K.: 169
- 9, 33.28-34.16 DB = V.50.10-51.13 K.:
170
- 9, 34.16-18 DB = V.51.13-14 K.: 167
- 9, 34.18-19 DB = V.51.14-15 K.: 167
- 9, 34.23-24 DB = V.52.3-4 K.: 170
- 9, 34.26-35.2 DB = V.52.7-9 K.: 171
- 10, 35.5-7 DB = V.52.13-16 K.: 171
- 10, 35.9-16 DB = V.52.18-53.9 K.: 107n73
- 10, 35.15-20 DB = V.53.7-13 K.: 167
- 10, 35.26-36.9 DB = V.54.3-14 K.: 171,
173n115
- 10, 36.10-13 DB = V.54.15-55.1 K.: 171
- 10, 36.14-37.23 DB = V.55.1-57.3 K.: 173
- 10, 36.16-17 DB = V.55.4-6 K.: 87
- 10, 37.19-21 DB = V.56.16-57.1 K.: 133
- 26, 12-14 DB = 38.11-15 K.: 87
- Alim. Fac. (The Capacities of Foodstuffs)*
- 1.1, 5.23-6.3 Wilkins = VI.457.8-12 K.:
92n91
- 2.27, 133.5-12 Wilkins = VI.609.7-12 K.:
213n56
- 2.51, 159.3-11 Wilkins = VI.638.18-639.7
K.: 213n56
- 2.59, 164.14-167.14 Wilkins = VI.645.1-
648.11 K.: 127n9
- 3, 163.13-14 Wilkins = VI.644.2 K.: 96n9
- Art Med. (Art of Medicine)*
- 2, 278.10-279.13 Boudon-Millot =
I.309.16-311.3 K.: 168-169n110
- 11, 309.3-7 Boudon-Millot = I.336.16-
337.2 K.: 41
- 24, 351.2-6 Boudon-Millot = I.371.10-14
K.: 23
- 24, 351.3-5 Boudon-Millot = I.371.11-12
K.: 138n40
- Art. Sang. (Whether Blood is Naturally
Contained in the Arteries)*
- 7.3, 174.6-9 Furley and Wilkie = IV.729.8-
11 K.: 25
- Bon. Hab. (Good Condition)*
- 17.15-16 Helmreich = 106.21-22 Bertini
Malgarini = IV.751.13-15 K.:
117n122
- 17.22-18.10 Helmreich = 106-108 Bertini
Malgarini = IV.752.4-14 K.:
117n123
- Bon. Mal. Suc. (Good Humour and Bad
Humour)*
- 1.11, 68 Ieraci Bio = VI.753.17-754.3 K.:
53
- 1.11, 68 Ieraci Bio = VI.754.3-4 K.: 53
- 1.11, 68 Ieraci Bio = VI.754.3-6 K.: 53
- 1.14, 69 Ieraci Bio = VI.755.6-10 K.:
199n23
- 1.15, 69 Ieraci Bio = VI.755.12-16 K.:
165n105
- 13.7, 112 Ieraci Bio = VI.813.9-13 K.:
188n33
- CAM (The Composition of the Art of Medicine)*
- 135.1-6 Boulouge-Delattre = I.224.1-8 K.:
55
- 216.11-17 Boulogne-Delattre = I.295.9-14
K.: 197n14
- Caus. Morb. (On the Causes of Diseases)*
- 3, VII.13.13-15 K.: 37n21
- Caus. Symp. (Causes of Symptoms)*
- 1.8, VII.145.17-146.8 K.: 129-130n16
- Commentary on Plato's Timaeus*
- 33 Schröder: 45n43
- Comp. Med. Gen. (The Composition of Drugs
According to Kind)*
- 1.1, XIII.362.1-363.1 K.: 71-72n14
- 2.1, XIII.459.4-5 K.: 75n26
- 3.6, XIII.599.3-601.18 K.: 119n135
- 3.8, XIII.636.1-638.7 K.: 234n107
- Comp. Med. Loc. (The Composition of Drugs
According to Places)*
- 8.1, XIII.116.1-117.5 K.: 28, 82n45
- Cons. (On Habits)*
- 4, II.28.1-4 Müller: 106n70
- CP (Antecedent Causes)*
- 1.2-6, 70.7-72.3 Hankinson: 55
- 4, 80.4-14 Hankinson: 202n33
- 4, 80.18-19 Hankinson: 202
- Cris. (On Crises)*
- 2.3, 136.25-137.7 Alexanderson =
IX.657.14-658.5 K.: 210n52
- Cur. Rat. Ven. Sect. (Treatment by Bloodletting)*
- XI.252.10-13 K.: 54n5, 199n25
- De Mor. (Character Traits)*
- 26 Kr.: 138n40
- 28 Kr.: 52n2, 101n42, 141n47, 222n82
- 29 Kr.: 86n64
- 31 Kr.: 139n43
- 31-32 Kr.: 138-139
- 34 Kr.: 21
- 36 Kr.: 142
- 37 Kr.: 114n110
- 39 Kr.: 76
- 40 Kr.: 8n25, 22n3
- 40-41 Kr.: 105n59
- 41 Kr.: 22
- 42 Kr.: 101n42
- 43 Kr.: 109n82
- 44 Kr.: 116n120

- 46-47 Kr.: 203n36
 49-50 Kr.: 222n80
 51 Kr.: 142
Di. Dec. (Critical Days)
 1.9, IX.815.3-6 K.: 25
Diff. Feb. (The Different Kinds of Fever)
 1.3, VII.280.8-10 K.: 199n24
 1.3, VII.280.8-281.3 K.: 199n22
 1.3, VII.280.8-281.5 K.: 50
 1.4, VII.283.7-15 K.: 154n84
Diff. Puls. (The Different Kinds of Pulse)
 1.1, VIII.487.7-8 K.: 56
 1.1, VIII.493.1 K.: 56
 1.1, VIII.497.3-5 K.: 56
 1.1, VIII.497.5-6 K.: 56
 2.2, VIII.1-16 K.: 56
 2.3, VIII.571.6-576.6 K.: 63n25
 3, VIII.636.1-8 K.: 24
 3.1, VIII.637.9-12 K.: 56
 4.1, VIII.696.5-13 K.: 59
 4.1, VIII.698.3-6 K.: 56
 4.17, VIII.764.1-3 K.: 50
 4.17, VIII.764.1-12 K.: 56
Diff. Resp. (Difficulty in Breathing)
 1.12, VII.789.14-16 K.: 26n12
Dig. Puls. (Diagnosis by the Pulse)
 1.1
 VIII.766.3-767.7 K.: 161
 VIII.773.6-774.5 K.: 209
 2.2
 VIII.859.16-860.3 K.: 206n40
 VIII.868.18-869.12 K.: 208n45
 2.5, VIII.589.7-8 K.: 26n12
 4.3, VIII.959.3-5 K.: 127n8
Gloss. (Glossary of Hippocratic Terms)
 proem. 148.16-24 Perilli = XIX.68.7-69.2
 K.: 127n8
Hipp. Aph. (Commentary on Hippocrates's Aphorisms)
 II 22, XVIIIB.503.12-15 K.: 56n8
 II 40
 XVIIIB.553.13-554.1
 K.: 41-42n34
 XVIIIB.554.5 K.: 41
 III 2, XVIIIB.565.8-566.11
 K.: 33-34n1
Hipp. Art. (Commentary on Hippocrates's Joints)
 1.6, XVIIIB.340.16-19 K.: 52
Hipp. Elem. (Elements According to Hippocrates)
 1.6, 108.19-110.7 De Lacy = I.464.5-465.1
 K.: 62
 1.6, 110.8-9 De Lacy = I.465.1-3 K.: 62
Hipp. Epid. I (Commentary on Hippocrates's Epidemics I)
 1a, 94.4-6 Vagelpohl: 174
 3, 5 116.11-13 WP = XVIIIA.231.7-9 K.:
 211n53
Hipp. Epid. III (Commentary on Hippocrates's Epidemics III)
 2.5, 81.23-24 Wenkebach = XVIIIA.610.14-
 15 K.: 65
Hipp. Epid. IV (Commentary on Hippocrates's Epidemics IV)
 4, 11, 217.19-218.2 Wenkebach =
 XVIIIB.166.5-8 K.: 132-133n24
Hipp. Epid. VI (Commentary on Hippocrates's Epidemics VI)
 1, 8, 29.34-30.4 WP = XVIIIA.844.4-9 K.:
 127n8
 2, 27, 92.8-9 WP = XVIIIA.953.6-8 K.: 199n25
 4,
 8, 200.4-6 Wenkebach = XVIIIB.139.3-5
 K.: 61
 9,
 205.11-20 WP = XVIIIB.148.7-18 K.:
 45
 206.23-207.1 WP = XVIIIB.150.8-151.5
 K.: 45
 26, 242.7-9 Wenkebach = XVIIIB.209.9-
 11 K.: 154n84
 5,
 1,
 255.8-17 Wenkebach =
 XVIIIB.225.17-226.11 K.: 213n56
 257.2-258.7 Wenkebach =
 XVIIIB.229.12-231.18 K.: 213n.56
 6, 275.30-32 WP = XVIIIB.256.2-3 K.:
 138n40
 486.19-24 WP: 75n27
Hipp. Progn. (Commentary on Hippocrates's Prognostic)
 1.3, 199.5-9 Heeg = XVIIIB.5.1-6 K.: 180n18
 1.4,
 204.26.31 Heeg = XVIIIB.15.5-11 K.:
 61n21
 207.5-20 Heeg = XVIIIB.19.1-12 K.:
 75n25
Hipp. Prorrh. (Commentary on Hippocrates's Prorrhethics)
 II 1, 52.1-7 Diels = XVI.588.18-589.9 K.:
 233n106
HNH (Commentary on Hippocrates's 'Nature of Man')
 1. proem. 9.15-18 Mewaldt = XV.13.8-12
 K.: 60
 II.22, 85.24-25 Mewaldt = XV.168.7-8 K.:
 26n12

Galen (cont.)

Ind. (Avoiding Distress)

1

54.1-2 PX: 86
 54.3 PX: 73
 54.4 PX: 73
 54.6 PX: 73
 54.9-10 PX: 74
 54.10 PX: 74
 54.10 PX: 75, 105n62
 54.10-11 PX: 75, 105n62
 54.11 PX: 74
 54.11-56.24 PX: 74
 56.18-19 PX: 80
 56.24 PX: 75
 56.28 PX: 79
 58.36 PX: 79

2

58.7-8 PX: 79
 58.9-11 PX: 80
 58.11-60.18 PX: 80

3

60.3-6 PX: 80
 60.8-62.10 PX: 80
 62.10-12 PX: 80

5

64.1-3 PX: 80
 64.3 PX: 81
 66.14-15 PX: 81

6

66.1-7, 68.5 PX: 81
 66.1-2 PX: 127n8

7

68.3 PX: 81
 68.5 PX: 81
 68.10 PX: 81

8

68.1-2 PX: 81
 68.5 PX: 81

9

72.5-8 PX: 81
 72.9-11 PX: 82

10

74.11-15 PX: 82
 74.25 PX: 83

11

76.1 PX: 83n52
 76.11-12 PX: 83n52
 76.11-14 PX: 83
 76.12 PX: 3n12
 76.14-19 PX: 83

12

78.2-3 PX: 75-76
 78.8-13 PX: 85

78.14-16 PX: 31n25

78.16-80.20 PX: 76

80.20 PX: 85

13

80.2 PX: 85
 80.3-5 PX: 85
 80.5 PX: 75-76
 80.6-7 PX: 89
 80.8-82.3 PX: 86

14

82.1-2 PX: 86
 82.3-18 PX: 88
 82.16-18 PX: 142

15

82.1-3 PX: 88
 84.8-9 PX: 93

16

84.5-6 PX: 90
 84.5-86.1 PX: 98n22
 84.7-86.9 PX: 90
 86.9 PX: 90
 88.34-36 PX: 91
 88.41 PX: 91

17

90.2-8 PX: 91
 90.9-15 PX: 91

18

90.1 PX: 92
 92.5-7 PX: 92
 92.6 PX: 3-4n13

Lib. Prop. (On My Own Books)

Prol.

4, 135.2-9 Boudon-Millot = XIX.9.7-13
 K.: 209

10-11, 136.9-16 Boudon-Millot =
 XIX.10.18-11.6 K.: 115

1, 138.1-139.24 Boudon-Millot =
 XIX.13.7-15.15 K.: 221

1, 139.17-20 Boudon-Millot = XIX.15.7-9
 K.: 232n100

1, 139.17-24 Boudon-Millot = XIX.15.8-
 15 K.: 217, 224

3, 144.2-15 Boudon-Millot = XIX.21.1-13
 K.: 196n8

12, 163.15 Boudon-Millot = XIX.38.9-10
 K.: 95-96n4

15, 169.13 Boudon-Millot = XIX.45.10-11
 K.: 2n5, 69n3

15, 170.9 Boudon-Millot = XIX.46.5-6 K.:
 194n2

19, 172.14-15 Boudon-Millot = XIX.48.1-
 2 K.: 4n15

19, 172.17-173.1 Boudon-Millot =
 XIX.48.4-5 K.: 4n15, 35n6

Loc. Aff. (Affected Places)

- 1.1, 246.5-248.13 Gärtner = VIII.17.17-20.2 K.: 129-130n16
 2.8, 330.25-336.13 Gärtner = VIII.92.7-96.19 K.: 129-130n16
 2.10, 378.21-22 Gärtner = VIII.132.10-11 K.: 234n107
 3.3, VIII.142.17-18 K.: 203
 3.5, VIII.148.7-10 K.: 62
 3.5, VIII.159.7-160.7 K.: 138n39
 3.6, VIII.163.2-5 K.: 8-9n29
 3.6 VIII.164.6-7 K.: 138n39
 3.7, VIII.167.1-11 K.: 53-54
 5.1, 288.26-27 Brunschön = VIII.301.17-18 K.: 60
 5.1, 288.27-28 Brunschön = VIII.302.1 K.: 74-75
 5.1, 288.28-290.3 Brunschön = VIII.302.2-5 K.: 74
 5.8, 356.5-6 Brunschön = VIII.362.2-4 K.: 228n91

Med. Exp. (Medical Experience)

- 2, 87 Walzer: 29n18
 9.2, 18.4-8 Walzer: 180n15

MM (Therapeutic Method)

- 1.1, X.1.9-2.10 K.: 205
 1.1, X.2.11-12 K.: 206
 1.1, X.2.12-16 K.: 206
 1.1, X.2.16-3.18 K.: 206
 1.1, X.3.16-18 K.: 206
 1.1, X.3.18-4.8 K.: 207
 1.1, X.4.8-9 K.: 207
 1.1, X.4.9-11 K.: 207
 1.1, X.4.13-14 K.: 207
 1.1, X.4.16-5.3 K.: 208
 1.1, X.5.3-9 K.: 208
 1.1, X.5.9-12 K.: 208
 1.1, X.5.15-7.9 K.: 208
 1.2, X.7.10-8.13 K.: 209
 1.2, X.8.10-13 K.: 58
 1.2, X.8.13 K.: 209
 1.2, X.8.14 K.: 209
 1.2, X.8.14-15 K.: 210
 1.2, X.9.3-6 K.: 211
 1.2, X.10.1-14 K.: 210n52
 1.2, X.13.3-4 K.: 208n46
 1.2, X.18.2-13 K.: 211
 1.3, X.22.5-17 K.: 210n52
 1.9, X.73.7-9 K.: 26n12
 1.9, X.76.15-18 K.: 190, 207n43
 5.10, X.353.3-4 K.: 234n107
 5.15, X.377.17-378.2 K.: 183
 7.1, X.456.5-7 K.: 210n49
 7.1, X.457.4-8 K.: 210n50

- 7.1, X.457.8-10 K.: 88n76
 7.1, X.457.11-15 K.: 210n51
 8.2, X.538.1-2 K.: 234n107
 8.3, X.560-561 K.: 85n62
 8.6, X.581.12-14 K.: 234n107
 9.4, X.608.15-16 K.: 164-165n103
 9.4, X.609.2-8 K.: 199, 210
 9.8, X.632.1-634.3 K.: 130
 10.3, X.671.6-678.18 K.: 230
 11.3, X.678.11-18 K.: 230n98, 231
 13.5, X.841.8-11 K.: 138n40

MMG (Therapeutics to Glaucon)

- 1.3, XI.16.5-9 K.: 70
 1.9, XI.28.12-16 K.: 234n107

Mot. Dub. (On Problematical Movements)

- 4.6-9, 136.16-25 Nutton: 32
 4.12-13, 138.2-9 Nutton: 98n23
 8.1-10, 154.1-156.6 Nutton: 48n58
 8.24-29, 160.4-20 Nutton: 70n7

Musc. Diss. (The Dissection of Muscles)

- 19.2, 159.4-7 Debru-Garofalo = XVIII B.979.3-5 K.: 127n8

Nat. Fac. (Natural Faculties)

- 1.8, III.125.15-18 Helmreich = II.34.4-6 K.: 62
 1.8-13, III.114.6-122.16 Helmreich = II.18.15-30.5 K.: 168n109
 1.14, III.139.9-21 Helmreich = II.52.14-53.8 K.: 54n4
 1.17, III.150.10-20 Helmreich = II.67.13-68.4 K.: 63n26
 3.5, III.215.6-216.8 Helmreich = II.157.15-159.6 K.: 168n109
Opt. Doct. (The Best Method of Teaching)
 92.12 Barigazzi = I.41.4 K.: 99n31
Opt. Med. (The Best Doctor is Also a Philosopher)
 285.12-18 Boudon-Millot = I.54.12-5.5.1 K.: 233n104
 287.7-10 Boudon-Millot = I.56.10-13 K.: 174
 287.18-288.3 Boudon-Millot = I.57.3-9 K.: 129-130n16
 288.3-11 Boudon-Millot = I.57.9-16 K.: 233n104
 288.5 Boudon-Millot = I.57.10-11 K.: 174
 288.14-17 Boudon-Millot = I.58.2-4 K.: 105n61
 290.2-7 Boudon-Millot = I.59.11-15 K.: 114
 290.5-7 Boudon-Millot = I.59.13-15 K.: 233n104
 291.17-21 Boudon-Millot = I.61.11-15 K.: 174

Galen (cont.)

Opt. Med. Cogn. (Recognising the Best Physician)

- 1, 41.1-47.14 I.: 84n56
 1, 41.5-9 I.: 191
 1, 41.12-43.7 I.: 197n16
 1, 41.17-18 I.: 53n4
 1, 42.5-9 I.: 105n64
 1, 43.10-45.4 I.: 177
 1, 45.5-16 I.: 177
 1, 45.16-18 I.: 177
 1, 45.21-47.9 I.: 177
 1, 47.6-8 I.: 179
 1, 47.6-14 I.: 223n84
 1, 47.11-12 I.: 176
 2, 49.4-17 I.: 180
 3, 53.8-19 I.: 181
 3, 53.19-21 I.: 176
 3, 53.22-55.6 I.: 186
 3, 55.5-6 I.: 181
 3, 55.5-14 I.: 181
 3, 55.22-23 I.: 181
 3, 55.25-57.16 I.: 182
 3, 55.25-57.18 I.: 186
 3, 55.26 I.: 181
 3, 57.2-8 I.: 181
 3, 57.16-18 I.: 182
 3, 59.12-16 I.: 183
 3-4,
 59.18-63.14 I.: 183
 61.14-63.14 I.: 212n55
 4, 61.17-63.14 I.: 186
 4, 63.21-67.10 I.: 183
 5, 69.20-70.6 I.: 184n26
 5, 77.20-79.4 I.: 182
 6, 79.22-85.5 I.: 186
 7, 93.7-14 I.: 185
 7, 93.13-18 I.: 185
 8, 95.6-9 I.: 186
 8, 95.12-13 I.: 186
 8, 97.5 I.: 186
 8, 97.6-20 I.: 187, 196n8
 8, 99.4-8 I.: 187
 8, 99.10-101.3 I.: 187
 8, 99.21-101.3 I.: 187
 8, 101.3-7 I.: 188
 9, 101.21-103.2 I.: 190
 9, 103.2 I.: 190
 9, 103.16-105.1 I.: 190
 9, 105.20-107.2 I.: 190n38
 9, 109.20-24 I.: 188n35
 9, 111.1-2 I.: 104n56
 9, 111.5-12 I.: 105n64
 9, 111.5-14 I.: 191
 9, 111.19-22 I.: 190n38

- 9, 113.8-15 I.: 190n38
 9, 113.15-115.6 I.: 190
 9, 115.3-6 I.: 190
 9, 115.14-23 I.: 190n38
 9, 115.18-20 I.: 200
 13, 129.17-22 I.: 190n38
 13, 131.8-11 I.: 191
 13, 133.9 I.: 191
 13, 133.12 I.: 191
 13, 133.12-14 I.: 191

Opt. Sect. (The Best Sect)

- 9, I.123.18-124.5 K.: 201
 14, I.146.10-148.4 K.: 66
 26, I.180.13-14 K.: 168-169n110
 26, I.181.6-12 K.: 201

Ord. Lib. Prop. (On the Order of My Own Books)

- 2, 91.13-92.4 Boudon-Millot = XIX.53.10-54.4 K.: 209
 4, 99.18-19 Boudon-Millot = XIX.59.2 K.: 89n81
 5.2-3, 101.10-12 Boudon-Millot = XIX.60.18-3 K.: 24n8, 233n106

Part. Art. Med. (The Parts of the Art of Medicine)

- 6.6, 42.2-3 Lyons: 184n26

Parv. Pil. (The Exercise with the Small Ball)

- 1, I.1-7 Marquardt = V.899.4-9 K.: 129-130n16
 1, I.93.10-12 Marquardt = V.899.10-900.1 K.: 118n127
 1, I.94.5-8 Marquardt = V.900.10-12 K.: 118n129
 2, I.94.18-20 Marquardt = V.901.4-6 K.: 174-175n12
 3, I.97.7-11 Marquardt = V.906.14-907.1 K.: 118n128
 3, I.98.8-12 Marquardt = V.905.10-13 K.: 118n130
 3, I.98.13-16 Marquardt = V.905.14-17 K.: 118n131
 3, I.98.18-21 Marquardt = V.906.1-3 K.: 168-169n110

PHP (Doctrines of Hippocrates and Plato)

- 2.2, 104.18-20 DL = V.214.8-11 K.: 233n106
 2.2, 108.14-16 DL = V.218.8-12 K.: 192n41
 2.3, 108.22-25 DL = V.219.2-6 K.: 129-130n16
 2.4, 122.27-31 DL = V.234.11-15 K.: 39
 2.5, 136.36-138.5 DL = V.250.15-251.3 K.: 59n13
 2.5, 138.3-4 DL = V.251.1-2 K.: 202n34
 2.5, 140.21-22 DL = V.254.11-13 K.: 184n26

- 2.8, 156.27-158.2 DL = V.273.1-12 K.:
185n27
- 3.1, 168.14-20 DL = V.286.6-13 K.:
185n27
- 3.2, 182.21 DL = V.300.14-15 K.: 65n32
- 3.2, 182.24-25 DL = V.300.16-17 K.:
99n31
- 3.3, 186.1-3 DL = V.303.13-16 K.: 192n41
- 3.3, 190.4-7 DL = V.307.18-308.3 K.:
192n41
- 3.3, 192.3-6 DL = V.310.8-12 K.: 114n105
- 3.4, 196.1-14 DL = V.315.4-316.2 K.:
65n31
- 3.4, 198.17-30 DL = V.318.10-319.8 K.:
64
- 3.4, 198.35-39 DL = V.319.14-320.2 K.:
65n32
- 3.8, 232.23-24 DL = V.358.18-359.1 K.:
65n29
- 4.2, 242.32-35 DL = V.371.15-372.3 K.:
125n4
- 4.2, 244.2-8 DL = V.372.7-15 K.: 125n4
- 4.7, 282.17-23 DL = V.418.8-13 K.: 85n61
- 4.7, 288.14-18 DL = V.424.7-12 K.: 99n25
- 5.2, 302.20-26 DL = V.442.1-8 K.: 214n58
- 5.5, 322.24-16 DL = V.465.13-16 K.:
28n16
- 5.6, 332.29-334.15 DL = V.476.6-477.9
K.: 99n25
- 5.7, 346.13-19 DL = V.490.11-18 K.:
65n30
- 5.7, 358.7-13 DL = V.503.1-8 K.: 65n30
- 5.7, 358.8-9 DL = V.503.2-4 K.:
185-186n28
- 6.2, 368.12-370.23 DL = V.515.1-518.2
K.: 101n44
- 6.8, 422.20-424.8 DL = 581.11-582.16 K.:
154n84
- 6.8, 424.18-426.8 DL = V.583.11-585.6
K.: 65n30
- 9.2, 550.8-31 DL = V.732.13-734.10 K.:
86n66
- 9.5, 564.10-12 DL = V.750.10-13 K.: 180
- 9.5, 564.19-26 DL = V.751.3-13 K.:
180n16
- 9.5, 564.22 DL = V.751.7-8 K.: 197n15
- 9.5, 564.24-28 DL = V.751.9-15 K.:
95-96n4
- 9.5, 564.30 DL = V.751.17-752.1 K.: 174
- 9.7, 588.7-9 DL = V.779.16-780.2 K.: 189
- 9.7, 588.7-27 DL = V.779.16-781.8 K.:
4n16
- 9.7, 588.16-18 DL = V.780.11-13 K.:
175n7
- 9.7, 588.26-29 DL = V.781.6-10 K.: 189
- 9.7, 590.2-11 DL = V.782.3-14 K.: 202n35
- 9.9, 598.26-600.4 DL = V.793.6-15 K.:
34n3
- Plen. (Fullness)*
- 2, 30.17-18 Otte = VII.520.4-8 K.: 55
- 2, 32.4-5 Otte = VII.522.1-2 K.: 231
- 10, 68.25-27 Otte = VII.569.18-570.2 K.:
127n8
- Praen. (Prognosis)*
- 1, 68.2-11 N. = XIV.599.3-600.5 K.: 190,
198
- 1, 68.11-14 N. = XIV.600.5-9 K.: 201
- 1, 68.15-16 N. = XIV.600.10-11 K.: 202
- 1, 68.15-16 N. = XIV.600.11-601.2 K.:
204
- 1, 68.17-21 N. = XIV.600.13-17 K.: 205,
208
- 1, 68.22-70.25 N. = XIV.600.17-602.14
K.: 212
- 1, 70.25-72.12 N. = XIV.602.14-603.12
K.: 213-214
- 1, 72.14 N. = XIV.603.14 K.: 214
- 1, 72.14-15 N. = XIV.603.15 K.: 215
- 1, 72.15-21 N. = XIV.603.15-604.5 K.:
215
- 1, 72.16 N. = XIV.603.16-17 K.: 215
- 1, 74.2-6 N. = XIV.605.2-5 K.: 211
- 1, 74.8-11 N. = XIV.605.8-12 K.: 184, 213
- 2, 74.12-13 N. = XIV.605.13-15 K.: 84n56
- 2, 74.15 N. = XIV.605.17 K.: 77n35
- 2, 76.2 N. = XIV.606.18-607.1 K.: 228
- 2, 76.27-78.2 N. = XIV.608.13-18 K.:
6n18
- 2, 78.3 N. = XIV.608.18 K.: 216
- 2, 80.7-10 N. = XIV.611.10-13 K.: 217
- 2, 80.22-25 N. = XIV.612.9-12 K.: 77n33
- 2, 80.25-82.2 N. = XIV.612.12-17 K.: 227
- 3, 82, 13 and 17 N. = XIV.613, 13 and 17
K.: 216
- 3, 82.20-22 N. = XIV.614.3-5 K.: 216
- 3, 82.22-25 N. = XIV.614.5-9 K.: 217
- 3, 82.24-25 N. = XIV.614.8-9 K.: 218
- 3, 84.1-2 N. = XIV.614.16-18 K.: 217
- 3, 84.15-17 N. = XIV.615.16-18 K.: 218
- 3, 84.18-19 N. = XIV.616.1-2 K.: 218
- 3, 84.26-27 N. = XIV.616.10-12 K.: 219
- 3, 86.2-8 N. = XIV.616.16-617.5 K.:
218n68
- 3, 86.15-16 N. = XIV.617.13-15 K.:
219n70
- 3, 86.19-24 N. = XIV.617.18-618.6 K.:
218n69
- 3, 86.29-30 N. = XIV.12-13 K.: 218n68
- 3, 88.2-13 N. = XIV.618.16-619.10 K.:
221

Galen (cont.)

- 4, 88.14-90.8 N. = XIV.619.11-620.17 K.:
221
- 4, 90.10-92.20 N. = XIV.621.2-623.14 K.:
179
- 4, 90.15-16 N. = XIV.621.8-9 K.: 222
- 4, 90.18 N. = XIV.621.11-12 K.: 223
- 4, 90.26 N. = XIV.622.5 K.: 223
- 4, 92.9-10 N. = XIV.623.1-2 K.: 224
- 4, 92.12-13 N. = XIV.623.3-5 K.: 224
- 4, 92.13 N. = XIV.623.5 K.: 225
- 4, 92.15.17 N. = XIV.623.8-10 K.:
224-225
- 4, 92.18-19 N. = XIV.623.11-13 K.: 225
- 4, 92.26-33 N. = XIV.624.2-11 K.: 225
- 5, 94.12-19 N. = XIV.625.7-17 K.: 226
- 5, 94.24-96.2 N. = XIV.626.5-14 K.: 227
- 5, 96.2 N. = XIV.626.14 K.: 227
- 5, 96.2 N. = XIV.626.15 K.: 227
- 5, 96.4 N. = XIV.626.16 K.: 227
- 5, 96.6 N. = XIV.627.1-2 K.: 227
- 5, 96.21-23 N. = XIV.628.1-3 K.: 228
- 5, 96.23-25 N. = XIV.628.3-6 K.: 229
- 5, 96.25-27 N. = XIV.628.6-8 K.: 228
- 5, 98.4-8 N. = XIV.628.13-18 K.: 228
- 5, 98.9-11 N. = XIV.629.1-4 K.: 229
- 5, 98.9-16 N. = XIV.629.1-10 K.: 229
- 9, 118.27-33 N. = XIV.650.9-15 K.:
120n137
- 9, 120.3-6 N. = XIV.651.1-5 K.: 209
- 9, 120.10-12 N. = XIV.651.8-12 K.: 197
- 10, 120.29 N. = XIV.652.15 K.: 230
- 10, 122.4-5 N. = XIV.653.2-3 K.: 230
- 10, 122.24-25 N. = XIV.654.7-8 K.: 230
- 11, 126.26-128.32 N. = XIV.657.12-
660.16 K.: 77n34
- 11, 128.25-30 N. = XIV.660.9-14 K.: 231
- 11, 128.27-28 N. = XIV.660.11-12 K.:
6n18
- Praes. Puls. (Prognosis by the Pulse)*
- 1.1, IX.214.16-215.1 K.: 149n70
- 1.1, IX.218.8-220.5 K.: 234n107
- 2.1, IX.274.18-275.10 K.: 129-130n16
- Prolaps. (Dislocations not Seen by Hippocrates)*
- 1.29, XVIII.A.362.11-364.2 K.: 75n26
- Prop. Plac. (On My Own Opinions)*
- 3, 100.35-102.37 PX: 115n114
- 14, 136.21-22 PX: 5n16, 132n23
- 15, 138.24-26 PX: 189
- Protr. (Exhortation to the Study of Medicine)*
- 1, 84.1-2 B. = I.1.5-6 K.: 98n21
- 1, 84.8-13 B. = I.2-3 K.: 98
- 1, 84.14 B. = I.2.6 K.: 100n34
- 1, 84.14 B. = I.2.7 K.: 100n33
- 1, 85.1-2 B. = I.2.8 K.: 100n36
- 1, 85.3 B. = I.2.9-10 K.: 99n28
- 1, 85.4 B. = I.2.10 K.: 100n36
- 1, 85.4 B. = I.2.11 K.: 99n27
- 1, 85.11-12 B. = I.3.1-2 K.: 100n37
- 2, 85.16-19 B. = I.3.5-8 K.: 102
- 2, 85.20-86.5 B. = I.3.9-13 K.: 104n51
- 2, 86.5-8 B. = I.3.14-17 K.: 104n52,
180n18
- 2-4, 85-88 B. = I.3-6 K.: 81
- 3, 87.7-9 B. = I.5.2-4 K.: 105n58, 121
- 4, 87.19-88.11 B. = I.5.13-6.8 K.: 104n55
- 4, 88.13-14 B. = I.6.10 K.: 104
- 4-5, 87-89 B. = I.5-7 K.: 91n89
- 5, 88.19-89.21 B. = I.6.15-8.6 K.: 104n56
- 5, 89.10-16 B. = I.7.13-8.1 K.: 217n64
- 5, 89.12-13 B. = I.7.15-16 K.: 105
- 5, 89.16-18 B. = I.8.1-3 K.: 104
- 5, 90 B. = I.8-9 K.: 82n46
- 5, 90.4-8 B. = I.8.9-13 K.: 108n77
- 6, 9 B. = I.9-11 K.: 105n64
- 6, 91.1-5 B. = I.9.6-10 K.: 105
- 6, 91.16-22 B. = I.10.2-8 K.: 120
- 6, 91.22 B. = I.10.8 K.: 105n63
- 6, 92.14-17 B. = I.11.3-7 K.: 106
- 6, 92.19-21 B. = I.11.9-11 K.: 108n79
- 7, 93.1-7 B. = I.11.7-11 K.: 106n66
- 7, 93.15-16 B. = I.12-10 K.: 106n71
- 7, 94.20-22 B. = I.14-15 K.: 107n74
- 7, 95.1-5 B. = I.14.1-5 K.: 108
- 8, 96.3-14 B. = I.15.9-16.2 K.: 107n75
- 8, 96.3-97.22 B. = I.15.9-17.12 K.: 108n81
- 8, 97.6-8 B. = I.16.14-16 K.: 104n53
- 8, 97.8-9 B. = I.16.15-16 K.: 108n18
- 8, 98.2-5 B. = I.17.14-17 K.: 109
- 8, 99.1-16 B. = I.18.15-19.13 K.: 109n84
- 8, 99.16-18 B. = I.19.13-15 K.: 109
- 9, 100.1-2 B. = I.20.4-5 K.: 109
- 9, 100.2-6 B. = I.20.5-9 K.: 109n86
- 9, 100.6-8 B. = I.20.9-10 K.: 110n90
- 9, 100.11-12 B. = I.20.13-14 K.: 110n91
- 9, 100.16-101.2 B. = I.21.1-4 K.: 110n91
- 9, 101.2-9 B. = I.21.4-10 K.: 110
- 9, 101.12-17 B. = I.21.13-22.3 K.: 112
- 9, 101.21-22 B. = I.22.6-7 K.: 113
- 10, 102.14-17 B. = I.23.3-5 K.: 113
- 10, 102.20 B. = I.23.8-9 K.: 104n53
- 10, 103.2-5 B. = I.23.11-13 K.: 113n100
- 10, 103.6 B. = I.23.14 K.: 106n70
- 10, 103.6-7 B. = I.23.14-15 K.: 113n101
- 10, 103.17-18 B. = I.24.8-9 K.: 113n101
- 10, 103.18 B. = I.24.9 K.: 106n70
- 10, 104.4 B. = I.24.13 K.: 106n70
- 10, 104.4-5 B. = I.24.13-14 K.: 113n101
- 10, 104.5 B. = I.24.10 K.: 106n70
- 10, 104.10-19 B. = I.25.2-10 K.: 114n103

- 10, 104.15 B. = I.25.6 K.: 106n70
 10, 104.15-16 B. = I.25.7-8 K.: 117n124
 10, 104.18-105.4. B. = I.25.9-16 K.:
 114n104
 10, 104.20 B. = I.25.11 K.: 114n106
 11, 106.1-11 B. = I.26.17-27.9 K.:
 114n107
 11, 106.1-7 B. = I.26.17-27.6 K.: 120
 11, 106.1-11 B. = I.26.17-27.9 K.:
 118n132
 11, 106.15-16 B. = I.27.13-14 K.: 117n124
 11, 107.15-108.4 B. = I.28.14-29.2 K.:
 114n108, 118n132
 11, 108.5-14 B. = I.29.2-12 K.:
 115n111
 11, 108.15-16 B. = I.29.12-13 K.:
 117n124
 11, 108.16-23 B. = I.29.13-30.2 K.:
 115n113
 11, 108.22-23 B. = I.30.1-2 K.: 117n124
 11, 109.15-21 B. = I.31.2-7 K.: 115n112
 13, 111.8-14 B. = I.32.13-16 K.: 116n115
 13, 112.3-7 B. = I.33.9-13 K.: 116n116,
 117
 13, 112.4 B. = I.33.9-10 K.: 120
 13, 112.5-7 B. = I.33.1-13 K.: 120
 13, 112.11-15 B. = I.33.16-34.2 K.:
 116n117
 13, 112.15-114.4 B. = I.34.3-35.11 K.: 117
 13, 112.17-18 B. = I.34.5 K.: 117
 13, 113.4 B. = I.34.9-10 K.: 117
 14, 116.20-117.1 B. = I.38.9-12 K.:
 116n119
 14, 116.20-117.18 B. = I.38.9-39.10 K.:
 174
 14, 117.18 B. = I.39.10 K.: 96n9
Puer. Epil. (Advice to an Epileptic Boy)
 1, 1.14-16 Keil = XI.358.2-3 K.: 199n23
*Purg. Med. Fac. (The Capacity of Cleansing
 Drugs)*
 1, 1.2-2.1 Ehlert = XI.323.1-324.5 K.: 53
 3, 10.6-11.1 Ehlert = XI.332.5-16 K.:
 58n12
*QAM (The Capacities of the Soul Depend on the
 Mixtures of the Body)*
 3, 18.9-19.2 Ba. = IV.776.17-777.8 K.: 36
 3, 19.3 Ba. = IV.777.8-9 K.: 36n17
 3, 19.13-14 Ba. = IV.778.1 K.: 36n17
 3, 21.1-6 Ba. = IV.778.15-779.3 K.: 36
 9, 66.11-67.4 Ba. = IV.807.17-808.6 K.:
 38, 40
 9, 67.8-11 Ba. = IV.808.9-12 K.: 39
 10, 67.12-15 Ba. = IV.808.13-15 K.: 39
 10, 68.4-69.10 Ba. = IV.809.1-15 K.:
 39n27
 10, 71.6-72.10 Ba. = IV.810.17-811.11 K.:
 39n27
 10, 73.4-15 Ba. = IV.811.15-812.6 K.: 40
 10, 73.10-11 Ba. = IV.812.1-3 K.: 180n18
 10, 74.13-75.5 Ba. = IV.812.17-813.4 K.:
 40n30
 10, 75.5-7 Ba. = IV.813.4-6 K.: 40
 11, 77.5-6 Ba. = IV.814.8-9 K.: 42
 11, 78.8-10 Ba. = IV.815.2-4 K.: 25
 11, 86.11-87.2 Ba. = IV.820.9-13 K.: 52
 11, 88.3-4 Ba. = IV.821.6-7 K.: 33
San. Tu. (Matters of Health)
 1.5, 10.32-34 Ko. = VI.19.9-13 K.: 175n8
 1.8, 20.11-13 Ko. = VI.41.11-13 K.: 39n25
 1.10, 24.22-25 Ko. = VI.51.8-13 K.:
 192n41
 1.10, 25.2-5 Ko. = VI.52.7-10 K.: 134n29
 1.11, 26.4-7 Ko. = VI.55.2-4 K.: 37
 1.12, 28.22-31 Ko. = VI.60.8-18 K.:
 119n133
 2.7, 59.14-18 Ko. = VI.133.2-6 K.:
 43n39
 2.9, 61.20-34 Ko. = VI.138.2-139.1 K.:
 154n84
 2.11, 69.5-11 Ko. = VI.156.1-7 K.: 213n56
 5.1,
 136.7 Ko. = VI.307.16 K.: 44
 137.26-138.5 Ko. = VI.311.9-312.9 K.:
 44, 105n64
 5.2,
 136.21-24 Ko. = VI.308.15-309.1 K.:
 175n6
 138.6-140.34 Ko. = VI.312.10-318.16
 K.: 89n82
 138.16-139.4 = VI.313.3-314.13 K.:
 168-169n110
 5.11,
 162.19-21 Ko. = VI.368.17-369.2 K.:
 43n39
 164.22-23 Ko. = VI.372.15-16 K.:
 54n6
 6.8, 182.33-35 Ko. = VI.415.15-17 K.:
 43n39
 7, 16.2-5 Ko. = VI.31.18-32.5 K.: 160
 8, 19.24-20.3 Ko. = VI.40.4-17 K.: 160
Sem. (Semen)
 1.2, 64.15-27 De Lacy = IV.513.7-514.6
 K.: 92n92
 1.2, 64.20-26 De Lacy = IV.513.15-514.4
 K.: 61
 1.2, 66.1-7 De Lacy = IV.514.7-15 K.: 60
 2.1, 152.24-16 De Lacy = IV.602.6-9 K.:
 144n52
 6, 196.22-198.1 De Lacy = IV.642.12-18
 K.: 59n13

Galen (cont.)

SMT (The Capacities of Simple Drugs)

- 8.proem., XII.1.7-2.6 K.: 60n16
 1.1, XII.313.8-10 K.: 48
 1.1, XII.314.11-14 K.: 48
 1.34, XI.442.1-11 K.: 127n8
 1.35, XI.445.2-3 K.: 54
 1.36, XI.449.1-11 K.: 54
 1.39, XI.455.6-7 K.: 55
 1.40, XI.457.17-458.2 K.: 52
 3.1, XI.541.1-14 K.: 202n35
 3.10, XI.560.15-17 K.: 59

Soph. (Linguistic Sophisms)

- 1, 80.5-8 Schiapparelli = XIV.585.6-8 K.:
 127n8
 2, 82.5-22 Schiapparelli = XIV.586.2-587.1
 K.: 233

Subf. Emp. (Outline of Empiricism)

- 7, 63.10-15 Deichgräber: 233

Temp. (On Mixtures)

- 2.1, 39.3-10 Helmreich = I.572.3-573.1 K.:
 33n1

Thras. (Thrasylbulus)

- 1, 33.1-7 Helmreich = V.806.4-9
 K.: 76n29
 37-38, III.84.15-85.19 Helmreich =
 V.877.15-879.6 K.: 26

UP (The Function of the Parts of the Body)

- 1.2-4, 2.11-6.17 Helmreich = III.3.3-9.3
 K.: 98n23
 1.9, 18.7-17 Helmreich = III.25.4-13 K.:
 150n75
 3.1, 124.7-125.5 Helmreich = III.169.15-
 171.2 K.: 65
 3.10, 159.18 Helmreich = III.217.18-19 K.:
 185-186n28
 3.10, 173.11-174.8 Helmreich = III.236.8-
 237.11 K.: 30

Ven. Sect. Er. Rom. (Bloodletting, Against the Erasistrateans at Rome)

- 1,
 25.2-5 Kotrc = XI.189.2-5 K.:
 229n94
 26.1-3 Kotrc = XI.190.1-3 K.: 229n94
 29.4-7 Kotrc = XI.193.4-17 K.: 229n94
 29.6-31.3 Kotrc = XI.193.6-195.3 K.:
 144

Herodian

Roman History

- 1.13.7-8: 120n138
 1.14.2-6: 71-72n14

Herophilus

- fragm. 230 von Staden (=Sextus Empiricus,
Adv. Math. 11.50): 45n43
 T. 51 von Staden (=Stob. *Ecl.* 4.38.9): 183n24

Hippocratic Corpus

Aphor. (Aphorisms)

- I, 3, 18, IV.99 Jones = IV.458.13 L.:
 117n124

De Alim. (On Nutriment)

- 34, 82.21-22 Heiberg = 145.2-3 Joly =
 IX.110.11-13 L.: 117n124

De Morb. (On Diseases)

- 1.6, VI.150-152 L.: 183n24

Decent. (On Decorum)

- 2, 25.15-19 Heiberg = IX.228.2-6 L.:
 200n28

2-4: 200

- 3, 25.20-26.6 Heiberg = IX.228.7-20 L.:
 200n28

- 5, 27.3-9 Heiberg = IX.232.10-234.3 L.:
 200n28

- 12, 28.23-29 Heiberg = IX.238.19-240.4
 L.: 200n28

Nat. Hom. (On the Nature of Man)

- 1, 164.3-166.11 Jouanna = VI.32.1-34.7 L.:
 181n22

Porrh. (Porrhetic)

- 2, ch. 1-3, 216.1-224.17 Potter = IX.6.2-
 14.7 L.: 200-201n29

Praec. (Precepts)

- 1, 110.4-112.6 Ecce = IX.250.2-252.16 L.:
 200-201n29

VM (On Ancient Medicine)

- 9, 128.17-129.13 Jouanna = I.590.4-17 L.:
 180n15

Homer

Il.

- 2.212-216: 147
 2.216-19: 146
 2.220: 146
 2.220-223: 147
 2.265-271: 147
 2.274-277: 147
 4.405: 106
 24.369: 227

Od.

- 4.220-221: 37n18
 14.464-466: 37n18
 21.293-298: 37n18

Ḥunayn ibn 'Ishāq

Epistle (Risālah)

119: 69n2

Iamblichus

Protr. (Protreptic)

- 6, 40 Pistelli: 113n99
 8, 48.9-21 Pistelli: 102n45

Ibn Abi Uṣaybi'ah

*Deeds of the Physicians ('Uyūn al-ambā' fi ṭ'abaqāt
 al-at-ibbā')*, Kraus 14: 108n80

- Jerome
Adv. Jov. (Against Jovinian)
 2.11, XXIII.300.41–42 Migne: 96n5
- Joseph Ibn 'Aqnin
Hygiene of the Soul
 79–80 Zonta: 188n36
- Juvenal
Sat.
 1,
 127–146: 190
 127–171: 199–200n26
- Lucian
Char. (Charon)
 8: 117n125
Merc. Cond. (The Dependent Scholar)
 3: 199–200n26
 7: 199–200n26
 12: 199–200n26
 14: 199–200n26
 16: 199–200n26
 17: 199–200n26
 30–31: 190
 39: 199–200n26
Nigr. (Nigrinus)
 12–34: 222n78
 14–18: 199–200n26
 21–25: 199–200n26
 22: 190
Symp. (The Symposium or The Lapiths)
 34–35: 206–207
- Marcus Aurelius
Med. (Meditations)
 4.49: 232
 5.5: 232
 6.16: 232
 6.35: 174n1
 7.33: 85n60
 7.64: 85n60
 8.48: 232
- Maximus of Tyre
Oration
 1.5: 52n2
 1.8: 78
 4.1–2: 200n27
 7: 8–9n29
 14: 178n13
 14.8: 200n27
 21.4: 198n18
 28.1: 200n27
 29–33 (*The True End of Life: Virtue or Pleasure?*): 21–22n1
 37.3: 112n97
 37.41–55: 116n120
- Menander
 fragm. 865: *PCG* vol. VI2, p.409: 69
- Nemesius of Emesa
On the Nature of Man, ch. 21:
 46n49
- Olympiodorus
On. Phaed.
 8.2, 119.1–7 Westerink vol. 1: 41n33
 8.2, 119.7–9 Westerink vol. 1: 41n33
- Oribasius
Medical Collections 7.1.7, I.195.10 Raeder:
 96n9
- Panaetius
On Duties 1.66: 83n54
- Philodemus
On Anger
 col. 1.20–27 Indelli: 164–165n103
 fragm. 8 Indelli: 149
- Philostratus
Gym. (On Gymnastics)
 45: 112n97
VA (Life of Apollonius)
 1.15: 136n34
- Plato
Ap. (Apology)
 28b–29a: 47
Grg. (Gorgias)
 452e: 181–182
 456b–457c: 182
 457c–458b: 53n3, 182
 459d: 182
 464a: 198n18
 464b–465e: 178
 464d–e: 213n56
 466b–e: 181
 521a–b: 178, 184
 521d–e: 183–184
 527b: 198n18
 527c: 178n12
- Leg. (Laws)*
 4, 709b–c: 180n17
 12, 961e–963b: 180n17
 666a3–c2: 39n27
 674a3–b8: 39n27
 731e5–6: 132–133n24
 777e–778a: 152
- Meno*
 81c–85d: 89n77
- Phdr. (Phaedrus)*
 253c–254a: 101
 260c–e: 181n21
 270b–273a: 178n12
 272a: 136n34
 275e: 136n34
- Plt. (Politicus)*
 289a: 213n56
 297e–299c: 180n17

Plato (cont.)

Resp. (Republic)

341d2–3: 180
 360e–361a: 183
 360e7–8: 180
 363e–364a: 83n50
 488b4–5: 180
 488d4–7: 180
 489a4–6: 180
 489c4–7: 180
 588c–d: 101
 605a: 210n48

Ti. (Timaeus)

83b: 75n26
 86d–e: 52n2
 87b3–6: 40n30
 87b6–9: 40n30
 88b–c: 45n43

Pliny

Ep. (Letters)

4.17.7–8: 228n93

HN (Natural History)

7.37: 37n21
 14.137: 37n18
 23.22: 37n21
 29.11: 181n19

Plutarch

Adv. Col. (Against Colotes)

1110E: 44n40

An Seni (Old Men in Public Affairs)

787D: 104n54
 795A–B: 57n9

'catalogue of Lamprias, The'

no. 127: 116n118

no. 172: 71n12

'catalogue of Lamprias, The' (*An Exhortation to Philosophy, Addressed to Asclepiades of Pergamum*)

no. 214: 122

'catalogue of Lamprias, The' (*An Exhortation to Philosophy, Addressed to a Rich Young Man*),

20. 207: 122

Comm. Not. (On Common Notions Against the Stoics)

1069E: 87n70

Conjug. (Precepts of Marriage)

141D: 109

Cons. Ad Ux. (Consolation to his Wife)

fragm. 147 (Sandbach): 213n56

De Adul. et Amic. (On Friends and Flatterers)

48F: 133n25

51B–C: 145

51B–D: 177

55A–B: 145

55B–C: 145

55C: 53n3

59B–60C: 145

61D–E: 177

63C–D: 145

63D: 177

66A: 53n3

68C: 145

71F: 44n40

72F: 57n9

73A–E: 145

73D: 160

73E: 57n9

De Amic. (On Having Many Friends)

94A–B: 199–200n26

De Aud. (On Listening to Lectures)

38D: 111n93

46C–47B: 57

De Aud. Poet. (On Listening to Poetry)

14D–F: 111n

15F: 111n93

20E–21D: 111n93

27E–F: 111n93

28D: 111n93

28F–30E: 111n93

30F: 111n93

31D: 111n93

32F: 111n93

33C–D: 111n93

33F: 111n93

34A: 111n93

34D–36A: 111n93

35C: 111n93

De Capienda (On How to Benefit from your Enemies)

87A: 83n51

88D: 44n40

90A: 132n25

92F: 133n25

De Coh. Ira (On the Control of Anger)

452F–453A: 133n25

453B–F: 152

455B: 152

455B–D: 154n83

455E: 152

455E–456E: 152

455E–F: 153n82

456C–D: 152

457B–C: 8–9n29

458D: 152

459C–460C: 153

460F–462B: 153

De Curios. (On Curiosity)

515C–D: 8–9n29

515D: 60

518C: 219n72, 219

- De Esu. (On the Eating of Flesh)*
2.6: 98n24
- De Exil. (On Exile)*
603D: 83n51
- De Fort. Rom. (On the Fortune of the Romans)*
316C ff.: 103n49
317C-318D: 103
- De Frat. Amor. (On Brotherly Love)*
481A: 44n40
- De Garr. (On Talkativeness)*
502E: 8-9n29
504E-F: 8-9n29
- De Inv. et Od. (On Envy and Hate)*
536E: 8-9n29
- De Prim. Frig. (On the Principle of Cold)*
955C: 203
- De Prog. in Virt. (On Progress in Virtue)*
81F-82F: 136n35
84B-85E: 136n35
84E: 167
- De Soll. An. (On the Cleverness of Animals)*
966E: 99n29
966E-F: 100
967B: 99n29
970B-C: 99n29
974A-B: 99n29
976D: 99n29
980B: 99n29
981B: 99n29
982F: 99n29
- De Stoic. Rep. (On Stoic Self-Contradictions)*
1046B-C: 219-220
- De Sup. (On Superstition)*
165C: 8-9n29
- De Tranq. Anim. (On the Tranquillity of the Soul)*
464 E-F: 78
465A: 78
467C-D: 83
468E: 78
469C-D: 82
475E-F: 104n54
- De Tuenda (Precepts of Health Care)*
122B-E: 161
122C: 161
122D-E: 174n1
123D-E: 160
- De Virt. Mor. (On Moral Virtue)*
452B: 104n54
452C: 53n3
- Gryllus (Whether Beasts are Rational)*
991D-F: 100n32
- Non Posse (That it is Impossible to Live a Pleasant Life According to Epicurus)*
1088B: 90n86
1090A: 90n86
- Praec. Ger. Reip. (Political Precepts)*
800F-801A: 156
801C-D: 104n54
803C: 57
810C: 57
- Quaest. Conv. (Table Talk)*
8.9 (731A-734C): 47-48n56
629E: 89n78
663D: 104n54
686D: 89n78
694D: 136
- Quaest. Plat. (Platonic Questions)*
1000A: 133n25
- Reg. et Imp. Apophth. (Sayings of Kings and Commanders)*
187B: 107
- Vit. Alc. (Life of Alcibiades)*
13.2: 25n11
- Vit. Dem. (Life of Demosthenes)*
1-2: 222n78
- Vit. Sol. (Life of Solon)*
22.1: 107
- Vit. Them. (Life of Themistocles)*
1.1-4: 107
- Whether the Passions of the Soul are Worse than Those of the Body (Mor. 500B-502A):*
8-9n29
- Proclus
Alc. I (First Alcibiades)
8.13-14: 100n39
In Plat. Parmenidem (Commentary on Plato's Parmenides)
Book 1, 631.3-4 Cousin: 132n20
- Pseudo-Dionysius of Halicarnassus, *Exhortation to Athletes*
283.20-292 Usener-Rademacher:
122n142
- Pseudo-Galen
De Puls. ad Ant. (The Pulse, To Antonius)
XIX.629-642 K.: 126n6
Hist. Phil. (History of Philosophy)
1-2, 597.1-598.16 DG = XIX.223.1-224.17 K.: 3n11
4, 602.12-603.6 DG = XIX.231.1-16 K.: 3n11
6, 603.14-20 DG = 232.10-18 K.: 3n11
Ther. Pis. (Theriac, To Piso)
1.1-2, 2.1-8 Boudon-Millot = XIV.210.3-211.1 K.: 142n48
1, 4.4-18 Boudon-Millot = XIV.212.10-213.5 K.: 165n105
1.6, 3.19-4.1 Boudon-Millot = XIV.212.5-7 K.: 29n18
19, 94.14-17 Boudon-Millot = XIV.294.1-3 K.: 55n7

- Pseudo-Isocrates
Ad Dem. (To Demonicus)
 41: 136n34
Bus. (Busiris)
 28: 136n34
- Pseudo-Quintilian
The Lesser Declamations 268: 7n23, 243
- Pseudo-Soranus
Introduction, II.244-245 Rose: 122n143
- Quintilian
Inst. (Institutes of Oratory)
 1.9-10: 107
 1.10: 117n125
- Rufus of Ephesus
De Melanch. (On Melancholy) in Aëtius,
Tetrabiblos
 vi.9, II.144.26-29 Olivieri: 35n9
Quaest. Med. (Medical Questions)
 1, 24.8-12 Gärtner: 6-7n19
 8, 38.21-22 Gärtner: 6-7n19
 13, 46.15-17 Gärtner: 6-7n19
Sat. et Gon. (On Satyriasis and Gonorrhoea)
 83.11-84.2 Daremberg-Ruelle: 6-7n19
- Scribonius Largus
On the Composition of Medicines
 epistula dedicatoria 1-11: 204
 epistula dedicatoria 2: 160
- Seneca
De Ira (On the Control of Anger)
 1.1: 153
 1.15: 152, 154n83
 1.8: 154n83
 2.25: 152
 3.12: 152
Ep. (Letters)
 3: 145n56
 6.5: 164-165n103
 7: 119n135
 45.5: 24n9
 47: 152
 52.2-3: 167
 71.1: 141n45
- 75: 145n59
 75.5-7: 145-146n60
 75.6-14: 145n59
 78.5: 38
 90: 100, 100n38, 119n135
 90.7: 100n39
 94: 141
 94.1-3: 141n46
 94.17-20: 145n59
 94.45-46: 145n56
 94.55: 145n56
 94.59-74: 145n56
- Soranus
Gyn. (Gynaecology)
 1.3 (6.1-8.45 Burguière, Gourevitch, and Malinas): 7n21
 1.16 (46.95-96 Burguière, Gourevitch, and Malinas): 7n21
 2.19 (31.80-96 Burguière, Gourevitch, and Malinas): 7n21
 2.24 (65.28-34 Burguière, Gourevitch, and Malinas): 38n23
 4.2 (4.59-65 Burguière, Gourevitch, and Malinas): 7n21
- Stobaeus
Ecl. (Eclogues) 2.65.8-9: 87n70
Flor. (Anthology)
 2.7.2: 72n17
 2.31.98: 109n83
 2.39.20-41.25: 72n17
 4.29.15: 107
 4.29.21-22: 107-108
- Theognis
 fragm. dub. 8 Young: 37n18
- Thucydides
History
 3.42.2: 185
- Xenophon
Mem. (Memorabilia)
 1.4.9-14: 98n21
Oec. (Oeconomicus)
 13.6-9: 98n21