




Journal of
MATERIALS RESEARCH

FOCUS ISSUE
Titanium Dioxide Nanomaterials



VOLUME 28 • NO 3
FEBRUARY 14, 2013

A publication of the



MATERIALS RESEARCH SOCIETY
Advancing materials. Improving the quality of life.

CAMBRIDGE
UNIVERSITY PRESS

Journal of MATERIALS RESEARCH

JOURNAL OF MATERIALS RESEARCH (JMR) is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

JMR publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

Manuscripts must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x 11 in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

Articles are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

Commentaries and Reviews: *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

Color policy: It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

Copyright © 2013, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center <http://www.copyright.com>, email: info@copyright.com.

Journal of Materials Research Subscription Prices (2013)

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$248.00	\$303.00	\$100.00
Institutions	\$1568.00	\$1683.00	\$1442.00

Journal of Materials Research (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013 – 2473 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2113, USA.

Subscriptions, renewals, address changes, and single-copy orders should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2133, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

Reprints of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press.

Individual member subscriptions are for personal use only.

Journal of MATERIALS RESEARCH

Editor-in-Chief: Gary L. Messing, *The Pennsylvania State University*

Associate Editor, Biomaterials: Adrian Mann, *Rutgers University*

Associate Editor, Metallic Materials: Jürgen Eckert, *IFW Dresden, Germany*

Associate Editor, Polymers and Organic Materials: Howard E. Katz, *Johns Hopkins University*

Guest Editors for Focus Section: Titanium Dioxide Nanomaterials

Xiaobo Chen, *University of Missouri–Kansas City*

Can Li, *Dalian Institute of Chemical Physics, Chinese Academy of Sciences, China*

Tijana Rajh, *Argonne National Laboratory*

Gregory Kimmel, *Pacific Northwest National Laboratory*

Editorial Office: Eileen Kiley Novak, *Director of Communications, Materials Research Society, Warrendale, PA*

Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*

Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*

Lorraine K. Wolf, *JMR Publishing Assistant, Materials Research Society, Warrendale, PA*

2013 Principal Editors:

Lennart Bergström, *Stockholm University, Sweden*

Robert C. Cammarata, *Johns Hopkins University*

Edwin A. Chandross, *MaterialsChemistry LLC*

Ping Chen, *Dalian Institute of Chemical Physics, China*

Yang-T. Cheng, *University of Kentucky*

Franz Faupel, *Universität Kiel, Germany*

David S. Ginley, *National Renewable Energy Laboratory*

Amit Goyal, *UT–Battelle/Oak Ridge National Laboratory*

Mikko P. Haataja, *Princeton University*

Andrea M. Hodge, *University of Southern California*

Himanshu Jain, *Lehigh University*

Suk-Joong L. Kang, *Korean Advanced Institute of Science
and Technology, Republic of Korea*

C. Robert Kao, *National Taiwan University, Taiwan*

Koichi Kugimiya, *Osaka University, Japan*

Edson Roberto Leite, *Universidade Federal de São Carlos, Brazil*

Yadong Li, *Tsinghua University, China*

Sanjay Mathur, *University of Cologne, Germany*

Michael E. McHenry, *Carnegie Mellon University*

Scott T. Misture, *Alfred University*

Paul Muralt, *Ecole Polytechnique Federale de Lausanne,
Switzerland*

Cewen Nan, *Tsinghua University, China*

George M. Pharr, *University of Tennessee*

Ian M. Reaney, *The University of Sheffield, United Kingdom*

Joan M. Redwing, *The Pennsylvania State University*

Clifford L. Renschler, *Sandia National Laboratories*

Winston Schoenfeld, *University of Central Florida*

Don W. Shaw, *The University of Texas at Dallas*

Susan B. Sinnott, *University of Florida*

Eric A. Stach, *Brookhaven National Laboratory*

Jay A. Switzer, *Missouri University of Science and Technology*

Mauricio Terrones, *The Pennsylvania State University;
Shinshu University, Japan*

Terry M. Tritt, *Clemson University*

José Arana Varela, *University of Sao Paulo State, Brazil*

William J. Weber, *University of Tennessee/Oak Ridge National
Laboratory*

Sam Zhang, *Nanyang Technological University, Singapore*

Yanchun Zhou, *Aerospace Research Institute of Materials and
Processing Technology, China*

Cover: Scanning electron micrograph showing the microstructure of pure TiO₂ nanotubes at room temperature. [I.M. Low, H. Albetran, V.M. Prida, V. Vega, P. Manurung, and M. Ionescu: A comparative study on crystallization behavior, phase stability and binding energy in pure and Cr-doped TiO₂ nanotubes. p. 304.]

Journal of MATERIALS RESEARCH

Volume 28, Number 3, February 14, 2013

TITANIUM DIOXIDE NANOMATERIALS

269 Introduction Xiaobo Chen, Can Li, Tijana Rajh, Gregory Kimmel

REVIEWS

- 270–279 Evolution of titanium dioxide one-dimensional nanostructures from surface-reaction-limited pulsed chemical vapor deposition Xudong Wang, Jian Shi
- 280–293 TiO₂ nanotubes and its composites: Photocatalytic and other photo-driven applications Vaidyanathan Ravi Subramanian, Swagatom Sarker, Bowen Yu, Archana Kar, Xiaodi Sun, Sandwip K. Dey
- 294–303 Influence of the TiO₂ precursors on the thermal and structural stability of titanate-based nanotubes Silviu Preda, Valentin Serban Teodorescu, Adina Magdalena Musuc, Cristian Andronescu, Maria Zaharescu
- 304–312 A comparative study on crystallization behavior, phase stability, and binding energy in pure and Cr-doped TiO₂ nanotubes It Meng Low, Hani Albetran, Victor Manuel Prida, Victor Vega, Posman Manurung, Mihail Ionescu
- 313–325 Titanium dioxide thin films for next-generation memory devices Seong Keun Kim, Kyung Min Kim, Doo Seok Jeong, Woojin Jeon, Kyung Jean Yoon, Cheol Seong Hwang

ARTICLES

- 326–332 Formation of TiO₂ nanomaterials via titanium ethylene glycolide decomposition Ting Xia, Joseph W. Otto, Tanmoy Dutta, James Murowchick, Anthony N. Caruso, Zhonghua Peng, Xiaobo Chen
- 333–339 Highly controlled crystallite size and crystallinity of pure and iron-doped anatase-TiO₂ nanocrystals by continuous flow supercritical synthesis Jian-Li Mi, Simon Johnsen, Casper Clausen, Peter Hald, Nina Lock, Lasse SØ, Bo B. Iversen
- 340–347 Microwaves as a synthetic route for preparing electrochemically active TiO₂ nanoparticles Damien Monti, Alexandre Ponrouch, Marc Estruga, Maria Rosa Palacín, José Antonio Ayllón, Anna Roig
- 348–353 A simple low-cost synthesis of brookite TiO₂ nanoparticles Todd C. Monson, Mark A. Rodriguez, Jean L. Leger, Tyler E. Stevens, Dale L. Huber
- 354–361 Modification of titania nanoparticles for photocatalytic antibacterial activity via a colloidal route with glycine and subsequent annealing Mamoru Senna, Nicholas Myers, Anne Aimable, Vincent Laporte, Cesar Pulgarin, Oualid Baghriche, Paul Bowen
- 362–368 Synthesis, crystallinity control, and photocatalysis of nanostructured titanium dioxide shells Ji Bong Joo, Qiao Zhang, Michael Dahl, Francisco Zaera, Yadong Yin

(Continued)

- 369–377 **Three-dimensionally ordered macroporous TiO₂ electrodes: Fabrication of inverse TiO₂ opals for pore-size-dependent characterization** Sonia S. Mathew, Stephen Ma, Ilona Kretzschmar
- 378–384 **UV-resistant hydrophobic rutile titania aerogels synthesized through a nonalkoxide ambient pressure drying process** Wei Wei, Jimin Xie, Yinyin Wu, Jianjun Zhu, Xiaomeng Lü, Zaoyue Yan
- 385–393 **Dense TiO₂ films grown by sol–gel dip coating on glass, F-doped SnO₂, and silicon substrates** Jan Prochazka, Ladislav Kavan, Marketa Zukalova, Pavel Janda, Jaromir Jirkovsky, Zuzana Vlckova Zivcova, Ales Poruba, Mélanie Bedu, Markus Döbbelin, Ramón Tena-Zaera
- 394–399 **Photocatalytic H₂ production on TiO₂ with tuned phase structure via controlling the phase transformation** Yi Ma, Qian Xu, Ruifeng Chong, Can Li
- 400–404 **Tunable synthesis of enhanced photodegradation activity of brookite/anatase mixed-phase titanium dioxide** Xiaomeng Lü, Danjun Mao, Xiaojun Wei, Hui Zhang, Jimin Xie, Wei Wei
- 405–410 **Selective electrodeposition of Ni into the intertubular voids of anodic TiO₂ nanotubes for improved photocatalytic properties** Fengxia Liang, Jie Zhang, Lingxia Zheng, Chun-Kwan Tsang, Hui Li, Shiwei Shu, Hua Cheng, Yang Yang Li
- 411–417 **TiO₂-polyheptazine hybrid photoanodes: Effect of cocatalysts and external bias on visible light-driven water splitting** Michal Bledowski, Lidong Wang, Ayyappan Ramakrishnan, Radim Beranek
- 418–423 **CdS-sensitized single-crystalline TiO₂ nanorods and polycrystalline nanotubes for solar hydrogen generation** Ulugbek Shaislamov, Bee Lyong Yang
- 424–430 **Enhanced photocatalytic activity of TiO₂-niobate nanosheet composites** Jian Liu, Eric J. Nichols, Jane Howe, Scott T. Misture
- 431–439 **MgO–TiO₂ mixed oxide nanoparticles: Comparison of flame synthesis versus aerogel method; characterization, and photocatalytic activities** Khadga M. Shrestha, Christopher M. Sorensen, Kenneth J. Klabunde
- 440–448 **Synthesis and study of carbon/TiO₂ and carbon/TiO₂ core–shell micro-/nanospheres with increased density** Cynthia Papo, Zikhona Tetana, Paul Franklyn, Sabelo Mhlanga
- 449–453 **Synthesis of TiO₂@C core–shell nanostructures with various crystal structures by hydrothermal and postheat treatments** Quanjun Li, Ran Liu, Bo Liu, Dongmei Li, Bo Zou, Tian Cui, Bingbing Liu
- 454–460 **Carbothermal synthesis of titanium oxycarbide as electrocatalyst support with high oxygen evolution reaction activity** Kan Huang, Yunfeng Li, Yangchuan Xing
- 461–467 **Processing and functionalization of conductive substoichiometric TiO₂ catalyst supports for PEM fuel cell applications** Richard Phillips, Alexander O'Toole, Xiaoli He, Robin Hansen, Robert Geer, Eric Eisenbraun
- 468–474 **Preparation and photovoltaic properties of N-doped TiO₂ nanocrystals in vacuum** Hao-Hong Chen, Fang Lei, Jing-Tai Zhao, Ying Shi, Jian-Jun Xie
- 475–479 **The effect of photoanode thickness on the performance of dye-sensitized solar cells containing TiO₂ nanosheets with exposed reactive {001} facets** Xia Wu, Gaoqing Lu, Lianzhou Wang

(Continued)

- 480–487 **Thin single screen-printed bifunctional titania layer photoanodes for high performing DSSCs via a novel hybrid paste formulation and process** Kee Eun Lee, Cecile Charbonneau, George P. Demopoulos
- 488–496 **A study of TiO₂ binder-free paste prepared for low temperature dye-sensitized solar cells** Jeremy H. Yune, Inna Karatchevtseva, Gerri Triani, Klaudia Wagner, David Officer
- 497–501 **CdS-sensitized TiO₂ photoelectrodes for quantum dots-based solar cells** Ulugbek Shaislamov, Hyun Kim, Bee Lyong Yang
- 502–506 **Ink-jet-printed (ZnO)_{1-x}(TiO₂)_x composite films for solar cell applications** E. Girgis, Mei Fang, E. Hassan, N. Kathab, K.V. Rao
- 507–512 **A novel route to ZnO/TiO₂ heterojunction composite fibers** Delong Li, Xudong Jiang, Yupeng Zhang, Bin Zhang, Chunxu Pan
- 513–520 **Molecular dynamics simulations of the interactions between TiO₂ nanoparticles and water with Na⁺ and Cl⁻, methanol, and formic acid using a reactive force field** Sung-Yup Kim, Adri C.T. van Duin, James D. Kubicki
- 521–528 **Study on reflectivity and photostability of Al-doped TiO₂ nanoparticles and their reflectors** Sanjeev Kumar, Narendra Kumar Verma, Madan Lal Singla
- 529–534 **Magnetic, structural, electronic, and optical investigations of Ti_{1-x}Mn_xO₂ films** Sudesh Sharma, Sujeet Chaudhary, Subhash Chand Kashyap
- 535–540 **Indium tin oxide modified by titanium dioxide nanoparticles dispersed in poly(N-vinylpyrrolidone) for use as an electron-collecting layer in organic solar cells with an inverted structure** Jae Won Shim, Hyeunseok Cheun, Amir Dindar, Yunsang Kim, Yinhua Zhou, Canek Fuentes-Hernandez, Do-Kyung Hwang, Joseph W. Perry, Bernard Kippelen