

The Association for marine professionals

The Marine Biological Association



"The future now is in the hands of those who understand the real importance of the blue part of the planet"

Dr Sylvia Earle Hon.MBA



PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

CAMBRIDGE UNIVERSITY PRESS

Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

JMBA

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM VOLUME 101.3 MAY 2021

Contents	
REYIEW	
Kinze, C.C., Czeck, R., Herr, H. and Siebert, U. Cetacean strandings along the German North Sea coastline 1604-2017	483
ORIGINAL ARTICLES	
Medeiros, I.D.S., Rebelo, V.A., Santos, S.S.D., Menezes, R., Almeida, N.V., Messias, L.T., Nascimento, J.L.X.D., Luna, F.D.O., Marmontel,	
M. and Borges, J.C.G. Spatiotemporal dynamics of mangrove forest and association with strandings of Antillean manatee	
(Trichechus manatus) calves in Paraíba, Brazil	503
Khalaman, V.V., Komendantov, A.Y., Golubovskaya, N.S. and Manoylina, P.A. Comparative efficiency of Mytilus edulis as engineering	
species for shallow-water fouling communities on artificial structures in the White Sea	511
Jeliani, Z.Z., Fazelian, N. and Yousefzadi, M. Introduction of macroalgae as a source of biodiesel in Iran: analysis of total	
lipid content, fatty acid and biodiesel indices	527
Shahbazi, S., Sakhaei, N., Zolgharnein, H. and McFadden, C.S. Species composition and distribution of Alcyonacea (Octocorallia)	
in the northern Persian Gulf	535
Baeta, M., Rubio, C. and Breton, F. Impact of mechanized clam dredging on the discarded megabenthic fauna on the	
Catalan coast (NW Mediterranean)	545
Tomiyama, T. Ecophenotypic plasticity in shell growth direction of asari clam Ruditapes philippinarum	555
Karam, Q. and Al-Wazzan, Z. Toxicity of petroleum hydrocarbons to Brachyuran crabs: a review of deleterious effects of	
oil-related xenobiotics on life stages	561
Turini, T., Colavite, J., Bolaños, J.A., Hernández, J.E., Baeza, J.A. and Santana, W. Larval development of the Caribbean king	
crab Maguimithrax spinosissimus (Lamarck, 1818), the largest brachyuran in the western Atlantic (Crustacea: Decapoda: Majoidea)	577
Martin-Cao-Romero, C., Solís-Marín, F.A. and Bribiesca-Contreras, G. Crinitostella laguardai, new genus and species of wood-dwelling	
deep-sea sea-star (Asteroidea: Caymanostellidae) from the Gulf of Mexico	591
Bourehail, N. and Kara, M.H. Age, growth and mortality of the yellowmouth barracuda Sphyraena viridensis (Sphyraenidae)	
from eastern coasts of Algeria	599
Garrido, S., Ferreira, S., Soares, C., Meneses, I., Baylina, N., Batista, H., Teodósio, M.A., Piecho-Santos, A.M. and Ré, P. Effect of	
food availability on the growth and age determination of European sardine (Sardina pilchardus Walbaum, 1792) larvae	609
Bassoi, M., Secchi, E.R., Danilewicz, D., Moreno, I.B., Santos, R.A. and Shepherd, J.G. Intrapopulation variation in the diet	
of franciscana dolphin (<i>Pontoporia blainvillei</i>) off southern Brazil	621



