



VOL. X.—1896.

THE  
JOURNAL OF LARYNGOLOGY,  
RHINOLOGY, AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

---

PUBLISHED MONTHLY.

---

London:

THE REBMAN PUBLISHING COMPANY, LIMITED,

SUCCESSORS TO F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS: •

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

---

ENTERED AT STATIONERS HALL.



# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

*Founded in 1887 by* MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*,  
JOHN MACINTYRE, M.B. *Glasgow*, F.R.S.E.,  
DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*,

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), R. LAKE, F.R.C.S. (*London*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), BETTMAN (*Rome*), BOTEY (*Barcelona*),  
CARTAZ (*Paris*), BRYSON DELAVAN (*New York*), DODD (*Chicago*),  
DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),  
HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*), HUTCHISON (*Glasgow*),  
VALERIUS IDELSON (*Berne*), JOAL (*Paris*), KARWOWSKI (*Warsaw*),  
A. B. KELLY (*Glasgow*), LACOCARRET (*Toulouse*),  
LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),  
PROF. MASSEI (*Naples*), MEYJES (*Amsterdam*), E. MEYER (*Berlin*),  
MICHAEL (*Hamburg*), HOLGER MYGIND (*Copenhagen*),  
PORTER (*St. Louis*), STGEORGE REID (*London*), SAJOUS (*Paris*),  
SENDZIAK (*Warsaw*), SOTA (*Seville*), STCLAIR THOMSON (*London*),  
WAGGETT (*London*), AND ZIEM (*Dantzic*).

# CONTENTS.

**Original Articles—**

Röntgen Rays in Laryngeal Surgery . . . . . Page 231  
 The Laryngological and Otological Clinics of England and Scotland . . . . . Page 233

**Societies' Meetings—**

LONDON LARYNGOLOGICAL.—Morbid Growths—*Beale*, Cyst of Glosso-Epiglottic Fold—*Beale*, Tubercle or Cancer?—*Bond*, Larvæ in Nose—*Bond*, Myxoma of Larynx—*Thomson*, Myxoma of Vocal Cord—*Lawrence*, Growth on Palate—*Lawrence*, Naso-Pharyngeal Growth—*Grant*, Cervical Sinus—*Grant*, After-History of a Case of Cancer—*Spencer*, Chronic Hoarseness—*Tilley*, Pharyngeal Tumour—*Hill*, Tuberculosis of Nose—*Stabb*, Lupus of Palate and Larynx—*Stabb*, Tumour of Palate. . . . . Page 235  
 BELGIAN OTOLOGICAL AND LARYNGOLOGICAL.—*Bayer*, Chancre of Tonsil—*Eeman*, Tracheotomy—*Eeman*, Streptococcal Angina treated by Antistreptococcal Serum—*Eeman*, Nasal Diphtheria—*Hennebert*, Temporal Caries—*Hennebert*, Temporal Epithelioma—*Roussseau*, Turbinal Bulla—*Rutten*, Aural Exostosis. . . . . Page 241  
 OXFORD MEDICAL.—*Dixey*, Diphtheria in London, 1891-95. . . . . Page 245  
 MANCHESTER PATHOLOGICAL.—*Haring*, Nasal Sarcoma. . . . . Page 245  
 WIENER MEDIZINISCHE CLUB.—*Hack*, Myxœdema and Idiocy . . . . . Page 245  
 HAMBURGER AERTZLICHER.—*Lenke*, *Peltesohn*, and *Sanger*, Graves' Disease . . . . . Page 246  
 VAUDOISE.—*Mermod*, Multiple Sinusitis . . . . . Page 246  
 AMERICAN MEDICAL ASSOCIATION.—*Mial*, Electrical Saw and Plane—*Myles*, Ethmoid Clippers—*Phillips*, Unusual Mobility of Tongue—*Harris*, Empyema of Maxillary Sinus—*Rice*, Ulcers of the Nasal Septum . . . . . Page 247  
 TORONTO PATHOLOGICAL.—*Anderson*, Diseased Temporal Bone—*Amyot* and *Thorburn*, Rhinoliths—*Amyot*, Cut Throat . . . . . Page 252  
 PARIS LARYNGOLOGICAL.—*Courlade*, Mastoid Operation—*Courlade*, Measurement of Pharyngeal Orifice of Eustachian Tube from Entrance to Nares—*Jouslain*, Syphilis of Nose—*Ménière*, Indirect Rupture of Tympanic Membrane . . . . . Page 253  
 VIENNA LARYNGOLOGICAL.—*Panser*, Empyema of Antrum—*Chiari*, Nasal Polypi—*Rethi*, Retro-nasal Polypi—*Rethi*, Handle for Galvano-Cautery—*Roschier*, Hæmatoma of Pyriform Sinus—*Ebstein*, Malignant Syphilis—*Ebstein*, (Edema Glottidis—*Rethi*, Turbinotomy—*Hienenstock*, Nasal Disease . . . . . Page 254  
 GLASGOW MEDICO-CHIRURGICAL.—*Middleton*, Facial Paralysis and Bulbar Paralysis. . . . . Page 255  
 GENEVA MEDICAL.—*Martin*, Angioma of Ear—*Haltenkoff*, Empyema of Frontal Sinus—*Kummer*, Cancer of Tongue . . . . . Page 256  
 BRITISH MEDICAL ASSOCIATION.—*Gnye*, Rotatory Sensations in Labyrinthine Disease—*Bronner*, Stacke's Operation—*Hodgkinson*, Vibration of Vocal Cords . . . . . Page 257  
 GERMAN OTOLOGICAL.—*Hartman*, Dehiscences in Temporal Bone—*Kretschmann*, Distinct Form of Tympanic Suppuration—*Barth*, Lateralization in Bone Conduction . . . . . Page 263

**Abstracts—**

**Diphtheria.**—*Engelman*, *Saint Philippe* and *Tocheport*, and *White*, Antitoxin—*Goodall*, Post-Scarlatinal Diphtheria . . . . . Page 265

**Mouth, &c.**—*Anderson*, Carcinoma Lingvæ—*Ballinger*, Angio-Neurotic (Edema)—*Brown*, *Downie*, Lingual Tonsil—*Dukes*, Common Sore Throats—*Fox*, Abortive Treatment of Quinsy—*Givèl*, Tumour of Gum—*Lawrens*, Hypertrophies of Turbinates—*Lichtwitz*, Angioma of Pharynx—*MacKernan*, Foreign Body in Tongue—*Mixter*, Parotid Tumours—*Spire*, Lupus of Tongue—*Woakes*, Tongue Depressor—*Woodbury*, Urticaria of Mouth. . . . . Page 266

**Nose and Naso-Pharynx.**—*Bark*, *Ripault*, Rhinoliths—*Boulay*, Nasal Obstruction in Children—*Brimon*, Nasal Chancre—*Du Foucray*, Staphylococcal Rhinitis—*Mourv*, Naso-Pharyngien Catarrh—*Myles*, Sinusitis—*Ortega*, *Ripault*, Frontal Sinusitis—*Pernewan*, Naso-Pharynx in relation to Voice—*Ranglardet*, Ethmoiditis—*Ripault*, Confluent Papilloma—*Vansant*, Nasal Synechia . . . . . Page 269

**Larynx, &c.**—*Anglesco*, Epithelioma of Epiglottis—*Bunch*, Bilateral Abductor Paralysis—*Chevne*, Operation for Cancer—*Chapuis*, Metastatic Epithelioma of Larynx—*Knight*, Tubercular Laryngitis—*McBride*, Fragments of Laryngology—*Tilley*, Functional Aphonia—*Wagner*, Thyrotomy . . . . . Page 273

**Thyroid, Neck, &c.**—*Ness*, *Middleton*, *Finlayson*, Cretinism and Thyroid Treatment—*Hawthorne*, Mediastinal Tumour—*Lichtwitz*, Branchial Fistula—*Lindsay*, Mediastinal Tumour—*Nicoll*, Enlarged Glands in Neck . . . . . Page 276

**Ears.**—*Arslan*, Acute Hæmatoma of Canal—*Bishop*, Gangrene of Ear—*Bonnier*, Mutual Relations of Ampullary Apparatus and Oculo-Motor Centres—*Chiucini*, Accidental Opening of Lateral Sinus—*Courlade*, Aural Prophylaxis—*Dasguc*, Deafness after Mumps—*Downie*, Sudden Deafness—*Garnault*, Form of Cranium and Mastoid Operations—*Geronzi*, Otic Hemiplegia—*Gradnigo*, Otic Brain Abscess—*Guément*, Mastoid Operation—*Heath*, Sequels of La Grippe—*Lake*, Excision of Ossicles—*Langenbuch*, Sinus Pyæmia—*Lemaire*, Ménière's Symptoms and Pilocarpin—*Lubet-Barbon*, Localization of Inflammation and Development of Temporal—*Lucas*, Sinus Thrombosis—*Marchant*, Otic Brain Abscess and Mastoiditis—*Milligan*, Foreign Bodies in Meatus—*Mourv*, Excision of Membrana Tympani—*Randall*, Nerve Deafness—*Shield*, Mastoid Operation—*Willetts*, Disorganization of Stapedius . . . . . Page 277

**Reviews** . . . . . Page 283

**Bibliography** . . . . . Page 280

**GUIDE TO ADVERTISEMENTS.**

	PAGE
Bullock & Co. . . . .	vii.
Burroughs, Wellcome & Co. . . . .	vi.
Central London Throat Hospital . . . . .	xii.
Ingram & Royle . . . . .	vii., xi.
Lambert Pharmacal Co. . . . .	ii.
Mayer & Meltzer . . . . .	x.
Rebman Publishing Company . . . . .	iv., vii., viii., ix.

# The Serum Treatment of Diphtheria.

## ANTI-DIPHTHERITIC SERUM.

THE report on the use during 1895 of Anti-Diphtheritic Serum in the hospitals of the Metropolitan Asylums Board contains some important statistics, which will well repay careful and detailed perusal. In this place it is possible to draw general conclusions only. One of the most striking facts seems to be that, in the six hospitals in question, about 250 lives that would have been lost under other methods of treatment have been saved by antitoxin during the year under consideration.

Perhaps it would be as well to reprint the epitomized General Results as shown in the *British Medical Journal* of April 4th:—

“The results obtained in 1895 were distinctly better than in 1894. The superintendents state that the improved results, as shown by the statistics and by clinical observations, were manifested in the following respects:

“1. A great reduction in the mortality of cases brought under treatment on the first and second day of illness.

“2. The lowering of the combined general mortality to a point below that of any former year.

“3. The still more remarkable reduction in the mortality of the laryngeal cases.

“4. The uniform improvement in the results of tracheotomy at each separate hospital.

“5. The beneficial effect produced on the clinical course of the disease.

“The cases treated in 1894, before the use of antitoxin, numbered 3042, and the deaths 902, or 29·6 per cent. The cases treated with antitoxin in 1895 numbered 2182, and the deaths 615, or 28·1 per cent. But from these figures were excluded a large proportion of the less severe cases, so that to obtain a fair comparison all the cases for 1895 must be taken, both those treated by antitoxin (including nearly all the severe cases) and those not treated by antitoxin (including most of the less severe). We then find that the number of cases was 3529, with 796 deaths, or 22·5 per cent., as compared with a mortality of 29·6 per cent. in 1894.”

**Dried Anti-Diphtheritic Serum** of perfect activity was first issued by us to the profession. This dry Serum is little liable to undergo decomposition, or changes of any nature, and is quite as effective as the liquid form. As it is readily soluble in a small quantity of water it may be injected by means of an ordinary Hypodermic Syringe.

**ANTI-DIPHTHERITIC SERUM (B. W. & Co.)** supplied in either liquid or lamellar form, at the price of 1s. per tube or phial, containing one therapeutic dose of 600 Behring-units.

## BURROUGHS, WELLCOME & CO.,

SNOW HILL BUILDINGS, LONDON.

Australian Address: 456, COLLINS STREET WEST, MELBOURNE.

Cable and Telegraphic Address: “BURCOME, LONDON.”

