

Index of Subjects

- Abattoirs, cleaning of by cold water at ultra-high pressure, 11
- Activated sludge, the persistence of poliovirus in, 165
- Antibodies, maternal, to plague in Norway rats, 27
- Antibodies to the surface antigens of inactivated influenza A vaccines, 363
- Antibody to hepatitis B surface antigen among staff in an Edinburgh hospital, 57
- Anticoagulant rodenticides; their effect on *Tatera indica*, *Nesokia indica* and *Bandicota bengalensis*, 75
- Babies in Glasgow, stool viruses in, 261
- Bacillus cereus* serotypes from outbreaks of food poisoning and from routine foods, 69
- Bacteriological quality of retail vanilla slices, 387
- Bacteriophage ϕ X174, survival of in air containing ozone-olefine mixtures, 189
- Bacteriophage ϕ X174, inactivation of in aerosols by ozone and ozonized cyclohexene, 199
- Bacteriophage-typing designations of *Salmonella typhimurium*, 297
- Bacteriostasis of *Escherichia coli* by milk. I. Colonization of breast-fed infants by milk resistant organisms, 85; II, Effect of bicarbonate and transferrin on the activity of infant feeds, 235
- Bandicota bengalensis*, *Tatera indica* and *Nesokia indica*, the susceptibility of to three anti-coagulant rodenticides, 75
- Cardiff abattoir; salmonella surveillance in with reference to pigs, 439
- Clostridium botulinum*, the low prevalence of in lakes, marshes and waterways of the Camargue, 33; A comparison of the distribution of in soil and lake mud, 39
- Cold water, ultra-high pressure cleaning of abattoirs, 11
- Complement fixation and neutralization RS antibodies in maternal and neonatal sera, 411
- Cytomegalovirus, porcine, experimental transplacental transmission of, 243
- Decline of maternal antibodies to plague in Norway rats, 27
- Deodorant and plain soap; their effects upon human skin bacteria, 1
- Distribution of *Clostridium botulinum* in soil and lake mud, 39
- Divers working in the North Sea, acute otitis externa in, 395
- Echinococcosis in New Zealand, application of path analysis in an epidemiological study of, 135
- Echinococcus granulosus* control in New Zealand, analysis of factors influencing rate of progress in, 151
- Escherichia coli*, bacteriostasis of by milk, I, 85; II, 235
- Escherichia coli* serotypes in the faeces of healthy adults over a period of several months, 95
- Examination of foods for enteric pathogens and Enterobacteriaceae, the reliability of, 301
- Fleas, rabbit; breeding large numbers of, 349
- Food poisoning outbreaks and routine foods, serotypes of *Bacillus cereus* isolated from, 69
- Foods, the reliability of the examination of for enteric pathogens and Enterobacteriaceae, 301
- Foot-and-mouth disease virus strains of type SAT 2, neutralization kinetics studies with; I. Factors that influence the rate and pattern of neutralization, 99; II. Antigenic differentiation of vaccine strains, 429
- Gastroenteritis, acute summer, in Black South African infants, 377
- Germicidal effect of the open air in different parts of The Netherlands, 175
- Hepatitis B surface antigen, prevalence of antibody to among the staff in an Edinburgh hospital, 57

- Influenza A inactivated vaccines, the response to, 363
 Influenza A neuraminidase antibodies in children and young adults studied by serum absorption, 213
 Influenza surveillance 1972–75, 223
 Inhibition of β -haemolysis by opacity factor in group A streptococci, 355
- Maternal and neonatal sera, complement fixation and neutralization RS antibodies in, 411
 Microbiological investigation of acute summer gastroenteritis in Black South African infants, 377
 Milk causing bacteriostasis of *Escherichia coli*, I, 85. II, 235
 Myxomatosis: breeding large numbers of rabbit fleas (*Spilopsyllus cuniculi* Dale), 349
- Nesokia indica*, *Tatera indica* and *Bandicota bengalensis*, the susceptibility of to three anticoagulant rodenticides, 75
 Neuraminidase influenza A antibodies in children and young adults studied by serum absorption, 213
 Neutralization kinetics studies with type SAT2 foot-and-mouth disease virus strains I, 99; II, 429
- Ontario, the prevalence and epidemiology of toxoplasmosis in, 275
 Opacity factor in group A streptococci inhibiting β -haemolysis, 355
 Open air, the germicidal effect of in different parts of The Netherlands, 175
 Orkney, rubella in, 419
 Otitis externa, acute, in divers working in the North Sea: a microbiological survey of seven saturation dives, 395
 Ozone-olefin mixtures in air; survival of aerosolized bacteriophage ϕ X174 in, 189
 Ozone and ozonized cyclohexene; mechanisms of inactivation of bacteriophage ϕ X174 and its DNA in aerosols by, 199
- Path analysis: application in an epidemiological study of echinococcosis in New Zealand, 135
 Pig carcasses for human consumption in Hong Kong; a study of salmonella contamination in, 253
 Pigs in Cardiff abattoir 1968–1975: salmonella surveillance, 439
 Plague in Norway rats, decline of maternal antibodies to, 27
 Poliovirus; persistence of in activated sludge treatment, 165
 Porcine cytomegalovirus, experimental transplacental transmission of, 243
- Reliability of the examination of foods, processed for safety, for enteric pathogens and Enterobacteriaceae: a mathematical and ecological study, 301
 Response to inactivated influenza A (H3N2) vaccines: the development and effect of antibodies to the surface antigens, 363
 Rodenticides, three anticoagulant; their effect on *Tatera indica*, *Nesokia indica* and *Bandicota bengalensis*, 75
 RS antibodies in maternal and neonatal sera, 411
 Rubella in Orkney: seroepidemiology and vaccination, 419
- Salmonella in pig carcasses for human consumption in Hong Kong: a study on the mode of contamination, 253
Salmonella dublin infection in adult cattle: a slaughterhouse and knackery survey in South West Wales, 121
 Salmonella infection in animals in England and Wales, 1968–1974, 43
Salmonella johannesburg hospital infection and its possible role in the community spread of the infection in Hong Kong, 113
 Salmonella surveillance with reference to pigs – Cardiff abattoir 1968–1975, 439
Salmonella typhimurium bacteriophage-typing designations, 297
 Serological characterization of group A streptococci associated with skin sepsis in meat handlers, 283
 Serotypes of *Bacillus cereus* from outbreaks of food poisoning and from routine foods, 69

- Serotypes of *Escherichia coli* in the faeces of healthy adults over a period of several months, 95
- Skin bacteria, the effects of a deodorant and a plain soap upon, 1
- Skin sepsis in meat handlers associated with certain serological characters of group-A streptococci, 283
- Skin testing of tuberculosis patients with a range of new tuberculins, 331
- Soaps, deodorant and plain, their effects on human skin bacteria, 1
- South African Black infants, a microbiological investigation of acute summer gastroenteritis in, 377
- Spread in the community in Hong Kong of hospital *Salmonella johannesburg* infection, 113
- Stool viruses in babies in Glasgow, 261
- Streptococci of group A associated with skin sepsis in meat handlers, 283
- Streptococci of group A producing opacity factor which inhibits β -haemolysis, 355
- Survival of aerosolized bacteriophage ϕ X174 in air containing ozone-olefin mixtures, 189
- Tatera indica*, *Nesokia indica* and *Bandicota bengalensis*, their susceptibility to three anti-coagulant rodenticides, 75
- Thermal comfort of patients in hospital ward areas, 17
- Torulopsis glabrata* infections in Singapore: a 4-year study, 129
- Toxoplasmosis in Ontario, the prevalence and epidemiology of, 275
- Transplacental transmission of porcine cytomegalovirus, 243
- Tuberculin testing in hospital personnel, 325
- Tuberculosis patients, multiple skin testing of with a range of new tuberculins, and a comparison with leprosy and *Mycobacterium ulcerans* infection, 331
- Vanilla slices, the bacteriological quality of as sold retail, 387
- Viruses from stools of babies in Glasgow, 261
- Viruses: cytomegalo, 243; foot-and-mouth, 99, 429; influenza A, 213, 223, 363; polio, 165