

# The Journal of Laryngology and Otology

EDITED BY  
G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

## Contents

### EDITORIAL NOTE

PROBLEMS OF TYMPANOPLASTY . . . . . DIETRICH PLESTER

EXPERIENCE WITH PEDICLED TEMPORAL MUSCLE  
FLAPS IN RADICAL MASTOID AND TYMPANO-  
PLASTY OPERATIONS . . . . . I. B. THORBURN

IS MYRINGOPLASTY WORTHWHILE? . . . . . PHILIP H. BEALES

A CLINICAL EVALUATION OF THE USE OF PREMARIN IN  
THE TREATMENT OF EPISTAXIS . . . . . J. H. GRANT

THE HEMOPHILIAC AS A SURGICAL PROBLEM . . . . . D. F. N. HARRISON

### CLINICAL RECORDS—

A COMPLICATION OF THYROID ADENOMA . . . . . F. C. ROBSON  
and J. D. K. DAWES

PRELIMINARY COMMUNICATION: MYRINGOPLASTY  
PERFORMED WITH A PERITONEUM HOMO-  
GRAFT . . . . . D. A. BIRCH

FOUR RECENT CASES OF JUVENILE FIBRO-  
ANGIOMA OF THE POSTNASAL SPACE . . . . . F. C. W. CAPPS, G. IRVINE  
and P. TIMMIS

BENIGN LYMPHOID PSEUDOTUMOUR OF THE  
PHARYNX . . . . . JAMES E. CRESTON

A CASE OF SURGICAL OCCLUSION OF MASTOID  
AND ATTIC BY FASCIAL GRAFT: REMOVAL  
AFTER FOURTEEN YEARS . . . . . W. STIRK ADAMS ✓

### SOCIETIES' PROCEEDINGS—

ROYAL SOCIETY OF MEDICINE—SECTION OF  
OTOLOGY . . . . .

### GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8 The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

#### *United States of America*


Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1961

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# AND NOW

in sinus infections, head-colds, ear-aches,  
catarrhal congestion presenting with pain



## TRIOGESIC

WANDER

FOR DECONGESTION WITH ANALGESIA

**FORMULA PER TABLET**

'Triominic' . . . 25 mg. P.I

Paracetamol . . . 500 mg.

per 4 ml. Suspension:

'Triominic' . . . 12.5 mg. P.I

Paracetamol . . . 250 mg.

'Triominic' contains

50% phenylpropanolamine-HCl,

25% mepyramine maleate and

25% pheniramine maleate.

**DOSAGE:**

Adults:

1 Tablet every

three to four hours.

Children:

1 teaspoonful every

three to four hours.

**PACKS & BASIC N.H.S. PRICES**

30 Tablets 3/6 + P.T.

4 fl. oz. Suspension 3/6 + P.T.

'Triogesic' gives prompt symptomatic relief by associating the established decongestant with antihistaminic actions of 'Triominic' with the reliable and safe analgesic action of paracetamol.

'Triogesic' is available both as scored tablets and in flavoured suspension.




A. WANDER LTD.,

42 Upper Grosvenor St., London W.1.

M426

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**Biomydrin** lets the air come through

**Penetration.** Biomydrin contains thonzonium bromide, a mucolytic agent which breaks through the mucus barrier, ensuring that the therapeutic agents reach the affected areas. In addition, thonzonium bromide facilitates the spread of the solution.

**Against infection.** Biomydrin contains two antibiotics—neomycin and gramicidin. These provide effective bactericidal action against both Gram-positive and Gram-negative pathogens. Thonzylamine hydrochloride is the antihistamine in the Biomydrin formula to control allergic reactions effectively and safely.

**Decongestion.** Biomydrin contains phenylephrine hydrochloride in a safe concentration (0.25%) which promotes and sustains decongestion and drainage without rebound congestion. This ensures a rapid control of symptoms.


**Presentation.** An improved plastic atomizer, convenient for the pocket, containing  $\frac{1}{2}$  fl. oz. Biomydrin is available on prescription only: it cannot be bought by the public for self-medication.

WILLIAM R. WARNER & CO. LTD. EASTLEIGH HAMPSHIRE TELEPHONE: EASTLEIGH 3131

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

## CASE I.

# Fitting HEARING AIDS in DIFFICULT CASES

**Case I: LORD E. AGE 75**

*History:* Progressive deterioration in hearing over many years. Presbycusis. Tried several hearing aids without success.

*Hearing aid fitting:* Amplivox Model AV, 9W wide range phone, amplifier with reduced low tone response. Maximum AVC setting.

*Maximum Intelligibility:* With hearing aid in left ear—90%

*Remarks:* Has expressed great satisfaction with clarity of tone and the substantial assistance obtained in all situations.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many

incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette.

There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a reliable and thorough service for the hard-of-hearing.

For further information and descriptive literature please telephone the local Amplivox Centre or write to:

## AMPLIVOX LTD.

80 New Bond Street, London, W.1  
Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH,  
BRISTOL, CARDIFF, EDINBURGH, GLASGOW,  
HULL, LEEDS, LEICESTER, LIVERPOOL,  
MANCHESTER, NEWCASTLE, DUBLIN

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

## POST-TONSILLECTOMY COMFORT

### Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides  $3\frac{1}{2}$  grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

# Aspergum (Category S)

for more than two decades a dependable  
and welcome aid to patient-comfort

*Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250*

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

# THE LARYNGOSCOPE

A Monthly Journal  
devoted to the disease of  
EAR, NOSE AND THROAT

*Official organ for the American Laryngological  
Rhinological and Otological Society*

Price \$15.00 per year      Canada \$15.50 per year  
Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D.  
FOUNDER

THEODORE E. WALSH, M.D.  
EDITOR

640 SOUTH KINGSHIGHWAY  
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- announcing a new preparation for mouth and throat infections

# PRISTACIN



## **BACTERICIDAL AND ANTIMYCOTIC CHEWING GUM**

Pristacin contains cetyl pyridinium chloride 4 mg. and sodium propionate 10 mg. in a chewing gum base that is carefully flavoured for high acceptability. The packet of 12 pieces costs 1/8d. basic NHS price and the recommended dose is 3 to 4 pieces a day, each piece to be chewed for as long as possible.

**PRISTACIN BATHES  
THE THROAT IN A  
BACTERICIDAL AND  
ANTIMYCOTIC SOLUTION**

### **PRISTACIN PROMOTES PHYSIOLOGICAL HEALING**

increases salivation—the natural way of keeping mouth and teeth clean and healthy, and reducing inflammation.


### **CHILDREN, ESPECIALLY, WILL LIKE PRISTACIN**

Samples and literature may be obtained from  
**HORLICKS LIMITED, Pharmaceutical Division, Slough, Bucks**

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**“Hearing Aid?  
I always  
send  
my patients  
to  
Ingrams”**



**REFER YOUR  
PATIENTS TO  
Ingrams**

**The Independent  
Hearing Aid Suppliers**

*Member of the Society of Hearing  
Aid Audiologists.*

**Resident Representatives  
in all parts of the country.**

*Largest selection of Different Makes in the Country*

“I know my patients get the best possible choice of aids with Ingrams. Ingrams don’t make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London.”

**Ingrams Hearing Aids Limited**

**2, Shepherd Street, Shepherd Market,  
London, W.1.**

**HYDe Park 9041 and 9042**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**First clinical audiometer  
to provide  
100% accurate audiograms**



# AMPLIVOX MODEL 82

**world's most fully-developed clinical audiometer**


It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

## AMPLIVOX LTD

Medical Acoustic Division  
80 New Bond St, London W.1. Tel: HYDe Park 9888



**SEND FOR THIS  
DESCRIPTIVE  
BROCHURE**

Containing full information on the latest audiometric techniques in air and bone conduction.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# The Journal of Laryngology and Otology

## CONTENTS

	PAGE
EDITORIAL NOTE . . . . .	877
PROBLEMS OF TYMPANOPLASTY. Dietrich Plester . . . . .	879
EXPERIENCE WITH PEDICLED TEMPORAL MUSCLE FLAPS IN RADICAL MASTOID AND TYMPANOPLASTY OPERATIONS. I. B. Thorburn (Blackpool) . . . . .	885
IS MYRINGOPLASTY WORTHWHILE? Philip H. Beales (Doncaster) . . . . .	897
A CLINICAL EVALUATION OF THE USE OF PREMARIN IN THE TREATMENT OF EPISTAXIS. J. H. Grant (Liverpool) . . . . .	909
THE HÆMOPHILIAC AS A SURGICAL PROBLEM, D. F. N. Harrison (London) . . . . .	913
CLINICAL RECORDS—	
A Complication of Thyroid Adenoma. F. C. Robson and J.D.K. Dawes (Newcastle-upon-Tyne) . . . . .	917
Preliminary Communication: Myringoplasty Performed with a Peritoneum Homograft. D. A. Birch (London) . . . . .	922
Four Recent Cases of Juvenile Fibroangioma of the Postnasal Space. F. C. W. Capps, G. Irvine (R.N.) and P. Timmis (London) . . . . .	924
Benign Lymphoid Pseudotumour of the Pharynx. James E. Creston (Washington D.C.) . . . . .	932
A Case of Surgical Occlusion of Mastoid and Attic by Fascial Graft: Removal after Fourteen Years. W. Stirk Adams (Birmingham) . . . . .	935
SOCIETIES' PROCEEDINGS	
Royal Society of Medicine—Section of Otology . . . . .	939
GENERAL NOTES . . . . .	945

**For Advertisement space in this Journal apply to:  
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2**



WALTER G. HOWARTH