

PARASITOLOGY

PARASITOLOGY

(*Founded by G. H. F. Nuttall, F.R.S.*)

EDITOR

The late H. D. CROFTON

EDITORIAL BOARD

GWENDOLEN REES, F.R.S. (*Chairman*)

D. R. ARTHUR

J. LLEWELLYN

S. COHEN

W. F. MAI

C. ELLENBY

B. A. NEWTON

L. G. GOODWIN

C. P. READ

C. A. HOPKINS

S. R. SMITHERS

D. L. LEE*

P. TATE

* representing the British Society for Parasitology

EDITORIAL PANEL

The Editor is also assisted in the refereeing and editing of papers by the following:

R. A. AVERY

BRIDGET M. OGILVIE

D. A. ERASMUS

M. ELAINE ROSE

L. P. JOYNER

G. SALT, F.R.S.

ELSPETH W. McCONNACHIE

G. I. SHARPE

J. SMART

VOLUME 64, 1972

CAMBRIDGE

AT THE UNIVERSITY PRESS

1972

PUBLISHED BY
THE SYNDICS OF THE UNIVERSITY PRESS
Bently House, 200 Euston Road, London NW1 2BD
American Branch: 32 East 57th Street, New York, N.Y. 10022

CONTENTS

(All rights reserved)

PART 1, FEBRUARY 1972

	PAGE
WATTS, STUART D. M. Amino acid flux in the sporocysts of <i>Cercaria emasculans</i> Pelseneer, 1906 <i>in vitro</i> . (With 5 Figures in the Text)	1
ROTHERHAM, SUSAN and CROMPTON, D. W. T. Observations on the early relationship between <i>Moniliformis dubius</i> (Acanthocephala) and the haemocytes of the intermediate host, <i>Periplaneta americana</i> . (With 4 Plates)	15
ROBERTS, MICHAEL J. The role of the choriothete in tsetse flies. (With 1 Plate and 12 Figures in the Text)	23
GUTTERIDGE, W. E., TRIGG, P. I. and BAYLEY, P. M. Effects of chloroquine on <i>Plasmodium knowlesi in vitro</i> . (With 5 Figures in the Text)	37
BRACK, M. Histochemistry of the lung mite pigment in infections of <i>Pneumonyssus</i> sp. in non-human Primates	47
HODASI, J. K. M. The output of cercariae of <i>Fasciola hepatica</i> by <i>Lymnaea truncatula</i> and the distribution of metacercariae on grass	53
SIMPSON, M. G. and LAURENCE, B. R. Histochemical studies on microfilariae. (With 2 Plates and 1 Figure in the Text)	61
FONTANA, P. G. Larvae of <i>Dichetophora biroi</i> (Kertesz, 1901) (Diptera: Sciomyzidae) feeding on <i>Lymnaea tomentosa</i> (Pfeiffer, 1855) snails infected with <i>Fasciola hepatica</i> L.	89
LACKIE, J. M. The course of infection and growth of <i>Moniliformis dubius</i> (Acanthocephala) in the intermediate host <i>Periplaneta americana</i> . (With 2 Figures in the Text)	95
MULLER, RALPH. Maintenance of <i>Dracunculus medinensis</i> (L.) in the laboratory and observations on experimental infections. (With 2 Figures in the text)	107
PHILLIPS, R. S. and JONES, VALERIE E. Immunity to <i>Plasmodium berghei</i> in rats: maximum levels of protective antibody activity are associated with eradication of the infection. (With 6 Figures in the Text)	117
CHENG, THOMAS C. and BIER, JEFFREY W. Studies on molluscan schistosomiasis: An analysis of the development of the cercaria of <i>Schistosoma mansoni</i> . (With 2 Plates and 19 Figures in the Text)	129
PRADHAN, S. L. and JOHNSTONE, I. L. <i>Haemonchus contortus</i> – the effect on lambs of prolonged exposure to daily and weekly doses of infective larvae. (With 5 Figures in the Text)	143
PRADHAN, S. L. and JOHNSTONE, I. L. <i>Haemonchus contortus</i> – haematological changes in lambs during prolonged exposure to daily and weekly doses of infective larvae. (With 3 Figures in the Text)	153

- GORDON, ROGER and WEBSTER, JOHN M. Nutritional requirements for protein synthesis during parasitic development of the entomophilic nematode *Mermis nigrescens*. (With 4 Figures in the Text) 161

PART 2, APRIL 1972

- SMITH, K. and HARNESSE, E. The ultrastructure of the adult stage of *Trichostrongylus colubriformis* and *Haemonchus placei*. (With 6 Plates) 173
- ALPHEY, T. J. W. An *in vitro* study of the effect of oxygen tension upon the motility of *Nippostrongylus brasiliensis*. (With 1 Plate and 1 Figure in the Text) 181
- STRANACK, F. R. The fine structure of the acanthor shell of *Pomphorhynchus laevis* (Acanthocephala). (With 4 Plates) 187
- WILSON, R. J. M. and VOLLER, A. A comparison of malarial antigens from human and *Aotus* monkey blood infected with *Plasmodium falciparum*. (With 2 Plates) 191
- MAPES, C. J. and COOP, R. L. The development of single infections of *Nematodirus battus* in lambs. (With 13 Figures in the Text) 197
- KELLER, R. and OGILVIE, BRIDGET M. The effects of drugs on worm expulsion in the *Nippostrongylus brasiliensis* infected rat: a discussion of the interpretation of drug action. (With 1 Figure in the Text) 217
- CONNAN, R. M. The effect of host lactation on a second infection of *Nippostrongylus brasiliensis* in rats 229
- SCHMIDT, G. D. and KUNTZ, R. E. Nematode parasites of Oceanica. XVI. *Cordonema venusta* gen. et. sp.nov., and *Skrjabinochlava* spp. (Acuariidae: Echinuriinae), from birds. (With 17 Figures in the Text) 235
- HOCKLEY, D. J. *Schistosoma mansoni*: the development of the cercarial tegument. (With 3 Plates) 245
- NARANG, H. K. The excretory system of nematodes: structure and ultrastructure of the excretory system of *Panagrellus redivivus*, *Ditylenchus myceliophagus* with some observations on *D. dipsaci* and *Heterodera rostochiensis*. (With 7 Plates and 3 Figures in the Text) 253
- SCHMIDT, G. D. and KUNTZ, R. E. Nematode parasites of Oceanica. XVII. Schistorophidae, Spiruridae, Physalopteridae and Trichostrongylidae of birds. (With 20 Figures in the Text) 269
- CROLL, N. A. and AL-HADITHI, I. Sensory basis of activity in *Ancylostoma tubaeforme* infective larvae. (With 11 Figures in the Text) 279
- GALLIE, G. J. Development of the parasitic stages of *Nematodirus battus* in the laboratory rabbit. (With 6 Figures in the Text) 293
- GIMENEZ, A. and ROCHE, M. Influence of male and female *Nippostrongylus brasiliensis* on each others' distribution in the intestine of the rat. (With 4 Figures in the Text) 305
- MOSS, G. D. The effect of cortisone acetate treatment on the growth of *Hymenolepis microstoma* in mice. (With 8 Figures in the Text) 311

WILLIAMS, R. T. The distribution and abundance of the ectoparasites of the wild rabbit, <i>Oryctolagus cuniculus</i> (L.), in New South Wales, Australia. (With 1 Figure in the Text)	321
SPRENT, J. F. A. <i>Cotylascaris thylacini</i> : a synonym of <i>Ascaridia columbae</i>	331
GILBERT, B., DA ROSA, MARLENE N., BOROJEVIĆ, R. and PELLEGRINO, J. <i>Schistosoma mansoni</i> : <i>in vitro</i> transformation of cercariae into schistosomula	333
LIU, T. P. and DAVIES, D. M. Organization of frozen-etched <i>Thelohania bracteata</i> (Strickland, 1913) (Microsporida, Nosematidae) emphasizing the fine structure of the posterior vacuole. (With 3 Plates)	341
PROBERT, A. J., GOIL, M. and SHARMA, R. K. Biochemical and histochemical studies on the non-specific phosphomonoesterases of <i>Fasciola gigantica</i> Cobbold 1855. (With 2 Figures in the Text)	347

PART 3, JUNE 1972

CROLL, NEIL A. Energy utilization of infective <i>Ancylostoma tubaeforme</i> larvae. (With 9 Figures in the Text)	355
CROLL, NEIL A. Feeding and lipid synthesis of <i>Ancylostoma tubaeforme</i> preinfective larvae. (With 7 Figures in the Text)	369
CHAPPELL, L. H., SOUTHWORTH, G. C. and READ, C. P. Short-interval absorption and metabolism of some amino acids in <i>Trypanosoma gambiense</i>	379
LETHBRIDGE, R. C. <i>In vitro</i> hatching of <i>Hymenolepis diminuta</i> eggs in <i>Tenebrio molitor</i> extracts and in defined enzyme preparations. (With 3 Figures in the Text)	389
HOPKINS, C. A., SUBRAMANIAN, G. and STALLARD, HELEN. The development of <i>Hymenolepis diminuta</i> in primary and secondary infections in mice. (With 6 Figures in the Text)	401
WHITLOCK, J. H., CROFTON, H. D. and GEORGI, J. R. Characteristics of parasite populations in endemic trichostrongylidosis. (With 3 Figures in the Text)	413
PURNELL, R. E., DARGIE, J. D., GILLIVER, B., IRVIN, A. D. and LEDGER, M. A. Some effects of irradiation on the tick <i>Rhipicephalus appendiculatus</i>	429
EVELAND, L. K. and RITCHIE, LAWRENCE S. Infectivity of cercariae of <i>Schistosoma mansoni</i> from snails on inadequate diets.	441
BRUCE, A. J. <i>Orophryxus shiinoi</i> gen.nov., sp.nov., an unusual phryxid (Crustacea, Isopoda, Bopyridae) parasitic upon a pontoniid shrimp from Zanzibar. (With 3 Figures in the Text)	445
GIBSON, T. E. and EVERETT, G. The ecology of the free-living stages of <i>Ostertagia circumcincta</i> . (With 6 Figures in the Text)	451
OGBOURNE, C. P. Observations on the free-living stages of strongylid nematodes of the horse. (With 8 Figures in the Text)	461
JOYNER, L. P. and NORTON, C. C. The development of <i>Eimeria acervulina</i> in the caeca of young fowls. (With 1 Plate)	479

	PAGE
KENNEDY, C. R. The effect of the cestode <i>Caryophyllaeus laticeps</i> upon production and respiration of its intermediate host. (With 5 Figures in the Text) . . .	485
BAYNE, C. J. On the reported occurrence of an edysone-like steroid in the fresh-water snail, <i>Biomphalaria glabrata</i> (Pulmonata; Basommatophora), intermediate host of <i>Schistosoma mansoni</i> . (With 1 Plate and 1 Figure in the Text)	501
BURRIDGE, M. J., MORZARIA, S. P., CUNNINGHAM, M. P. and BROWN, C. G. D. Duration of immunity to East Coast fever (<i>Theileria parva</i> infection of cattle	511
CROMPTON, D. W. T. and WALTERS, D. E. An analysis of the course of infection of <i>Moniliformis dubius</i> (Acanthocephala) in rats. (With 2 Figures in the Text)	517
DENNIG, H. K. and BROCKLESBY, D. W. <i>Babesia panterae</i> sp.nov., a piroplasm of the leopard (<i>Panthera pardus</i>). (With 1 Plate and 4 Figures in the Text) . .	525

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to The Editors, The Molteno Institute, Downing Street, Cambridge CB2 3EE.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side of quarto paper leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the author's names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should where necessary be on separate sheets (see below).

SYMBOLS, SIGNS AND ABBREVIATIONS used should be those listed in the booklet *Symbols, Signs and Abbreviations recommended for British Scientific Publications* (The Royal Society, 1969).

PLATES should only be included where they are absolutely essential. Authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping). The area of a group cannot exceed 20 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 20 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper or tracing paper; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Lettering should be limited to features essential to the understanding of the drawing or photograph, and abbreviations should be avoided wherever possible so that the details can be readily understood without reference to an explanatory key. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification should be given along-

side the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs, avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1964, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal *in full*; volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W.1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Twenty-five offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of papers for Publication in the *Journal of Hygiene* and in *Parasitology*, *Parasitology* **32**, 1-62 and *J. Hyg., Camb.* **40**, 1-62. (Now out of print and also out of date in some respects.)
The Journal of Physiology (1966). Suggestions to Authors **182**, 1-33, Cambridge University Press.
THE ROYAL SOCIETY published a second edition of *General Notes on the Preparation of Scientific Papers* in 1965. (The Royal Society, 6 Carlton House Terrace, London S.W.1.)

PARASITOLOGY

Volume 64, Part 3, June 1972

CONTENTS

	PAGE
CROLL, NEIL A. Energy utilization of infective <i>Ancylostoma tubaeforme</i> larvae. (With 9 Figures in the Text)	355
CROLL, NEIL A. Feeding and lipid synthesis of <i>Ancylostoma tubaeforme</i> preinfective larvae. (With 7 Figures in the Text).	369
CHAPPELL, L. H., SOUTHWORTH, G. C. and READ, C. P. Short-interval absorption and metabolism of some amino acids in <i>Trypanosoma gambiense</i>	379
LETHBRIDGE, R. C. <i>In vitro</i> hatching of <i>Hymenolepis diminuta</i> eggs in <i>Tenebrio molitor</i> extracts and in defined enzyme preparations. (With 3 Figures in the Text)	389
HOPKINS, C. A., SUBRAMANIAN, G. and STALLARD, HELEN. The development of <i>Hymenolepis diminuta</i> in primary and secondary infections in mice. (With 6 Figures in the Text)	401
WHITLOCK, J. H., CROFTON, H. D. and GEORGI, J. R. Characteristics of parasite populations in endemic trichostrongylidosis. (With 3 Figures in the Text)	413
PURNELL, R. E., DARGIE, J. D., GILLIVER, B., IRVIN, A. D. and LEDGER, M. A. Some effects of irradiation on the tick <i>Rhipicephalus appendiculatus</i>	429
EVELAND, L. K. and RITCHIE, LAWRENCE S. Infectivity of cercariae of <i>Schistosoma mansoni</i> from snails on inadequate diets	441
BRUCE, A. J. <i>Orophryxus shiinoi</i> gen.nov., sp.nov., an unusual phryxid (Crustacea, Isopoda, Bopyridae) parasitic upon a pontoniid shrimp from Zanzibar. (With 3 Figures in the Text)	445
GIBSON, T. E. and EVERETT, G. The ecology of the free-living stages of <i>Ostertagia circumcincta</i> . (With 6 Figures in the Text)	451
OGBOURNE, C. P. Observations on the free-living stages of strongylid nematodes of the horse. (With 8 Figures in the Text)	461
JOYNER, L. P. and NORTON, C. C. The development of <i>Eimeria acervulina</i> in the caeca of young fowls. (With 1 Plate)	479
KENNEDY, C. R. The effect of the cestode <i>Caryophyllaeus laticeps</i> upon production and respiration of its intermediate host. (With 5 Figures in the Text)	485
BAYNE, C. J. On the reported occurrence of an ecdysone-like steroid in the freshwater snail, <i>Biomphalaria glabrata</i> (Pulmonata; Basommatophora), intermediate host of <i>Schistosoma mansoni</i> . (With 1 Plate and 1 Figure in the Text)	501
BURRIDGE, M. J., MORZARIA, S. P., CUNNINGHAM, M. P. and BROWN, C. G. D. Duration of immunity to East Coast fever (<i>Theileria parva</i> infection of cattle)	511
CROMPTON, D. W. T. and WALTERS, D. E. An analysis of the course of infection of <i>Moniliformis dubius</i> (Acanthocephala) in rats. (With 2 Figures in the Text)	517
DENNIG, H. K. and BROCKLESBY, D. W. <i>Babesia panterae</i> sp.nov., a piroplasm of the leopard (<i>Panthera pardus</i>). (With 1 Plate and 4 Figures in the Text)	525

© Cambridge University Press, 1972

Printed in Great Britain at the University Printing House, Cambridge