




**jmr** Journal of  
MATERIALS RESEARCH



VOLUME 29 • NO 5  
MARCH 14, 2014

A publication of the

**MRS** MATERIALS RESEARCH SOCIETY®  
*Advancing materials. Improving the quality of life.*

CAMBRIDGE  
UNIVERSITY PRESS

# Journal of MATERIALS RESEARCH

**JOURNAL OF MATERIALS RESEARCH (JMR)** is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

**JMR** publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

**Manuscripts** must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x 11 in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

**Articles** are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

**Commentaries and Reviews:** *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

**Color policy:** It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

**Copyright © 2014**, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center <http://www.copyright.com>, email: [info@copyright.com](mailto:info@copyright.com).

---

## Journal of Materials Research Subscription Prices (2014)

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$267.00	\$303.00	\$100.00
Institutions	\$1693.00	\$1683.00	\$1528.00

---

*Journal of Materials Research* (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013 – 2473 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2113, USA.

**Subscriptions, renewals, address changes, and single-copy orders** should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, NY 10994-2133, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

**Reprints** of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press.

**Individual member subscriptions are for personal use only.**

# Journal of MATERIALS RESEARCH

**Editor-in-Chief:** Gary L. Messing, *The Pennsylvania State University*

**Associate Editor, Biomaterials:** Adrian Mann, *Rutgers University*

**Associate Editor, Metallic Materials:** Jürgen Eckert, *IFW Dresden, Germany*

**Associate Editor, Polymers and Organic Materials:** Howard E. Katz, *Johns Hopkins University*

**Editorial Office:** Eileen Kiley Novak, *Director of Communications, Materials Research Society, Warrendale, PA*  
Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*  
Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*  
Sarah E. Ashlock, *JMR Production Assistant, Materials Research Society, Warrendale, PA*

## 2014 Principal Editors:

Lennart Bergström, *Stockholm University, Sweden*

Robert C. Cammarata, *Johns Hopkins University*

Edwin A. Chandross, *MaterialsChemistry LLC*

Ping Chen, *Dalian Institute of Chemical Physics, China*

Xiaobo Chen, *University of Missouri-Kansas City*

Yang-T. Cheng, *University of Kentucky*

Paolo Colombo, *University of Padova, Italy; The Pennsylvania State University*

Franz Faupel, *Universität Kiel, Germany*

David S. Ginley, *National Renewable Energy Laboratory*

Amit Goyal, *UT-Battelle/Oak Ridge National Laboratory*

Mikko P. Haataja, *Princeton University*

Andrea M. Hodge, *University of Southern California*

Himanshu Jain, *Lehigh University*

Suk-Joong L. Kang, *Korean Advanced Institute of Science and Technology, Republic of Korea*

C. Robert Kao, *National Taiwan University, Taiwan*

Koichi Kugimiya, *Osaka University, Japan*

Edson Roberto Leite, *Universidade Federal de São Carlos, Brazil*

Yadong Li, *Tsinghua University, China*

Jörg Löffler, *ETH Zurich, Switzerland*

Sanjay Mathur, *University of Cologne, Germany*

Michael E. McHenry, *Carnegie Mellon University*

Scott T. Misture, *Alfred University*

Paul Muralt, *Ecole Polytechnique Federale de Lausanne, Switzerland*

Akira Nakajima, *Tokyo Institute of Technology, Japan*

Cewen Nan, *Tsinghua University, China*

George M. Pharr, *University of Tennessee*

Ian M. Reaney, *The University of Sheffield, United Kingdom*

Joan M. Redwing, *The Pennsylvania State University*

Clifford L. Renschler, *Sandia National Laboratories*

Edward M. Sabolsky, *West Virginia University*

Winston Schoenfeld, *University of Central Florida*

Don W. Shaw, *The University of Texas at Dallas*

Susan B. Sinnott, *University of Florida*

Eric A. Stach, *Brookhaven National Laboratory*

Jay A. Switzer, *Missouri University of Science and Technology*

Mauricio Terrones, *The Pennsylvania State University; Shinshu University, Japan*

Terry M. Tritt, *Clemson University*

José Arana Varela, *University of Sao Paulo State, Brazil*

William J. Weber, *University of Tennessee/Oak Ridge National Laboratory*

Sam Zhang, *Nanyang Technological University, Singapore*

Yanchun Zhou, *Aerospace Research Institute of Materials and Processing Technology, China*

Cover: FIG. 1(c). SEM image of polymorphous ZnO samples produced at en/Zn<sup>2+</sup> molar ratio of 1.0. [G. Tong, F. Du, C. Tong, Y. Liu, and J. Tao: Selective Synthesis and Shape-Dependent Microwave Electromagnetic Properties of Polymorphous ZnO Complex Architectures. p. 649].

# Journal of MATERIALS RESEARCH

Volume 29, Number 5, March 14, 2014

## ARTICLES

- 609–616 **Synthesis of nanoparticles, nanorods, and mesoporous SnO<sub>2</sub> as anode materials for lithium-ion batteries**  
Zheng Jiao, Dandan Chen, Yong Jiang, Haijiao Zhang, Xuetao Ling, Hua Zhuang, Ling Su, Hui Cao, Ming Hou, Bing Zhao
- 617–624 **In situ chemical synthesis of SnO<sub>2</sub>/reduced graphene oxide nanocomposites as anode materials for lithium-ion batteries**  
Haijiao Zhang, Panpan Xu, Yang Ni, Hongya Geng, Guanghong Zheng, Bin Dong, Zheng Jiao
- 625–632 **Nanocomposite polymer electrolytes comprising PVA-graft-PEGME/TiO<sub>2</sub> for Li-ion batteries**  
Hamide Aydın, Ayhan Bozkurt
- 633–640 **Highly fluorescent CdTe nanocrystals: Synthesis, characterization, property, mechanism, and application as a sensor for biomolecule analysis**  
Jun Yao, Mei Yang, Yixiang Duan
- 641–648 **Enhanced photocatalytic activities on Bi<sub>2</sub>O<sub>2</sub>CO<sub>3</sub>/ZnWO<sub>4</sub> nanocomposites**  
Na Tian, Hongwei Huang, Yihe Zhang, Ying He
- 649–656 **Selective synthesis and shape-dependent microwave electromagnetic properties of polymorphous ZnO complex architectures**  
Fangfang Du, Guoxiu Tong, Chaoli Tong, Yun Liu, Jianqing Tao
- 657–664 **Multiferroic CoFe<sub>2</sub>O<sub>4</sub>–BiFeO<sub>3</sub> core–shell nanofibers and their nanoscale magnetoelectric coupling**  
Qingfeng Zhu, Ying Xie, Jing Zhang, Yuanming Liu, Qingfeng Zhan, Hongchen Miao, Shuhong Xie
- 665–674 **Toughening polymer adhesives using nanosized elastomeric particles**  
Qingshi Meng, Sherif Araby, Nasser Saber, Hsu-Chiang Kuan, Jiabin Dai, Lee Luong, Jun Ma, Chun H. Wang
- 675–683 **Lanthanide (Eu<sup>3+</sup>, Tb<sup>3+</sup>) functionalized SBA-15 through modified hexafluoroacetylacetone linkage: Covalently bonding construction, physical characterization, and luminescent properties**  
Ya-Juan Li, Xudong Yu, Xiaojing Wang, Minli Yang
- 684–694 **Microstructural evolution and bonding mechanisms of the brazed Ti/ZrO<sub>2</sub> joint using an Ag<sub>68.8</sub>Cu<sub>26.7</sub>Ti<sub>4.5</sub> interlayer at 900 °C**  
Shen-Hung Wei, Chien-Cheng Lin
- 695–707 **On acquiring true stress–strain curves for sheet specimens using tensile test and FE analysis based on a local necking criterion**  
Hong Chul Hyun, Minsoo Kim, Sungsik Bang, Hyungyil Lee
- 708–717 **Synthesis of high strength aluminum alloys in the Al–Ni–La system**  
Juan Mu, Pengfeng Sha, Zhengwang Zhu, Yandong Wang, Haifeng Zhang, Zhuangqi Hu
- 718–728 **Incipient straining in severe plastic deformation methods**  
Fei Du, Shwetabh Yadav, Cesar Moreno, Tejas Gorur Murthy, Christopher Saldana

## CORRIGENDUM

- 729 **Adhesion, micro- strain and corrosion behavior of ZrN coated AZ91 alloy as a function of temperature.– CORRIGENDUM**  
Seyed Rahim Kiahosseini, Abdollah Afshar, Majid Mojtahedzadeh Larijani, Mardali Yousefpour