

VOL. IV.—1890.

c

THE JOURNAL
OF
LARYNGOLOGY
AND
RHINOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT AND NOSE.*

EDITED BY

SIR MORELL MACKENZIE, M.D. Lond.,

AND

R. NORRIS WOLFENDEN, M.D. Cantab.,

WITH THE CO-OPERATION OF

DR. JOHN N. MACKENZIE (BALTIMORE)
DR. BRYSON DELAVAN (NEW YORK)
DR. W. PORTER (ST. LOUIS)
DR. JOAL (MONT DORE)
PROF. MASSEI (NAPLES)
PROF. GUYE (AMSTERDAM)
DR. CAPART (BRUSSELS)
DR. CONSTANTIN KARWOWSKI (WARSAW)
DR. BARCLAY J. BARON (BRISTOL)

DR. VALERIUS IDELSON (BERNE)
DR. MICHAEL (HAMBURG)
PROF. RAMON DE LA SOTA Y LASTRA
(SEVILLE)
DR. HOLGER MYGIND (COPENHAGEN)
DR. SMYLY (DUBLIN)
DR. DAVID COLLINGWOOD (SYDNEY)
DR. G. W. MAJOR (MONTREAL)
DR. MAXWELL ROSS (EDINBURGH)

AND

Dr. G. HUNTER MACKENZIE (Edinburgh).

Published Monthly.

F. A. DAVIS,

LONDON:
40, BERNERS STREET, W.

PHILADELPHIA:
1231, FILBERT STREET.

c.

CONTENTS.

Original Article--

CHRONIC RHEUMATIC SORE THROAT. BY E. FLETCHER INGALS,
p. 145.

Abstracts of Current Literature relating to—

INSTRUMENTS AND THERAPEUTICS, p. 149.

DIPHThERIA, p. 151.

MOUTh, TONGUE, TONSILS, PHARYNX, &c., p. 153.

NOSE AND NASO-PHARYNX, p. 159.

LARYNX, p. 166.

ThYROID GLAND AND NECK, p. 175.

Note—

THE TENTH INTERNATIONAL MEDICAL CONGRESS, BERLIN, 1890,
p. 178.

"TABLOIDS" OF COMPRESSED DRUGS.

LONDON]

APRIL.

[1890.

ANTIPIRYN.

This new antipyretic and analgesic has evidently come to stay, from the fact that it has been made official in the Austrian Pharmacopœia. The literature written with reference to this drug is most voluminous, and its usefulness in numerous pathological conditions is fully corroborated by the mass of practitioners. As an antipyretic it has no equal in materia medica. In rheumatism it is said to act as an anodyne for the relief of pain, also in hemicrania, neuralgia, sciatica, asthma, and headache. Most satisfactory results have attended its employment as a hæmostatic, in uterine hæmorrhage. Bilhaut and Hénocque consider Antipyrin of much value. A 5 per cent. solution is used as a constant strength for the relief of mucous surfaces, or it may be applied to the skin.



Bokenham obtained good results in over 100 cases of headache of different forms, especially in migraine, and encouraging effects in twenty cases of epilepsy.


In some instances an abundant eruption of urticaria appeared, probably due to the rapid assimilation of the drug when given in solution. The Tablets of Antipyrin are said to prevent this effect, since when taken in the solid form the assimilation is more gradual, while the physiological effect is as certain.

Antipyrin Tablets, 5 grs., supplied to the medical profession in bottles, containing 25 and 100, at 1s. 6d. and 4s. 6d. each.

CHLORATE OF POTASH TABLOIDS.

By using the Tablets the drug is effectually brought in contact with the oral mucous surfaces as a continuous gargle, and its specific action made certain. In acute sore

throat, Chlorate of Potash usually relieves the uneasiness in a few hours" (Cohen).



"It is used in ulcerated mouth and follicular pharyngitis, and has been employed in croup, diphtheria, and spasm of the larynx" (Brunton).

"Of convenient size, they are beautifully made; and, as they dissolve slowly in the mouth, are well suited for throat affections."—The LANCET.

Supplied to the profession in beautifully graven white metal boxes, blue silk label, at 4d. and 9d. Retail prices, 6d. and 1s. each.

VOICE TABLOIDS.

Composed of COCAINE, Chlorate of Potash and Borax.

Impart a clear and silvery tone to the voice. Easily retained in the mouth while singing or speaking. Now used by the leading singers and public speakers throughout the world.

DIRECTIONS.—A single Tabloid may be single dissolved in the mouth to remove huskiness or hoarseness.

Supplied to the profession in beautifully graven white metal boxes, with blue silk labels, at 8d. and 1s. 4d. each. Retail prices, 1s. and 2s. per box.

CHLORATE OF POTASH & BORAX TABLOIDS.

The Tablets afford an agreeable form in which to administer Chlorate of Potash and Borax.

Supplied to the profession in beautifully graven white metal boxes, with pink silk labels, at 4d. and 9d. Retail prices, 6d. and 1s.

TABLOIDS prepared by B. W. & Co.

Aconite Tinct., 1 min.

Aloin, 1/10 gr.

Ammon. Bromide, 5 and 10 gr.

Ammon. Chloride, 3, 5, and 10 gr.

Ammon. Chloride with Borax.

Anti-Con- { Aloin, 1-5 gr. Strych.

-stipation { 1-60.

Belladonna. Ex. 1-8 gr.

Ipecac. 1-10 gr.

Antifebrin, 2 gr.

Antimony Tartrate, 1/50 gr.

Antipyrin, 5 gr.

Apomorphine Mur., 1/50 gr.

Arsenious Acid, 1/100 and 1/50 gr.

Atropin Sulph., 1/100 gr.

Belladonna Tinct., 1 min.

Bismuth Sub-nit., 5 and 10 gr.

Blue Pill.

Borax, 5 grs.

Caffein Citrate, 1 gr.

Calcium Sulphide, 1/10 gr.

Calomel, 1/10 and 1 gr.

Capsicum Tinct., 1 min.

Cascara Sagrada Ext., 2 gr.

{ Cascara Sagrada Ext. (dry), 1 gr.

{ Euonymin, 1/2 gr.

{ Nux Vomica Ext. 1/16 gr.

Cathartic Comp. U. S. P.

Charcoal, 5 gr.

Chloral Hydrate, 5 and 10 gr.

Cocaine, Potash and Borax (Voice).

Cretæ Aromat. cum Opio Pulv., 5 gr.

Digitalis Tinct., 1 min.

Digitalin, 1/100 gr.

Dover Powder, 1/4 and 5 gr.

Euonymin Resin, 1/8 gr.

Hydrarg. cum Cretâ (Grey Powder),

1/3 gr.

Hydrarg. Iod. Rub., 1/20 gr.

Hydrarg. Iod. Vir., 1/8 gr.

Hydrarg. Perchlor., 1/100 gr. [1 gr.

Hydrarg. Sul-chlor. (Calomel) 1/10 and

Hyoscyamus Tinct., 1 min.

Ipecac. and Opium (Dover Powd.),

1/4 and 5 gr.

Ipecac. Powder, 1/10 and 5 gr.

Iron and Quinine Cit., 3 gr.

Laxative Vegetable.

Lithia Carbonate, 2 gr.

Manganese Dioxide, 2 gr.

Morphine Sulph., 1/20 and 1/8 gr.

Nitro-Glycerine.

Nux Vomica Tinct., 1 min.

Opium Tinct. (Laudanum), 2 min.

Papain, 2 gr.

Pepsin, Pure (Fairchild).

Pepsin Saccharated, 5 gr.

Peptonic.

Pilocarpin Mur., 1/20 gr.

Phenacetin, 5 gr.

Podophyllin Resin, 1/4 gr.

Potash Bicarb., 5 gr.

Potassium Bromide, 5 and 10 gr.

Potash Chlorate, 5 gr.

Potash Chlorate with Borax, 5 gr.

Potash Nit. (Sal Prunella), 5 gr.

Potash Permanganate, 1 and 2 gr.

Potassium Iodide, 5 gr.

Quinine, 1/10, 1/2, 1, 2, 3 and 5 gr.

{ Quinine Sulphate, 1 gr.

{ Iron Hypophosphite, 2 gr.

{ Acid Arsenious.

{ Strychnine Sulphate, aa 1/50 gr.

{ Saccharin, 1/100 gr.

Rhubarb, 3 gr.

Rhubarb Comp. (Pil.), 3 gr.

Rhubarb Comp. Pulv. (Gregory Pow-

der), 5 gr.

Rhubarb and Soda, 5 gr.

Saccharin, 1/2 gr.

Salicin, 5 grs.

Salol, 5 gr.

Santonin, 1/2 gr.

Soda Bicarbonate, 5 gr.

Soda-Mint (Soda, Ammon., Carb.

and Mint).

Soda Salicylate, 3 and 5 gr.

Strophanthus Tinct., 2 min.

Sulphonal, 5 gr.

Sulphur Comp. (Dr. Garrod's formula)

Tannin, 2 1/2 gr.

Test Tabloids (Fehling's).

Thirst.

Tinct. Camph. Co. (Paregoric), 2 min.

Tonic Comp. { Iron Pyrophos., 2 gr.

{ Quinine Sulph., 1 gr.

{ Strychnine Sulph.,

1/100 gr.

Trinitine (Nitro-Glycerine), 1/100 and

1/50.

Trinitrine and Amyl Nitrite.

Trinitrine Comp. { Trinitrine 1/100 gr.

{ Nitrate of Amyl, 1/4 gr

{ Capsicum, 1/50 gr.

{ Menthol, 1/50 gr.

Urethane, 5 gr.

Voice Potash (Borax and Cocaine)

Warburg Tincture, 30 mins. in each.

Zinc Sulphate, 1 gr.

Zinc Sulpho-carbolate, 2 gr.

Zymine Tabloids.

Zymine Comp. Tabloids.

BURROUGHS, WELLCOME & Co., Snow Hill Buildings, London, E.C.

Will be happy to supply complete list of "Tabloids" free on request.