

# THE ROYAL SOCIETY OF EDINBURGH



## PROCEEDINGS

Section **B** (Biology)

PUBLISHED BY THE ROYAL SOCIETY OF EDINBURGH  
22 GEORGE STREET, EDINBURGH EH2 2PQ    *Price:* £7    \$24.00

1974

# THE ROYAL SOCIETY OF EDINBURGH

22 GEORGE STREET, EDINBURGH EH2 2PQ

## NOTES ON THE PREPARATION OF PAPERS FOR THE TRANSACTIONS AND PROCEEDINGS OF THE SOCIETY

A PAPER by a non-Fellow must be communicated by a Fellow or Honorary Fellow of the Society. The communicator should satisfy himself that the paper is suitable for presentation to the Society.

A paper by more than one author must be submitted with a statement, *signed by each author*, to the effect that the paper in its entirety is approved by the joint authors, and naming the author who will be responsible for the correction of proofs.

In view of the high cost of publication, authors must write their papers as concisely as possible, and avoid excess of illustrations. The MS. must be easily legible, preferably type-written on one side of quarto or foolscap paper, and with pages numbered throughout. It must be in its final form for printing. Authors are advised to retain copies of their papers as the Society cannot accept responsibility for safe custody.

Every paper must be accompanied by a synopsis, in general not exceeding 200 words, which will be printed in small type at the beginning of the paper, immediately after the title. The synopsis will not necessarily replace a 'Summary of Conclusions' which, if required, will be printed in ordinary type at the end of the paper.

In the case of a long paper a table of contents should be supplied. References to plates, etc., should be inserted in the MS. where required. Positions for the insertion of illustrations appearing in the text should be indicated. Names of genera and species should be in italics. Footnotes should be avoided where possible.

Additions to a paper after it has been finally passed for printing will, if accepted by the Council, be treated and dated as separate communications, and may, or may not, be printed immediately after the original paper.

References to Literature cited in the text should be listed at the end of a paper. They should be arranged alphabetically under the authors' names, with titles of journals abridged as given in the *World List of Scientific Periodicals*, except that in periodicals with English titles the ordinary English use of capital letters should be followed, e.g. *Proc. Linn. Soc.* Titles of papers, if inserted, should be quoted exactly. The undernoted are examples:

AITKEN, A. C., 1946. 'On the estimation of many statistical parameters', *Proc. Roy. Soc. Edinb.*, A., 63, 369–377.

GUTHRIE, D., 1945. *A History of Medicine*. London.

ROGERS, G. L., 1952. *Proc. Roy. Soc. Edinb.*, A, 63, 193–221.

References in the text should be made by quoting the name of the author and year of publication, thus: (Rogers 1952) or (Guthrie 1945), adding the page when necessary. When two or more papers, published by the same author in any one year, are listed, each paper should be distinguished by a small letter *a*, *b*, etc., placed after the date, thus: (Rogers 1952*a*). All references should be carefully checked before the paper is submitted.

**Illustrations.** These should preferably be line drawings (shaded by dotting, hatching, etc., if necessary). Alternatively wash drawings or photographs, which are usually reproduced as plates, may be accepted. All illustrations must be in a form suitable for reproduction.

*Line drawings* should be made with indian ink on white Bristol board. Lines or dots, etc., used for shading, should be firm and black and no washes or colour should be used. Areas where lines, stipples, etc., are to be added by the engraver should be marked *lightly in blue pencil*, and the type of shading indicated.

Wash drawings should be shaded in monochrome (black or sepia), and drawn on white paper or white Bristol board.

All drawings should, where possible, allow of reduction to about two-thirds the linear dimensions, and the amount of the reduction should be considered, during drafting, with regard to the size and strength of shading, lettering, lines, etc. Drawings should be submitted, if possible, flat, not rolled.

*Continued on page iii of cover*

**PROCEEDINGS**  
**OF THE**  
**ROYAL SOCIETY OF EDINBURGH**

PROCEEDINGS  
OF  
THE ROYAL SOCIETY  
OF EDINBURGH

Section B (Biology)

VOL. 74

1972–1974

PUBLISHED BY  
THE ROYAL SOCIETY OF EDINBURGH  
22 GEORGE STREET  
EDINBURGH EH2 2PQ

1974

*Printed in Scotland*  
*by T. and A. Constable Ltd., Edinburgh EH7 4NF*

## CONTENTS

NO.		PAGE
1*	The Distribution of Medusae in the Scottish Area. By J. H. FRASER, Marine Laboratory, Aberdeen. Issued 19 January 1973 . . . . .	1
2*	Formation of 'Polyhedral' Cell Cavities in Cloudy Media of Bird Feathers. By L. AUBER. Issued 19 January 1973. . . . .	27

### **The Loch Leven IBP Project**

A Symposium sponsored by The Royal Society of Edinburgh at the University of Stirling on 11-13 June 1973. Issued 28 June 1974

3*	Historical Background to the International Biological Programme Project at Loch Leven, Kinross. By N. C. MORGAN, The Nature Conservancy, Edinburgh . . . . .	45
4*	The Morphological History of Loch Leven, Kinross. By R. P. KIRBY, Department of Geography, University of Edinburgh . . . . .	57
5	The Distribution of Bottom Sediments in Loch Leven, Kinross. By S. E. CALVERT, National Institute of Oceanography, Wormley . . . . .	69
6*	The Structure and Physical Environment of Loch Leven, Scotland. By I. R. SMITH, The Nature Conservancy, Edinburgh . . . . .	81
7*	Nutrient Chemistry of Loch Leven. By A. V. HOLDEN and L. A. CAINES, Freshwater Fisheries Laboratory, Pitlochry . . . . .	101
8*	Preliminary Comparative Studies on Denitrification and Methane Production in Loch Leven, Kinross, and other Freshwater Lakes. By D. W. JOHNSTON, A. J. HOLDING and J. E. McCLUSKIE, Department of Microbiology, School of Agriculture, University of Edinburgh . . . . .	123
9*	The Algal Plankton of Loch Leven, Kinross. By A. E. BAILEY-WATTS, The Nature Conservancy, Edinburgh . . . . .	135
10*	Primary Productivity of Phytoplankton in Loch Leven, Kinross. By MARGARET E. BINDLOSS, The Nature Conservancy, Edinburgh . . . . .	157
11	Algal Removal Studies on a Pilot Scale Water Treatment Plant at Loch Leven, Kinross. By D. JOHNSON, M. R. FARLEY and R. E. YOUNGMAN, The Water Research Association, Medmenham . . . . .	183
12*	The Distribution and Production of Submerged Macrophytes in Loch Leven, Kinross. By B. P. JUPP and D. H. N. SPENCE, Department of Botany, University of St Andrews, and R. H. BRITTON, The Nature Conservancy, Edinburgh . . . . .	195
13*	Factors affecting the Distribution and Productivity of Emergent Vegetation at Loch Leven, Kinross. By R. H. BRITTON, The Nature Conservancy, Edinburgh . . . . .	209
14*	The Zoobenthos of Loch Leven, Kinross, and Estimates of its Production in the Sandy Littoral Area during 1970 and 1971. By PETER S. MAITLAND and PATRICIA M. G. HUDSPITH, The Nature Conservancy, Edinburgh . . . . .	220
15*	The Production of Larval Chironomidae in the Mud at Loch Leven, Kinross. By W. NIGEL CHARLES, KENNETH EAST, DAVID BROWN, MURIEL C. GRAY and THOMAS D. MURRAY, The Nature Conservancy, Edinburgh and London . . . . .	241

## Contents

NO.	PAGE
16*	The Energy Requirements of Certain Larval Chironomid Populations in Loch Leven, Kinross. By D. S. MCLUSKY and A. MCFARLANE, Department of Biology, University of Stirling. . . . . 259
17*	The Vertical Distribution of Ciliophora and Nematoda in the Sediments of Loch Leven, Kinross. By VICTORIA M. T. BRYANT and JOHANNA E. M. LAYBOURN, Department of Biology, University of Stirling . . . . . 265
18*	The Planktonic Activity of Larval Chironomidae in Loch Leven, Kinross. By B. R. DAVIES, Paisley College of Technology . . . . . 275
19*	The Zooplankton of Loch Leven, Kinross. By D. JOHNSON, Department of Biology, University of Stirling, and A. F. WALKER, Freshwater Fisheries Laboratory, Pitlochry . . . . . 285
20*	Trout and Perch Populations at Loch Leven, Kinross. By J. E. THORPE, Freshwater Fisheries Laboratory, Pitlochry . . . . . 295
21*	Activity Levels of Trout ( <i>Salmo trutta</i> ) in Airthrey Loch, Stirling, and Loch Leven, Kinross. By F. G. T. HOLLIDAY, P. TYTLER and A. H. YOUNG, Department of Biology, University of Stirling . . . . . 315
22*	The Energy Requirements of Trout and Perch Populations in Loch Leven, Kinross. By R. I. G. MORGAN, Department of Biology, University of Stirling . . . . . 333
23*	The Parasites of Fish in Loch Leven, Kinross By A. D. CAMPBELL, Freshwater Fisheries Laboratory, Pitlochry . . . . . 347
24*	Waterfowl at Loch Leven, Kinross. By A. ALLISON and I. NEWTON, The Nature Conservancy, Edinburgh . . . . . 365
25*	Bioenergetics of Tufted Duck ( <i>Aythya fuligula</i> ) at Loch Leven, Kinross. By K. F. LAUGHLIN, Department of Biology, University of Stirling . . . . . 383
26*	The Helminth Parasites of Aquatic Birds from Loch Leven, Kinross: The Trematodes of Laridae. By P. G. FRASER, Department of Zoology, University of Edinburgh . . . . . 391
27*	A Summary of the Loch Leven IBP Results in relation to Lake Management and Future Research. By N. C. MORGAN, The Nature Conservancy, Edinburgh, and D. S. MCLUSKY, University of Stirling . . . . . 407

\* The thanks of the Society are due to the Carnegie Trust for the Universities of Scotland for grants towards the costs of these papers.