

CAMBRIDGE

JOURNALS


Journal of the International Neuropsychological Society

Published for the International Neuropsychological Society

Editor-in-Chief

Stephen M. Rao, *Cleveland Clinic, USA*

JINS aims to further scientific and research activities in neuropsychology and enhance communication among its cognate member disciplines. The journal publishes scholarly, peer-reviewed articles and includes original research, timely review articles and transactions of the annual meetings of the International Neuropsychological Society. Contributions reflect the interest of all areas of neuropsychology, including (but not limited to): development of cognitive processes, brain-behavior relationships, adult neuropsychology, child neuropsychology, developmental neuropsychology, disorders of speech and language, and related topics such as behavioral neurology, neuropsychiatry, neuroimaging, and electrophysiology.



***Journal of the International
Neuropsychological Society***

is available online at:
<http://journals.cambridge.org/ins>

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new
material – sign up at

journals.cambridge.org/register

For free online content visit:
<http://journals.cambridge.org/ins>



CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

Effects of methylphenidate on executive functioning in attention-deficit/hyperactivity disorder across the lifespan: a meta-regression analysis

Tamminga HGH, Reneman L, Huizenga HM & Geurts HM 1791

The set-shifting profiles of anorexia nervosa and autism spectrum disorder using the Wisconsin Card Sorting Test: a systematic review and meta-analysis

Westwood H, Stahl D, Mandy W & Tchanturia K 1809

ORIGINAL ARTICLES

Developmental changes in genetic and environmental influences on Chinese child and adolescent anxiety and depression

Zheng Y, Rijdsdijk F, Pingault J-B, McMahon RJ & Unger JB 1829

Development of a stage-dependent prognostic model to predict psychosis in ultra-high-risk patients seeking treatment for co-morbid psychiatric disorders

Ising HK, Ruhmann S, Burger NAFM, Rietdijk J, Dragt S, Klaassen RMC, van den Berg DPG, Nieman DH, Boonstra N, Linszen DH, Wunderink L, Smit F, Veling W & van der Gaag M 1839

Theory of mind as a predictor of maternal sensitivity in women with severe mental illness

Rigby J, Conroy S, Miele-Norton M, Pawlby S & Happé F 1853

Depressive vulnerability, stressful life events and episode onset of major depression: a longitudinal model

Kendler KS & Gardner CO 1865

Psychiatric outcomes of bullying victimization: a study of discordant monozygotic twins

Silberg JL, Copeland W, Linker J, Moore AA, Roberson-Nay R & York TP 1875

Neurobiological correlates of distinct post-traumatic stress disorder symptom profiles during threat anticipation in combat veterans

Grupe DW, Wielgosz J, Davidson RJ & Nitschke JB 1885

Five year follow-up of non-psychotic adults with frequent auditory verbal hallucinations: are they still healthy?

Daalman K, Diederens KJM, Hoekema L, van Lutterveld R & Sommer IEC 1897

Memantine augmentation in clozapine-refractory schizophrenia: a randomized, double-blind, placebo-controlled crossover study

Veerman SRT, Schulte PFJ, Smith JD & de Haan L 1909

The incidence of psychoses in diverse settings, INTREPID (2): a feasibility study in India, Nigeria, and Trinidad

Morgan C, John S, Esan O, Hibben M, Patel V, Weiss H, Murray RM, Hutchinson G, Gureje O, Thara R & Cohen A 1923

A longitudinal twin and sibling study of the hopelessness theory of depression in adolescence and young adulthood

Waszczuk MA, Coulson AE, Gregory AM & Eley TC 1935

The long-term risk of recognized and unrecognized myocardial infarction for depression in older men

Jovanova O, Luik AI, Leening MJG, Noordam R, Aarts N, Hofman A, Franco OH, Dehghan A & Tiemeier H 1951

Motivational interviewing to enhance adolescent mental health treatment engagement: a randomized clinical trial

Dean S, Britt E, Bell E, Stanley J & Collings S 1961

Increased MRI-based cortical grey/white-matter contrast in sensory and motor regions in schizophrenia and bipolar disorder

Jørgensen KN, Nerland S, Norbom LB, Doan NT, Nesvåg R, Mørch-Johnsen L, Haukvik UK, Melle I, Andreassen OA, Westlye LT & Agartz I 1971

Acculturation dimensions and 12-month mood and anxiety disorders across US Latino subgroups in the National Epidemiologic Survey of Alcohol and Related Conditions

Lewis-Fernández R, Morcillo C, Wang S, Duarte CS, Aggarwal NK, Sánchez-Lacay JA & Blanco C 1987

Correspondence

2003, 2006, 2008, 2009, 2011