

Index of Subjects

- 50-ha plot, 365
above-ground biomass production, 239
Africa, 289, 375, 447, 581
African savanna, 163
aggregation, 163
Alcidodes, 651
altitudinal gradient, 279
Amazon, 111, 181
Amazonia, 59
amphibian, 327, 601
Andrioplecta, 651
animal migration, 563
ant-plant mutualism, 15
ape, 433
Apis mellifera, 521
Araceae, 223
area effect, 1
artificial fruit, 319
Atta cephalotes, 645
Atta laevigata, 645
Atta sexdens, 645
Attini, 645

bait traps, 83
Balizia elegans, 573
bamboo, 59
bat assemblages, 133
bat dispersal, 355
beetles, 25
Berenty, 103
binomial model, 621
biodiversity gradient, 289
biogeographic influence, 279
biomass, 447
biomass allocation, 611
bioperturbation, 581
bird, 319, 581
bird dispersal, 355
bird movement, 547
birth rate, 429
body condition, 239
body fat, 429
body mass, 429
Borneo, 433
Brazil, 437
browsers, 163
Bukit Timah, 323

Cameroon, 93
canopy, 51, 83, 211, 405
canopy openness, 65
Caribbean, 259, 521
carnivorous plants, 347
Catopsis sessiliflora, 115
Central America, 463, 539
Chamela–Cuixmala, 35
chiropterophily, 133
chronosequence, 35

climate, 333
cloud forest, 393, 563
cluster, 621
clutch size, 601
Coereba flaveola, 521
coexistence, 441
Coleoptera, 405
Colombia, 111, 223
colony densities, 645
community ecology, 133
community structure, 181
competition, 503
Congo, 447
connectivity, 547
contrast hypothesis, 319
co-occurrence, 557
Costa Rica, 121, 573
Côte d'Ivoire, 269
Crossopteryx febrifuga, 269
crown position, 515

decomposition, 205, 375
deer, 239
defence, 437
deinhibition, 529
density, 239
Detrended Correspondence Analysis, 223
detritus, 463
deuterium, 563
Didieraceae, 103
dietary overlap, 503
dioecy, 405
Diptera, 51, 405
Dipterocarpaceae, 651
Dipteryx panamensis, 573
disassortative pollination, 393
dispersal, 319, 547
dispersal distance, 529
dispersal mode, 365
dispersion, 111
distance sampling, 239
disturbance, 59
disturbance severity, 195
distyly, 393
diversity, 93
dominance, 83
drinking behaviour, 163
drought, 539
dung beetles, 111

ecosystem engineers, 645
Ecuador, 305
edge effects, 645
Eleocharis dulcis, 171
elephant, 163, 249
emergent tree, 573
encroachment, 539
endemic, 405

endemic birds, 421
environmental change, 477
environmental gradient, 333
environmental variability, 163
Eremanthus glomerulatus, 631
ergosterol, 205
external feeders, 51
extinction, 421
extrafloral nectaries, 347

faecal analysis, 503
Fagaceae, 107
feeding guild, 1, 441
Fiji, 491
fine-root biomass, 73, 413
fine-root production, 73
fire, 59, 539
fishes, 463
floral scent, 591
floral visitors, 25
flower abscission, 405
fluctuating asymmetry, 383
fly-pollination, 591
foraging activity, 83
foraging behaviour, 211
foraging ecology, 1
forest cover, 1
forest dynamics plot, 323
forest fragmentation, 323, 547
forest habitat affinities, 365
forest recovery, 259
forest structure, 65, 195, 333
forest-grassland ecotone, 279
fragmentation, 25, 103
French Guiana, 641
fruit set, 521
functional diversity, 289
functional traits, 289
fungus-grower termite, 269

gall-inducing insects, 631
general flowering, 651
generalist pollination, 405
generalized linear models, 327
geometric morphometrics, 383
germination, 115
germination experiments, 355
germination trials, 529
giraffe, 249
Glossophaginae, 133
grazers, 163
group size, 239
growth, 115
Guadua, 59
gut passage, 355

habitat differentiation, 491
habitat fragmentation, 645

- habitat selection, 279
 Hawaii, 441
 head triangulation, 437
 hemi-epiphyte, 223
 herbivores, 503
 herbivory, 171, 383, 645
 heterogeneity, 375
Hieronyma alchorneoides, 573
 high mountains, 289
 highland islands, 421
 hollow tree, 269
 holo-epiphyte, 223
 host preference, 223
 hummingbirds, 393
 hunting pressure, 181
Hymenolobium mesoamericanum, 573
 Hymenoptera, 51
 impact, 249
 Indonesia, 107, 413, 433
Inga punctata, 205
 insectivorous birds, 1
 interference competition, 557
 interspecific interactions, 83
 introduced, 441
 invasive, 441
 invasive aliens, 515
 invasive plant, 365
 invasive species, 557
 islands, 491
 Isoptera, 375
 Jamaica, 259
 Kakadu, 171
 kudu, 249
 La Mucuy Bird Observatory, 393
 LAI, 65
 Lamto, 269
 land-bridge islands, 1
 landscape, 327
 layering, 641
 leaf area ratio (LAR), 611
 leaf litter, 205, 323
 leaf size, 383, 573
Lecythis ampla, 573
 lemur, 103, 429, 529
 liana, 333
 Liberian mongoose, 581
 light availability, 477
 line transects, 621
 lowland Bolivia, 333
 macro-invertebrate, 463
 Madagascar, 103, 529
 magpie geese, 171
 Malaysia, 1
 mammal, 581
 Mantel test, 223
 mark-correlation function, 93
 Mexico, 35, 547
 microbial decomposers, 205
 micro-environment, 477
 microsite heterogeneity, 581
 mid-domain hypothesis, 279
 migration, 463
 mimicry, 437
 mineral soil, 73
 monodominance, 641
 montane ecosystems, 289
 morphology, 437
 mortality, 447
 moult, 563
 movement studies, 563
 multi-stemmed trees, 195
Musonycteris harrisoni, 133
 Myristicaceae, 405
 myrmecophyte, 15
 myrmecotrophy, 15
 Nanophyidae, 651
 natural disaster, 429
 natural regeneration, 35
 nearest neighbour distance, 521
 nectar production, 393
 nest surveys, 621
 nested assemblages, 421
 Nicaragua, 539, 563
 niche partitioning, 611
 niche, 249
 nitrate, 305
 nitrogen, 375, 413
 nitrogen fertilization, 73
 nutrient cycling, 375
 nutrient export, 305
 nutrient hotspot, 375
 nutrients, 539
 nyala, 249
 oestrus, 121
 omnivory, 463
 Orchidaceae, 591
 organic layer, 73
 Pacific, 491
 pair-correlation function, 93
 Palenque National Park, 547
Palicourea demissa, 393
 palm, 25, 333
Pan troglodytes, 621
 Pantanal, 319
 parasitoids, 51
 partial self-incompatibility, 521
 patchiness, 375
 peat-swamp forest, 433
Pecari tajacu, 557
 periphyton, 463
 Phanaeini, 111
 photoperiod, 121
 photosynthesis, 147
 Phyllostomidae, 133
 physiology, 147
 pioneer, 355
 piped tree, 269
 pitcher plant, 15
 plant community dynamics, 195
 plant fertilization, 631
 plant water relations, 115
 plant-animal interaction, 347
 plant-soil associations, 147
 plasticine replicas, 437
 playback, 65
 Poisson model, 621
 pollination, 25, 521
 polygynous mating system, 121
 Pongo, 433
 population dynamics, 447, 651
 population fragmentation, 515
 population size, 111
 population structure, 107
 precipitation, 601
 predation, 437
 predation strategy, 15
 predator satiation, 651
 predictability, 121
 pre-dispersal seed predator, 651
 primate biomass, 181
 production source, 463
Propithecus verreauxi, 429
 prosimian, 103
 protected areas, 181
 Puerto Rico, 521
 rain forest, 305, 491, 563
 rainfall, 51, 601
 randomization, 223
 range boundaries, 621
Rattus baluensis, 347
 realized growth rate, 239
 regeneration, 259
 regeneration niche, 107, 115
 regenerative communities, 35
 resilience, 259
 resource conspicuousness, 319
 resource partitioning, 211
 resprouting, 195, 539
 Rift Valley, 289
 root nutrients, 413
 Sabangau, 433
Saccopteryx bilineata, 121
 savanna ecosystems, 503
 savanna types, 601
 scan statistics, 621
 Scarabaeidae, 111
 sclerophyllous savanna, 631
 seasonal reproduction, 121
 seasonality, 133, 477, 563
 seasonally dry tropical forest, 365
 secondary forest, 323
 secondary succession, 35, 477
 seed dispersal, 433, 529
 seed germination, 433, 581
 seed morphology, 115
 seed predation, 581
 seed size, 529, 611
 seed viability, 515, 521
 seedling distribution, 355
 seedling regeneration, 323
 self-compatibility, 591
 semideciduous forest, 327
 sensitivity, 1
 shade tolerance, 195
 shelter builders, 51
 shifting cultivation, 413
Shorea, 651

- shrimp, 463
shrubby savanna, 269
sifaka, 103
skewness, 107
slugs, 441
snails, 441
snakes, 437
soil, 333, 413
soil carbon, 413
soil contrast, 147
soil disturbance, 581
soil fertility, 61
Sovi Basin, 491
spatial gradient, 621
spatial heterogeneity, 181
spatial patterns, 93
spatial scale, 375
spatially restricted dispersal, 529
specialization, 147
species coexistence, 611
species composition, 195, 421
species diversity, 491
species richness, 25
specific leaf area (SLA), 611
sprout, 107
sprouting, 259, 641
stable carbon isotopes, 211
stable-hydrogen isotope, 563
stable-nitrogen isotope, 563
starch, 539
stone oak, 107
stream ecology, 205
structural cues hypothesis, 65
stumps, 259
succession, 195
Sumatra, 107
supporting strategy, 641
suppressive strategy, 641
survey data, 181
Sus scrofa, 557
taproot, 539
Tayassu pecari, 557
temperature, 477
Terminalia oblonga, 573
termite mound, 375
territoriality, 65
Thysanoptera, 405
Tiputini Biodiversity Station, 205
topography, 491
tree allometry, 573
tree cutting, 259
tree growth, 447
tree, 333
tree stem diameter, 515
Triplaris dugandii, 205
trophic level, 563
trophic position, 463
trophic structure, 441
tropical, 205
tropical bat, 121
tropical dry forest, 35, 383, 539
tropical forest, 93, 477, 547
tropical lowland evergreen rain forest, 413
tropical rain forest, 447, 573, 641
tropical streams, 305
tropical trees, 521
Tupaia montana, 347
understorey, 211, 477
ungulates, 503
unpredictability, 601
vegetation change, 477
Venezuela, 393
water availability, 477
West Africa, 601
Western Ghats, 405
wet evergreen, 405
white oak, 107
wood-feeder termite, 269
woodland dynamics, 249
woody savanna, 269
wrens, 65

Index of Authors

- ACOSTA, A. see NORIEGA, J. A.
- ADAMEK, M., CORRE, M. D. & HÖLSCHER, D. Responses of fine roots to experimental nitrogen addition in a tropical lower montane rain forest, Panama, 73
- AGUIRRE, A., GUEVARA, R. & DIRZO, R. Effects of forest fragmentation on assemblages of pollinators and floral visitors to male- and female-phase inflorescences of *Astrocaryum mexicanum* (Arecaceae) in a Mexican rain forest, 25
- AÏDARA, D. see N'DRI, A. B.
- AIELLO, A. see CONNAHS, H.
- ALARCÓN, A. see TOLEDO, M.
- ALAUX, C. see BONHOMME, V.
- AN, S. see YANG, W.
- ANDERSON, T. M. see BUITENWERF, R.
- ARES, A. see GLEASON, S. M.
- AVALOS, G. see VARGAS, L. E.
- AYASSE, M. see WELLS, K.
- BALCÁZAR, J. see TOLEDO, M.
- BARRANTES, G., YGLESIAS, M. & FUCHS, E. J. The roles of history and habitat area in the distribution and composition of avian species assemblages in the highlands of Costa Rica, 421
- BARTHÉLÉMY, D. see BONHOMME, V.
- BENAVIDES, A. M., VASCO, A., DUQUE, A. J. & DUVENVOORDEN, J. F. Association of vascular epiphytes with landscape units and phorophytes in humid lowland forests of Colombian Amazonia, 223
- BOESCH, C. see KOUAKOU, C. Y.
- BONGERS, F. see LEBRIJA-TREJOS, E.
- BONGERS, F. see TOLEDO, M.
- BONHOMME, V., GOUNAND, I., ALAUX, C., JOUSSELIN, E., BARTHÉLÉMY, D. & GAUME, L. The plant-ant *Camponotus schmitzi* helps its carnivorous host-plant *Nepenthes bicalcarata* to catch its prey, 15
- BREARLEY, F. Q. Below-ground secondary succession in tropical forests of Borneo, 413
- BREUER, L. see BÜCKER, A.
- BROOK, B. W. see TRAILL, L. W.
- BRUNSTING, A. M. H. see DE IONGH, H. H.
- BÜCKER, A., CRESPO, P., FREDE, H.-G. & BREUER, L. Solute behaviour and export rates in neotropical montane catchments under different land-uses, 305
- BUITENWERF, R., STEVENS, N., GOSLING, C. M., ANDERSON, T. M. & OLFF, H. Interactions between large herbivores and litter removal by termites across a rainfall gradient in a South African savanna, 375
- BUSTAMANTE, M. see CUEVAS-REYES, P.
- CABALLERO-MARTÍNEZ, L. A. see SPERR, E. B.
- CACERES, N. C., GODOI, M. N., HANNIBAL, W. & FERREIRA, V. L. Effects of altitude and vegetation on small-mammal distribution in the Urucum Mountains, western Brazil, 279
- CAPPS, K. A., GRAÇA, M. A. S., ENCALADA, A. C. & FLECKER, A. S. Leaf-litter decomposition across three flooding regimes in a seasonally flooded Amazonian watershed, 205
- CARABALLO-ORTIZ, M. A., SANTIAGO-VALENTÍN, E. & CARLO, T. A. Flower number and distance to neighbours affect the fecundity of *Goetzea elegans* (Solanaceae), 521
- CARLO, T. A. see CARABALLO-ORTIZ, M. A.
- CHANYENGA, T. F., GELDENHUYSEN, C. J. & SILESHI, G. W. Effect of population size, tree diameter and crown position on viable seed output per cone of the tropical conifer *Widdringtonia whytei* in Malawi, 515
- CHAVARRÍA, L. see FRASER, K. C.
- CHEN, Y.-Y. see HOSAKA, T.
- CHUA, S. C. see GOLDSMITH, G. R.
- CHUAN LIM, H. see LI YONG, D.
- CLARK, D. A. see KING, D. A.
- COMITA, L. S. see GOLDSMITH, G. R.
- CONDIT, R. see MAKANA, J.-R.
- CONNAHS, H., AIELLO, A., VAN BAEL, S. & RODRÍGUEZ-CASTAÑEDA, G. Caterpillar abundance and parasitism in a seasonally dry versus wet tropical forest of Panama, 51
- CORRE, M. D. see ADAMEK, M.
- CRESPO, P. see BÜCKER, A.
- CUEVAS-REYES, P., DE OLIVEIRA-KER, F. T., FERNANDES, G. W. & BUSTAMANTE, M. Abundance of gall-inducing insect species in sclerophyllous savanna: understanding the importance of soil fertility using an experimental approach, 631
- CUEVAS-REYES, P., OYAMA, K., GONZÁLEZ-RODRÍGUEZ, A., WILSON FERNANDES, G. & MENDOZA-CUENCA, L. Contrasting herbivory patterns and leaf fluctuating asymmetry in *Heliocarpus pallidus* between different habitat types within a Mexican tropical dry forest, 383
- D'ARCY, L. J. see NIELSEN, N. H.
- DAVE, C. & JHALA, Y. Is competition with livestock detrimental for native wild ungulates? A case study of chital (*Axis axis*) in Gir Forest, India, 239
- DE CERQUEIRA ROSSA-FERES, D. see RODRIGUES DA SILVA, F.
- DE IONGH, H. H., DE JONG, C. B., VAN GOETHEM, J., KLOP, E., BRUNSTING, A. M. H., LOTH, P. E. & PRINS, H. H. T. Resource partitioning among African savanna herbivores in North Cameroon: the importance of diet composition, food quality and body mass, 503
- DE JONG, C. B. see DE IONGH, H. H.
- DE OLIVEIRA-KER, F. T. see CUEVAS-REYES, P.
- DEMBÉLÉ, A. see N'DRI, A. B.
- DIAMOND, A. W. see FRASER, K. C.
- DIRZO, R. see AGUIRRE, A.
- DOHM, C., LEAL, I. R., TABARELLI, M., MEYER, S. T. & WIRTH, R. Leaf-cutting ants proliferate in the Amazon: an expected response to forest edge?, 645
- DORAZIO, R. M. see OLIVEIRA-SANTOS, L. G. R.
- DUFFY, K. J. see O'KANE, C. A. J.
- DUFFY, K. J., DUVENVOORDEN, J. F. see BENAVIDES, A. M.
- DUNHAM, A. E. Soil disturbance by vertebrates alters seed predation, movement and germination in an African rain forest, 581
- DUQUE, A. J. see BENAVIDES, A. M.
- ENCALADA, A. C. see CAPPS, K. A.
- ESPELTA, J. M. see PEGUERO, G.
- EWANGO, C. N. see MAKANA, J.-R.
- FARWIG, N. see VOIGT, F. A.
- FERNANDES, G. W. see CUEVAS-REYES, P.
- FERNANDEZ, F. A. S. see OLIVEIRA-SANTOS, L. G. R.
- FERREIRA, V. L. see CACERES, N. C.
- FLECKER, A. S. see CAPPS, K. A.
- FONTY, É., MOLINO, J.-F., PRÉVOST, M.-F. & SABATIER, D. A new case of neotropical monodominant forest: *Spirotropis longifolia* (Leguminosae-Papilionoideae) in French Guiana, 641
- FOURNEL, J. see HUMEAU, L.
- FRANCISCO ORNELAS, J. see VALOIS-CUESTA, H.

- FRASER, K. C., MCKINNON, E. A., DIAMOND, A. W. & CHAVARRÍA, L. The influence of microhabitat, moisture and diet on stable-hydrogen isotope variation in a Neotropical avian food web, 563
- FREDE, H.-G. see BÜCKER, A.
- FUCHS, E. J. see BARRANTES, G.
- FUJII, S. see NISHIMURA, S.
- GAINES, M. S. see IBARRA-MACIAS, A.
- GAUME, L. see BONHOMME, V.
- GAUVIN-BIALECKI, A. see HUMEAU, L.
- GELDENHUYSEN, C. J. see CHANYENGA, T. F.
- GETZIN, S., WORBES, M., WIEGAND, T. & WIEGAND, K. Size dominance regulates tree spacing more than competition within height classes in tropical Cameroon, 93
- GIGNOUX, J. see N'DRI, A. B.
- GLEASON, S. M., READ, J. & ARES, A. Biomass allocation and phosphorus economics of rain-forest seedlings: effects of fertilization and radiation on soil specialists and soil generalists, 147
- GODOI, M. N. see CACERES, N. C.
- GOLDSMITH, G. R., COMITA, L. S. & CHUA, S. C. Evidence for arrested succession within a tropical forest fragment in Singapore, 323
- GONZÁLEZ-RODRÍGUEZ, A. see CUEVAS-REYES, P.
- GOSLING, C. M. see BUITENWERF, R.
- GOUNAND, I. see BONHOMME, V.
- GRAÇA, M. A. S. see CAPPS, K. A.
- GRAHAM, L. L. B. see NIELSEN, N. H.
- GREINER, S., SCHWARZENBERGER, F. & VOIGT, C. C. Predictable timing of oestrus in the tropical bat *Saccopteryx bilineata* living in a Costa Rican rain forest, 121
- GUEVARA, R. see AGUIRRE, A.
- GUIMARÃES, M. & SAWAYA, R. J. Pretending to be venomous: is a snake's head shape a trustworthy signal to a predator?, 437
- HANNIBAL, W. see CACERES, N. C.
- HARRISON, M. E. see NIELSEN, N. H.
- HART, T. B. see MAKANA, J.-R.
- HIRSCHFELD, M. & RÖDEL, M.-O. Variable reproductive strategies of an African savanna frog, *Phrynomantis microps* (Amphibia, Anura, Microhylidae), 601
- HÖLSCHER, D. see ADAMEK, M.
- HONEYCUTT, R. L. see WINEMILLER, K. O.
- HOSAKA, T., YUMOTO, T., CHEN, Y.-Y., SUN, I.-F., WRIGHT, S. J. & MD. NOOR, N. S. Abundance of insect seed predators and intensity of seed predation on *Shorea* (Dipterocarpaceae) in two consecutive masting events in Peninsular Malaysia, 651
- HUMEAU, L., MICHENEAU, C., JACQUEMYN, H., GAUVIN-BIALECKI, A., FOURNEL, J. &
- PAILLER, T. Sapromyiophily in the native orchid, *Bulbophyllum variegatum*, on Réunion (Mascarene Archipelago, Indian Ocean), 591
- IBARRA-MACIAS, A., ROBINSON, W. D. & GAINES, M. S. Forest corridors facilitate movement of tropical forest birds after experimental translocations in a fragmented Neotropical landscape in Mexico, 547
- JACOBSEN, M. W. see NIELSEN, N. H.
- JACQUEMYN, H. see HUMEAU, L.
- JANDA, M. & KONEČNÁ, M. Canopy assemblages of ants in a New Guinea rain forest, 83
- JHALA, Y. see DAVE, C.
- JOHNSON, S. D. see VOIGT, F. A.
- JOUSSELIN, E. see BONHOMME, V.
- KANZAKI, M. see NISHIMURA, S.
- KEPPEL, G., TUIWAWA, M. V., NAIKATINI, A. & ROUNDS, I. A. Microhabitat specialization of tropical rain-forest canopy trees in the Sovi Basin, Viti Levu, Fiji Islands, 491
- KING, D. A. & CLARK, D. A. Allometry of emergent tree species from saplings to above-canopy adults in a Costa Rican rain forest, 573
- KLOP, E. see DE IONGH, H. H.
- KONATÉ, S. see N'DRI, A. B.
- KONEČNÁ, M. see JANDA, M.
- KOUAKOU, C. Y., BOESCH, C. & KUEHL, H. S. Identifying hotspots of chimpanzee group activity from transect surveys in Tai National Park, Côte d'Ivoire, 621
- KUEHL, H. S. see KOUAKOU, C. Y.
- KUNZ, T. H. see REX, K.
- LAKIM, M. B. see WELLS, K.
- LEAL, I. R. see DOHM, C.
- LEAÑO, C. see TOLEDO, M.
- LEBRIJA-TREJOS, E., PÉREZ-GARCÍA, E. A., MEAVE, J. A., POORTER, L. & BONGERS, F. Environmental changes during secondary succession in a tropical dry forest in Mexico, 477
- LEMUS-HERRERA, C. see MAZA-VILLALOBOS, S.
- LÉVESQUE, M., MCLAREN, K. P. & MCDONALD, M. A. Coppice shoot dynamics in a tropical dry forest after human disturbance, 259
- LEWIS, R. J. & RAKOTONDRAINAIVO, F. The impact of Cyclone Fanele on sifaka body condition and reproduction in the tropical dry forest of western Madagascar, 429
- LI YONG, D., QIE, L., SODHI, N. S., PIN KOH, L., PEH, K. S.-H., MING LEE, T., CHUAN LIM, H. & LIM, S. L.-H. Do insectivorous bird communities decline on land-bridge forest islands in Peninsular Malaysia?, 1
- LICONA, J. C. see TOLEDO, M.
- LIM, S. L.-H. see LI YONG, D.
- LIU, F. see YANG, W.
- LOTH, P. E. see DE IONGH, H. H.
- MACDONALD, D. W. Overlap and seasonal shifts in use of woody plant species amongst a guild of savanna browsers, 249
- MACDONALD, D. W. see O'KANE, C. A. J.
- MAKANA, J.-R., EWANGO, C. N., MCMAHON, S. M., THOMAS, S. C., HART, T. B. & CONDIT, R. Demography and biomass change in monodominant and mixed old-growth forest of the Congo, 447
- MARTÍNEZ-RAMOS, M. see MAZA-VILLALOBOS, S.
- MAZA-VILLALOBOS, S., LEMUS-HERRERA, C. & MARTÍNEZ-RAMOS, M. Successional trends in soil seed banks of abandoned pastures of a Neotropical dry region, 35
- MCDONALD, M. A. see LÉVESQUE, M.
- MCKINNON, E. A. see FRASER, K. C.
- MCLAREN, K. P. see LÉVESQUE, M.
- MCMAHON, S. M. see MAKANA, J.-R.
- MD. NOOR, N. S. see HOSAKA, T.
- MEAVE, J. A. see LEBRIJA-TREJOS, E.
- MEDELLIN, R. A. see SPERR, E. B.
- MELO, G. L., PENATTI, N. C. & RAIZER, J. Fruit of a contrasting colour is more detectable by frugivores, 319
- MENDOZA-CUENCA, L. see CUEVAS-REYES, P.
- MEYER III, W. M. & YEUNG, N. W. Trophic relationships among terrestrial molluscs in a Hawaiian rain forest: analysis of carbon and nitrogen isotopes, 441
- MEYER, S. T. see DOHM, C.
- MICHENEAU, C. see HUMEAU, L.
- MICHENER, R. see REX, K.
- MING LEE, T. see LI YONG, D.
- MOLINO, J.-F. see FONTY, É.
- MORROGH-BERNARD, H. C. see NIELSEN, N. H.
- MOSES, K. L. & SEMPLE, S. Primary seed dispersal by the black-and-white ruffed lemur (*Varecia variegata*) in the Manombo forest, south-east Madagascar, 529
- MOURÃO, G. see OLIVEIRA-SANTOS, L. G. R.
- MUKHTAR, E. see NISHIMURA, S.
- NAIKATINI, A. see KEPPEL, G.
- N'DRI, A. B., GIGNOUX, J., KONATÉ, S., DEMBÉLÉ, A. & AÏDARA, D. Origin of trunk damage in West African savanna trees: the interaction of fire and termites, 269
- NIELSEN, N. H., JACOBSEN, M. W., GRAHAM, L. L. B., MORROGH-BERNARD, H. C., D'ARCY, L. J. & HARRISON, M. E. Successful germination of seeds following passage through orang-utan guts, 433
- NISHIMURA, S., YONEDA, T., FUJII, S., MUKHTAR, E., KANZAKI, M. &

- OHTA, S. Sprouting traits of Fagaceae species in a hill dipterocarp forest, Ulu Gadut, West Sumatra, 107
- NORIEGA, J. A. & ACOSTA, A. Population size and dispersal of *Sulcophanaeus leander* (Coleoptera: Scarabaeidae) on riverine beaches in the Amazonian region, 111
- NORSCIA, I. & PALAGI, E. Fragment quality and distribution of the arboreal primate *Propithecus verreauxi* in the spiny forest of south Madagascar, 103
- NZUNDA, E. F. Sprouting, succession and tree species diversity in a South African coastal dune forest, 195
- OHTA, S. see NISHIMURA, S.
- O'KANE, C. A. J., DUFFY, K. J., PAGE, B. R. & MACDONALD, D. W. Overlap and seasonal shifts in use of woody plant species amongst a guild of savanna browsers, 249
- OLFF, H. see BUITENWERF, R.
- OLIVEIRA-SANTOS, L. G. R., DORAZIO, R. M., TOMAS, W. M., MOURÃO, G. & FERNANDEZ, F. A. S. No evidence of interference competition among the invasive feral pig and two native peccary species in a Neotropical wetland, 557
- OYAMA, K. see CUEVAS-REYES, P.
- PAGE, B. R. see O'KANE, C. A. J.
- PAILLER, T. see HUMEAU, L.
- PALAGI, E. see NORSCIA, I.
- PALMINTERI, S., POWELL, G. V. N. & PERES, C. A. Regional-scale heterogeneity in primate community structure at multiple undisturbed forest sites across south-eastern Peru, 181
- PEGUERO, G. & ESPELTA, J. M. Disturbance intensity and seasonality affect the resprouting ability of the neotropical dry-forest tree *Acacia pennatula*: do resources stored below-ground matter?, 539
- PEH, K. S.-H. see LI YONG, D.
- PEÑA-CLAROS, M. see TOLEDO, M.
- PENATTI, N. C. see MELO, G. L.
- PERES, C. A. see PALMINTERI, S.
- PÉREZ-GARCÍA, E. A. see LEBRIJA-TREJOS, E.
- PIN KOH, L. see LI YONG, D.
- POORTER, L. see LEBRIJA-TREJOS, E.
- POORTER, L. see TOLEDO, M.
- POWELL, G. V. N. see PALMINTERI, S.
- PRÉVOST, M.-F. see FONTY, É.
- PRINS, H. H. T. see DE IONGH, H. H.
- QIE, L. see LI YONG, D.
- RAIZER, J. see MELO, G. L.
- RAKOTONDRAIVO, F. see LEWIS, R. J.
- RAMASWAMI, G. & SUKUMAR, R. Woody plant seedling distribution under invasive *Lantana camara* thickets in a dry-forest plot in Mudumalai, southern India, 365
- READ, J. see GLEASON, S. M.
- REX, K., MICHENER, R., KUNZ, T. H. & VOIGT, C. C. Vertical stratification of Neotropical leaf-nosed bats (Chiroptera: Phyllostomidae) revealed by stable carbon isotopes, 211
- ROBERTSON, C. R. see WINEMILLER, K. O.
- ROBINSON, W. D. see IBARRA-MACIAS, A.
- RÖDEL, M.-O. see HIRSCHFELD, M.
- RODRIGUES DA SILVA, F. & DE CERQUEIRA ROSSA-FERES, D. Influence of terrestrial habitat isolation on the diversity and temporal distribution of anurans in an agricultural landscape, 327
- RODRÍGUEZ-CASTAÑEDA, G. see CONNAHS, H.
- ROUNDS, I. A. see KEPPEL, G.
- SABATIER, D. see FONTY, É.
- SÁNCHEZ, N. V. see VARGAS, L. E.
- SANTIAGO-VALENTÍN, E. see CARABALLO-ORTIZ, M. A.
- SAWAYA, R. J. see GUIMARÃES, M.
- SCHULZ, S. see WELLS, K.
- SCHWARZENBERGER, F. see GREINER, S.
- SEMPLE, S. see MOSES, K. L.
- SHARMA, M. V. & SHIVANNA, K. R. Pollinators, pollination efficiency and fruiting success in a wild nutmeg, *Myristica dactyloides*, 405
- SILESHI, G. W. see CHANYENGA, T. F.
- SMITH, M. & WALKER NELSON, B. Fire favours expansion of bamboo-dominated forests in the south-west Amazon, 59
- SODHI, N. S. see LI YONG, D.
- SORIANO, P. J. see VALOIS-CUESTA, H.
- SPERR, E. B., CABALLERO-MARTÍNEZ, L. A., MEDELLIN, R. A. & TSCHAPKA, M. Seasonal changes in species composition, resource use and reproductive patterns within a guild of nectar-feeding bats in a west Mexican dry forest, 133
- STEVENS, N. see BUITENWERF, R.
- SUKUMAR, R. see RAMASWAMI, G.
- SUN, I.-F. see HOSAKA, T.
- TABARELLI, M. see DOHM, C.
- THOMAS, S. C. see MAKANA, J.-R.
- TOLEDO, M., POORTER, L., PEÑA-CLAROS, M., ALARCÓN, A., BALCÁZAR, J., LEAÑO, C., LICONA, J. C. & BONGERS, F. Climate and soil drive forest structure in Bolivian lowland forests, 333
- TOMAS, W. M. see OLIVEIRA-SANTOS, L. G. R.
- TRAILL, L. W. & BROOK, B. W. An aggregative response of the tropical Australian magpie goose (*Anseranas semipalmata*) to seasonal floodplains, 171
- TSCHAPKA, M. see SPERR, E. B.
- TUIWAWA, M. V. see KEPPEL, G.
- VALEIX, M. Temporal dynamics of dry-season water-hole use by large African herbivores in two years of contrasting rainfall in Hwange National Park, Zimbabwe, 163
- VALOIS-CUESTA, H., SORIANO, P. J. & FRANCISCO ORNELAS, J. Asymmetrical legitimate pollination in distylous *Palicourea demissa* (Rubiaceae): the role of nectar production and pollinator visitation, 392
- VAN BAEL, S. see CONNAHS, H.
- VAN GOETHEM, J. see DE IONGH, H. H.
- VARGAS, L. E., SÁNCHEZ, N. V. & AVALOS, G. Forest structure and territory size relationship in the neotropical understorey insectivore *Henicorhina leucosticta*, 65
- VASCO, A. see BENAVIDES, A. M.
- VOIGT, C. C. see GREINER, S.
- VOIGT, C. C. see REX, K.
- VOIGT, F. A., FARWIG, N. & JOHNSON, S. D. Interactions between the invasive tree *Melia azedarach* (Meliaceae) and native frugivores in South Africa, 355
- WALKER NELSON, B. see SMITH, M.
- WANA, D. & BEIERKUHNLEIN, C. Responses of plant functional types to environmental gradients in the south-west Ethiopian highlands, 289
- WELLS, K., LAKIM, M. B., SCHULZ, S. & AYASSE, M. Pitchers of *Nepenthes rajah* collect faecal droppings from both diurnal and nocturnal small mammals and emit fruity odour, 347
- WESTER, S. & ZOTZ, G. Seed comas of bromeliads promote germination and early seedling growth by wick-like water uptake, 115
- WIEGAND, K. see GETZIN, S.
- WIEGAND, T. see GETZIN, S.
- WILSON FERNANDES, G. see CUEVAS-REYES, P.
- WINEMILLER, B. K. see WINEMILLER, K. O.
- WINEMILLER, K. O., ZEUG, S. C., ROBERTSON, C. R., WINEMILLER, B. K. & HONEYCUTT, R. L. Food-web structure of coastal streams in Costa Rica revealed by dietary and stable isotope analyses, 463
- WIRTH, R. see DOHM, C.
- WORBES, M. see GETZIN, S.
- WRIGHT, S. J. see HOSAKA, T.
- YANG, W., LIU, F., ZHOU, L., ZHANG, S. & AN, S. Trade-offs between growth and survival of non-pioneer light-demanding tree seedlings in tropical forest of Hainan Island, China, 611
- YEUNG, N. W. see MEYER III, W. M.
- YGLÉSIAS, M. see BARRANTES, G.
- YONEDA, T. see NISHIMURA, S.
- YUMOTO, T. see HOSAKA, T.
- ZEUG, S. C. see WINEMILLER, K. O.
- ZHANG, S. see YANG, W.
- ZHOU, L. see YANG, W.
- ZOTZ, G. see WESTER, S.

Fantastic New Titles *in Tropical Ecology* from Cambridge University Press!

Second Edition**Tropical Ecosystems and Ecological Concepts**

Patrick Osborne

\$55.00: Pb: 978-0-521-17734-4: 500 pp.

Fire in Mediterranean Ecosystems**Ecology, Evolution and Management**Jon E. Keeley, William J. Bond,
Ross A. Bradstock,
Juli G. Pausas,
and Philip W. Rundel

\$95.00: Hb: 978-0-521-82491-0: 450 pp.

Management of Freshwater Biodiversity**Crayfish as Bioindicators**Julian Reynolds
and Catherine Souty-Grosset

\$99.00: Hb: 978-0-521-51400-2: 350 pp.

Terrestrial Ecosystem Ecology**Principles and Applications**Göran I. Ågren
and Folke O. Andersson\$130.00: Hb: 978-1-107-01107-6: 408 pp.
\$59.00: Pb: 978-1-107-64825-8**Ecology and Conservation of the Sirenia****Dugongs and Manatees**Helene Marsh,
Thomas J. O'Shea,
and John E. Reynolds III*Conservation Biology*\$135.00: Hb: 978-0-521-88828-8: 520 pp.
\$65.00: Pb: 978-0-521-71643-7**Marine Protected Areas****A Multidisciplinary Approach***Edited by Joachim Claudet**Ecology, Biodiversity and Conservation*\$125.00: Hb: 978-0-521-76605-0: 392 pp.
\$59.00: Pb: 978-0-521-14108-6**Zoo Conservation Biology**John E. Fa, Stephan M. Funk,
and Donnamarie O'Connell*Ecology, Biodiversity and Conservation*\$125.00: Hb: 978-0-521-82763-8: 384 pp.
\$55.00: Pb: 978-0-521-53493-2**Insect Ecology**
Behavior, Populations and CommunitiesPeter W. Price,
Robert F. Denno,
Micky D. Eubanks,
Deborah L. Finke,
and Ian Kaplan\$165.00: Hb: 978-0-521-83488-9: 816 pp.
\$85.00: Pb: 978-0-521-54260-9**Environmental Literacy in Science and Society**
From Knowledge to Decisions

Roland W. Scholz

\$130.00: Hb: 978-0-521-19271-2: 656 pp.
\$75.00: Pb: 978-0-521-18333-8**Monkeys on the Edge**
Ecology and Management of Long-Tailed Macaques and their Interface with Humans*Edited by Michael D. Gumert,
Agustín Fuentes,
and Lisa Jones-Engel**Cambridge Studies in Biological and Evolutionary Anthropology*

\$99.00: Hb: 978-0-521-76433-9: 380 pp.


Second Edition**Field and Laboratory Methods in Primatology**
A Practical Guide*Edited by Joanna M. Setchell
and Deborah J. Curtis*\$115.00: Hb: 978-0-521-19409-9: 456 pp.
\$60.00: Pb: 978-0-521-14213-7*Prices subject to change.*

CAMBRIDGE

JOURNALS

Environmental Practice

Published for the National Association of Environmental Professionals



Editor

Tim Stretton, Saint Mary's University, Canada

Environmental Practice provides a multidisciplinary forum for authoritative discussion and analysis of issues of wide interest to the international community of environmental professionals, with the intent of developing innovative solutions to environmental problems for public policy implementation, professional practice, or both. Peer-reviewed original research papers, environmental reviews, and commentaries, along with news articles and points of view, link findings in science and technology with issues of public policy, health, environmental quality, law, political economy, management, and the appropriate standards for expertise.

Environmental Practice

is available online at:
<http://journals.cambridge.org/enp>

**To subscribe contact
Customer Services**

in Cambridge:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at
journals.cambridge.org/register

For free online content visit:
<http://journals.cambridge.org/enp>



CAMBRIDGE
UNIVERSITY PRESS

JOURNAL OF tropical ecology

INSTRUCTIONS FOR AUTHORS

Potential contributors are advised that careful attention to the details below will greatly assist the Editor and thus speed the processing of their manuscripts. Poorly prepared manuscripts will be returned to authors.

Submission

All manuscripts must be submitted online via the website:

<http://mc.manuscriptcentral.com/jte>

Detailed instructions for submitting your manuscript online can be found at the submission website by clicking on the 'Instructions and Forms' link in the top right of the screen; and then clicking on the 'Author Submission Instructions' icon on the following page.

The Editor will acknowledge receipt of the manuscript, provide it with a manuscript reference number and assign it to reviewers. The reference number of the manuscript should be quoted in all correspondence with JTE Office and Publisher.

The submission of a manuscript will be taken to imply that the material is original, and that no similar paper has been published or is currently submitted for publication elsewhere. Papers are first inspected for suitability by the Editor or a Board member. Those suitable papers are then critically reviewed by usually two or three expert persons. On their advice the Editor provisionally accepts, or rejects, the paper. If acceptance is indicated the manuscript is usually returned to the author for revision. In some cases a resubmission is invited and on receipt of the new version the paper will be sent to a third referee. If the author does not return the revised or resubmitted version within six months the paper will be classified as rejected. Final acceptance is made when the manuscript has been satisfactorily revised.

Preparation of the manuscript

Authors are strongly advised to consult a recent issue of the *JTE* to acquaint themselves with the general layout of articles. Manuscripts should be neatly typed on A4 paper i.e. 21 cm × 30 cm. Double sided copy is permissible for review purposes, but final submission for publication must be on one side of the paper only. Double spacing must be used throughout, allowing wide margins (about 3 cm) on all sides. Main text pages should be numbered.

When a revised ms is being returned the author is requested to send a copy of the final version on computer disk (Apple Macintosh or IBM compatible PC) together with the hard copy typescript, giving details of the wordprocessing software used (e.g. Microsoft Word, Word or Word Perfect). However, the publisher reserves the right to typeset material by conventional means if an author's disk proves unsatisfactory.

A paper should be prepared using the following format:

Page 1. *Title page*. This should contain (a) the full title, preferably of less than 20 words and usually containing the geographical location of the study; (b) a running title of not more than 48 letters and spaces; (c) a list of up to 10 key words in alphabetical order suitable for international retrieval systems; (d) the full name of each author and their current affiliation; (e) the name of the institution in which the work was carried out; and (f) the present email and postal address of the author to whom proofs should be sent.

Page 2. *Abstract*. This should be a single paragraph, in passive mode, no more than 200 words long, a concise summary of the paper intelligible on its own in conjunction with the title, without abbreviations or references.

Page 3. *et seq.* The main body of the text may contain the following sections in the sequence indicated:

Discussion, (e) Acknowledgements, (f) Literature Cited, (g) Appendices, (h) Tables, (i) Legends to Figures. An extra section between (a) and (b) for Study Site or Study Species might be necessary.

Main headings should be in capital type and ranged left; sub-headings should be ranged left. A *Short Communication* has a title and keywords but no abstract (except what is entered in Manuscript Central) or section headings until Acknowledgements and item Literature Cited.

Acknowledgements should be brief. Notes should be avoided if at all possible; any notes will be printed at the end of the paper and not as footnotes.

Scientific names. The complete Latin name (genus, species and authority) must be given in full for every organism when first mentioned in the text unless a standard reference is available which can be cited. Authorities might alternatively appear in Tables where they are first used.

Units of measurement. Measurements must be in metric units; if not, metric equivalents must also be given. The minus index (m^{-1} , mm^{-3}) should be used except where the unit is an object, e.g. 'per tree', not 'tree $^{-1}$ '. Use d^{-1} , mo^{-1} and y^{-1} for per day, per month and per year.

Abbreviations. In general, abbreviations should be avoided. Numbers one to nine should be spelled out and number 10 onwards given in figures. Dates should follow the sequence day-month-year, e.g. 1 January 1997. The 24-hour clock should be used, e.g. 16h15.

Online supplementary material

Supplementary material is not copy edited or typeset but loaded onto CJO exactly as supplied. Supplementary material must be submitted at the same time as the article and must be clearly marked to distinguish it from the main article text.

Authors should ensure that they mention within their article that supplementary material is available on CJO.

Language

All papers should be written in English, and spelling should generally follow *The Concise Oxford Dictionary of Current English*. Abstracts in other languages will be printed if the author so desires together with an abstract in English. All abstracts must be provided by the author.

Literature cited

References to literature in the text should conform to the 'name-and-date' system: e.g. Fleming (1982); (Goh & Sasekumar 1980); Montgomery *et al.* (1981). If a number of references are cited at one place in the text, they should be arranged alphabetically and not chronologically. In the reference list citations should take the forms given below. References with two or more authors should be arranged first alphabetically then chronologically. The names of cited journals should be given in full. Certain foreign language citations may be translated into English, and this should always be done where the English alphabet is not used (e.g. Chinese, Russian, Thai).

FLEMING, T. H. 1982. Foraging strategies of plant-visiting bats. Pp. 287–325 in Kunz, T. H. (ed.). *Ecology of bats*. Plenum Press, New York. 425 pp.

GOH, A. H. & SASEKUMAR, A. 1980. The community structure of the fringing coral reef, Cape Rachado. *Malayan Nature Journal* 34:25–27.

MONTGOMERY, G. G., BEST, R. C. & YAMAKOSHI, M. 1981. A radio-tracking study of the American manatee *Trichechus inunguis* (Mammalia: Sirenia). *Biotropica* 13:81–85.

WHITMORE, T. C. 1984. *Tropical rain forests of the Far East*. (second edition). Oxford University Press, Oxford. 352 pp.

Use the following as contractions in text: 'pers. obs.', 'pers. comm.'; but 'unpubl. data', 'in press'. Authors should double-check that all references in the text correspond exactly to those in the Literature Cited section.

Tables and figures

Tables should be typed, together with their titles, on separate pages. Column headings should be brief, with units of measurement in parentheses. Vertical lines should not be used to separate columns. Avoid presenting tables that are too large to be printed across the page; table width must not exceed 80 characters, including spaces between words, figures and columns. Each table should be numbered consecutively with arabic numerals. The author should indicate in the text where tables and figures are to be inserted; all tables and figures must be mentioned in the text.

Authors should ensure that all figures, whether line drawings or photographs, clarify or reduce the length of the text. The preferred graphics package is Freehand, but many others may be accepted. Please indicate file format and graphics software used for originating artwork files. Typefaces should be restricted to Monotype, Adobe and Bitstream font libraries. High resolution figures should be supplied as TIFF or EPS files, but never as Postscript files. Line drawings should be scanned at 1200 dpi and use only conventional Postscript files. Halftones to be scanned at 600 dpi with the preset dot range from 1–96%. If you wish to compress the files use lossless compression package software such as the LZW compression package.

Proofs

When pdf proofs are received they should be corrected carefully and returned to the publisher without delay. Errors remaining in these first proofs after the author has checked them are the authors responsibility. Any further editorial changes, apart from minor grammatical and syntactical improvements, will be communicated to the author before second proofs are prepared. Ensure that the editorial office knows of changes in your address.

Offprints

Upon publication the corresponding author will automatically receive a pdf of their article from Cambridge University Press. Authors will be offered the opportunity to order paper offprints by using the form supplied at proof stage.

Copyright

Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper. Authors receiving requests for permission to reproduce their work should contact Cambridge University Press for advice.

Business correspondence

Correspondence concerning offprints, copyright, back numbers, advertising and sales to libraries should be addressed to the publishers: Journals Department, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU, UK or Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013–2473 USA.

CONTENTS

The influence of microhabitat, moisture and diet on stable-hydrogen isotope variation in a Neotropical avian food web K. C. Fraser, E. A. McKinnon, A. W. Diamond & L. Chavarría	563
Allometry of emergent tree species from saplings to above-canopy adults in a Costa Rican rain forest D. A. King & D. A. Clark	573
Soil disturbance by vertebrates alters seed predation, movement and germination in an African rain forest A. E. Dunham	581
Sapromyiophily in the native orchid, <i>Bulbophyllum variegatum</i> , on Réunion (Mascarene Archipelago, Indian Ocean) L. Humeau, C. Micheneau, H. Jacquemyn, A. Gauvin-Bialecki, J. Fournel & T. Pailler	591
Variable reproductive strategies of an African savanna frog, <i>Phrynomantis microps</i> (Amphibia, Anura, Microhylidae) M. Hirschfeld & M.-O. Rödel	601
Trade-offs between growth and survival of non-pioneer light-demanding tree seedlings in tropical forest of Hainan Island, China W. Yang, F. Liu, L. Zhou, S. Zhang & S. An	611
Identifying hotspots of chimpanzee group activity from transect surveys in Taï National Park, Côte d'Ivoire C. Y. Kouakou, C. Boesch & H. S. Kuehl	621
Abundance of gall-inducing insect species in sclerophyllous savanna: understanding the importance of soil fertility using an experimental approach P. Cuevas-Reyes, F. T. De Oliveira-Ker, G. W. Fernandes & M. Bustamante	631
<i>Short Communications</i>	
A new case of neotropical monodominant forest: <i>Spirotropis longifolia</i> (Leguminosae-Papilionoideae) in French Guiana É. Fonty, J.-F. Molino, M.-F. Prévost & D. Sabatier	641
Leaf-cutting ants proliferate in the Amazon: an expected response to forest edge? C. Dohm, I. R. Leal, M. Tabarelli, S. T. Meyer & R. Wirth	645
Abundance of insect seed predators and intensity of seed predation on <i>Shorea</i> (Dipterocarpaceae) in two consecutive masting events in Peninsular Malaysia T. Hosaka, T. Yumoto, Y.-Y. Chen, I.-F. Sun, S. J. Wright & N. S. Md. Noor	651
Index of Subjects	657
Index of Authors	661

Journal of Tropical Ecology now accepts submissions via Manuscript Central.
Go to <http://mc.manuscriptcentral.com/jte>

Cambridge Journals Online

For further information about this journal
please go to the journal website at:
journals.cambridge.org/tro



MIX
Paper from
responsible sources
FSC® C018127

CAMBRIDGE
UNIVERSITY PRESS