

VOL. VIII.—1894.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE AND EAR.

PUBLISHED MONTHLY.

London:

F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*

JOHN MACINTYRE, M.B. *Glasgow.*

DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),

CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),

DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),

HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),

VALERIUS IDELSON (*Berne*), JOAL (*Paris*), A. B. KELLY (*Glasgow*),

KARWOWSKI (*Warsaw*), LACARRET (*Toulouse*), LAKE (*London*),

LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),

G. W. MAJOR (*Montreal*), PROF. MASSEI (*Naples*),

MEYJES (*Amsterdam*), E. MEYER (*Berlin*), MICHAEL (*Hamburg*),

HOLGER MYGIND (*Copenhagen*), W. PORTER (*St. Louis*),

ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*), SENDZIAK (*Warsaw*),

SOTA (*Seville*), AND ST. CLAIR THOMSON (*London*).

CONTENTS.

Original Articles:—

Prevention of Diphtheria.	Page 543
Report to New York Health Department on the use of Bacteriological Examination for the Diagnosis of Diphtheria. Dr. HERMANN BIGGS.	,, 545

Congress Meetings:—

British Medical Association—

SECTION OF LARYNGOLOGY AND OTOTOLOGY—

Presidential Address. Dr. McBRIDE.	,, 557
Prognosis of Chronic Non-Suppurative Otitis Media. By Mr. FIELD.	,, 562
Prognosis of Non-Perforative Otitis Media. By Dr. THOMAS BARR.	,, 567
The Care of the Ear during the course of the Exanthemata. By Dr. WALKER DOWNIE.	,, 578

International Medical Congress.

SECTION OF LARYNGOLOGY—

Retropulsion or Spontaneous Cure of Pharyngeal Tumours. By Dr. D'AGUANO.	,, 583
Colouring Liquids in Pulmonary Affections. By Dr. HERVING.	,, 587
Electrolysis in Laryngology. By Dr. TYMOWSKI.	,, 588

SECTION OF OTOTOLOGY—

A Form of Middle-Ear Disease with Adenoids in some cases of Deaf-Mutism. By Dr. L. GIBSON.	,, 588
--	--------

Abstracts:—

Diphtheria.—Early Fatal Complication, *Aufrecht*—Primary Nasal, *Townsend*—Embolism of Basilar Artery, *McPhedran*—Heilserum, *Ehrlich*, *Kossel*, *Wassermann*, *Behring*—Chlorine Water, *Schubert*—Cure of Diphtheria, *Behring*, *Ahronson*—Submucous Local Treatment, *Seibert*. Pages 591 to 593

Mouth, Pharynx, Oesophagus.—Hygiene, *Unna*—Ganglion of Mouth, *Rosinski*—Carcinoma of Pharynx, *Muller*, *Siegel*—Epithelioma of Tongue, *Brown*—Lymphosarcoma of Pharynx, *Fasbinger*—Sarcoma, *Smith*—Epithelioma, *Cleveland*—Pharyngo-mycosis, *Bresgen*—Follicular Tonsillitis, *Hoag*—Oesophageal Stenosis, *Reichman*—Diagnosis of Oesophageal Stricture, *Lilienthal*—Treatment, *Tietze*. Pages 593 to 596

Nose and Naso-Pharynx.—Hay-fever, *Tyrrell*—Ozæna, *Musehold*, *Bresgen*, *Hopman*—Tumours of Nasal Septum, *Heymann*—Rhinitis Fibrinosa, *Vladar*—Rhinoscleroma, *Paulowsky*—Affections of Accessory Cavities, *Wright*—Removal of Naso-Pharyngeal Tumour, *Lincoln*. Pages 596 to 598

Larynx.—Spasm of Accessory Nerve, *Gerhardt*—Instrument for Excluding Blood during Operation, *Hubbard*—Epithelioma, *Phelps*—Dyspnoea in Chronic Pneumonia, &c., *Stolper*. Pages 598 to 600

Ears.—Phonograph for Deafness, *McFarlane*—Coloured Ear Cotton, *Abbott*—Cerebral Paroxysms with Auditory Warning, *Jackson*—Removal of Incus, *Burnett*—Attic Suppuration and Facial Paralysis, *Hammond*—Acute Otitis Media, Purulent Periphlebitis, *Buch*. Pages 600 to 603

Note.—

Collective Investigation, <i>Senziaik</i> .	Page 603
---	----------

A New Acoumeter.


Page 605

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	xi.
Burroughs, Wellcome & Co.	vi., viii., xiv.
Central London Throat Hospital	xv.
Godfrey & Cooke	x.
Ingram & Royle	ix.
Lambert Pharmacal Co.	ii.
Rebman	x., xi., xii., xiii.

VEREKER IMPROVED CHLORIDE OF AMMONIUM INHALER.

PROBABLY no agent is more used by throat specialists than **Chloride of Ammonium Vapour**. The specific action of this vapour on the respiratory membrane has long been known, but the drawback has been that on account of an excess of acid or alkali the fumes were apt to prove irritating. By passing them through water, as in the Vereker Inhaler, and regulating the tubes, this fault is completely overcome and neutrality made certain. The chief advantages



afforded by this Inhaler are that it is easy to put into working order, that the fumes are neutral and that anyone can use it without trouble. The fumes it yields cause no irritation and exert a truly wonderful action upon congested mucous membrane and thick tenacious secretions. They may reach the remotest part of the respiratory mucous surface and are absolutely harmless.

Supplied to the Medical Profession at 5s. each.

WALLICH'S INHALER.

This is an improved earthenware jug inhaler, fitted with hollow handle through which the air is drawn to the base of the liquid. The medicament is poured upon a sponge contained in a glass fixed in the apex of the jug. When the patient inhales from the mouthpiece, air, which is drawn into the jug, bubbles up through the water, displacing a volume of steam, and this, in turn, passing through the sponge containing the medicament, becomes impregnated with it. Inhalation by this method requires little respiratory effort on the part of the patient, and the instrument is thereby indicated for the use of patients in whose cases deeper and more prolonged respirations cause pain and considerable inconvenience.

Supplied to the Medical Profession at 4s. each.
Oro-Nasal Respirator, 2s. 8d. each extra.



Manufactured by

BURROUGHS, WELLCOME & Co.,
SNOW HILL BUILDINGS, LONDON, E.C.