

## SUBJECT INDEX

(references are to the first page of papers)

- Acceleration  
- by shock 195, 427  
- centripetal 205, 211  
- diffusive shock 423  
- Fermi 423  
- *in situ* 339, 349, 423, 427, 481, 483  
- magnetic 427, 433  
- particle 449
- Accretion *see* Disk - accretion
- Active Galactic Nuclei (AGN) 11, 30, 55, 90, 99, 211, 215, 242, 248, 259, 263, 269, 277, 281, 283, 285, 291, 319, 400, 402, 421, 423, 443, 515, 527, 529, 535, 559, 571, 577, 581  
- energy production of 252  
- hidden *see* Quasar - hidden  
- radio-loud 250, 379, 543  
- radio-quiet 205, 250, 543  
- weak broad line AGN 217
- Alfvén waves 423, 475
- Alignment  
- cone/radio axis 205  
- EELR/radio axis 227, 571  
- optical/radio 217, 331, 519, 571  
- UV/radio 217, 234, 402, 577
- Anisotropic  
- emission 379, 391  
- illumination 217  
- re-radiation 373
- Astrometry 120, 122, 571  
- VLBI 120, 122, 527
- Atomic Physics 363, 465
- Balmer  
- continuum 559  
- decrement 167, 405
- Black Holes 5, 167, 205, 211, 277, 400, 413, 427, 433, 477  
- Kerr 205  
- rotating 421  
- Schwarzschild 205
- Blandford-Payne Mechanism 433
- Blazars 17, 39, 45, 47, 83, 259, 277, 281, 283, 391, 419  
- high energy emission 413, 419  
- gamma-loud (GRAZAR) 14, 287, 413, 419, 421  
- MeV 595  
- synchrotron emission in 413  
- X-ray emission 413
- BL Lac Objects 41, 43, 47, 49, 51, 53, 55, 57, 195, 242, 246, 263, 265, 267, 269, 271, 273, 281, 289, 373, 379, 385, 477, 541  
- classification 244  
- Compton emission 267  
- extended radio-emission 53  
- RBL 246, 265, 269, 271, 373, 379, 385  
- synchrotron emission 265, 267  
- XBL 246, 265, 269, 373, 379, 385  
- 4000 Å break 244, 248
- BLR *see* Lines (broad line region)
- Boundary Layer 427, 439, 461
- CDM model 291
- Clouds  
- cloud-cloud collision 473  
- cool-dense 467  
- ionization-bounded 232  
- jet/cloud interaction 71, 217, 405  
- Ly- $\alpha$  571

- matter-bounded 232
- of  $e^-$ - $e^+$  443
- photoionized 232
- warm 385
- Clusters of Galaxies 238, 305, 325, 327, 331, 333, 347, 351, 353, 355, 357, 363
  - cluster-cluster interact. 305
  - cooling flow 159, 305, 331, 333, 363, 417, 441
  - gas in *see* Medium
  - magnetic field 159, 339
  - merger process 333, 363
  - quasars in 327, 329
  - radio sources in 305, 325, 333, 349, 353, 355
- Collisional Excitation 167
- Compact Cores 5, 11, 17, 19, 21, 23, 25, 27, 33, 35, 39, 41, 49, 51, 63, 73, 85, 90, 115, 127, 133, 157, 163, 185, 195, 211, 242, 381, 400, 413, 515, 531, 571
  - core-jet 5, 11, 14, 19, 21, 23, 25, 27, 33, 69, 81, 83
  - core-to-extended ratio 63, 71, 85, 124, 250, 379, 405, 515, 553
  - steep spectrum 163
- Cones 205
  - emission 167, 217, 571
  - ionization 205
  - photoionization 227
  - radiation bounded 205
- Continuum *see* Optical and UV
- Cooling Lentgh 571
- Correlations
  - gamma/radio 281, 285, 595
  - $P - l$  238, 481, 563
  - radio-FIR 215, 381, 503, 535
  - radio/optical 331, 523, 583
  - UV/radio 400, 577
- Cosmic Conspiracy 423
- Cosmic Microwave Background 256, 407, 555, 593
  - anisotropy/fluctuation 593
- Cosmic Nozzle 445
- Cosmic Rays 167, 291
  - composition constraint 291
  - extragalactic component 291
  - muon/electron component 291
  - neutrino 291
  - UHECR 291
- Cosmology 105, 315, 319, 481, 581, 585
  - angular diameter distance 105
  - *see also* Luminosity Function
  - *see also* Population of Radio Sources
  - $V/V_{max}$  test 385, 547, 569
- Cosmological Evolution 585
  - of AGN 543
  - quasars 545
  - radio sources 305, 315, 391, 563
  - quasar linear size ev. 563
  - rad./opt. luminosity ev. 545
  - rad.sour. linear size ev. 481, 563
  - spectra 517, 569
- CSO *see* Radio Sources - Compact Symmetric Object
- CSS *see* Radio Sources - Compact Steep-spectrum
- Diagnostic Diagrams *see* Lines
- Disks
  - accretion 30, 205, 400, 413, 421, 427, 433, 477
  - acc. disk instabilities 427
  - circumnuclear 205, 211
  - differentially rot. 433
  - jet/disk system 400, 477
  - magnetized disk 433
  - twisted accr. disk 477
- Doppler

- Boosting 5, 14, 131, 153, 281, 373, 397, 400, 419, 437, 553
  - *see also* Motion - relativistic and Jets - relativistic
- DRAGNS *see* Radio Sources - double
- Dust
  - absorption 571
  - diagnostic 389
  - emission disk 205
  - layers of 405
  - thermal emission 175, 519
- Emission Lines *see* Lines
- Energy Transport 427
- Entrainment 131, 137, 147, 205, 427, 461
- Environment 327, 329
  - Bl lac 47, 323, 385
  - evolution 234
  - high redshift 321
  - of radio galaxies 240, 323, 395
  - of radio sources 240, 325, 583
- Evolution *see* cosmological evolution
- Fireball Model 291
- Flip-flop (relativistic) 479
- Fluorescent Process 273
- Fractal Properties 463
- Free-free
  - absorption 23, 30, 92, 469
  - emission 230
- Galactic Center 423
- Galaxies 503, 523
  - active *see* AGN
  - blueshing (B-O effect) 305
  - cannibalism 585
  - early-type 555, 559
  - elliptical 585
  - elliptical giant 305, 321, 331, 417
  - emission line galaxies 555, 559
  - evolution 305, 321, 571, 581, 585, 588
  - formation 577, 581
  - gas rich companions 571
  - high redshift 105
  - irregular 535
  - radio-loud/radio-quiet 381, 559
  - spiral 90, 179, 181, 385, 499, 503, 535, 555
  - starburst 305, 381
  - ultraluminous 535
- Gamma-Ray 259, 285, 287, 289
  - background 281, 595
  - burst/activity 11, 14, 17, 277, 283, 285, 291, 419
  - cosmological burst 291
  - emission 39, 105, 277, 281
  - production 167, 277, 341
  - spectrum 277, 285, 413
- Gas *see* Medium
- GPS *see* Radio Sources - peaked
- Gravitational Lenses 105, 111, 113, 115, 118, 495
  - candidates 499, 507, 513, 527
  - lensing galaxies 105, 111
  - magnification gradient 115
  - magnification matrix 115
  - mass distribution 105
  - microlensing 105, 385
  - strong lensing 105
  - time delay 105
  - weak lensing 105
- GUT Epoch 291
- Hidden Nucleus *see* Quasar - hidden
- High Redshift Cut-off 547, 553, 581
- Helical *see* jets and motion
- Host Galaxies 47, 248, 381, 385, 541

- H-R Diagram (extragalactic) 381, 563
- Hubble
  - constant 105, 115, 363
  - diagram 519, 585, 591
  - IR diagram 581
- Hydrodynamical Forces 445
- Hydrostatic Equilibrium 211
- HI Regions 183, 469, 583
  - absorption 92, 583
  - disk 92
- HII Regions 181, 183
  - absorption 133
  - disk 133, 183
  - mass 183
- Instabilities 475
  - current driven 427
  - dynamically driven 427
  - Kelvin-Helmholtz 195, 423, 441, 449, 453, 463
  - microinstability 475
  - of shear layer 461
  - wave mode 167
- Instrumentation *see* Telescopes
- Inverse Compton (IC) 57, 137, 185, 256, 277, 287, 341, 385, 407, 413, 419, 421
  - limit 19
- Infra-red (IR) emission 248, 373, 588
  - far infrared (FIR) 215, 273, 373
- Jet/Gas Interaction 230, 236, 351, 373, 449, 467, 473
- Jets 5, 35, 43, 47, 63, 83, 85, 124, 127, 131, 137, 143, 147, 153, 157, 167, 175, 177, 179, 195, 201, 397, 419, 427, 437, 443, 457, 461, 463, 489, 485
  - asymmetry 14, 147, 373, 391
  - backflow compression 449
  - bent 71, 133, 477
  - counter-jet 5, 11, 23, 27, 30, 127, 131, 133, 147, 379
  - decelerating 43, 131, 147
  - disruption of 195
  - dynamics 427
  - flaring 179, 489
  - fluid 167
  - gaps in 195, 475
  - heavy/light 427, 449, 453, 475
  - helical structure 195, 203, 437, 441, 457, 485
  - inhomogeneous 413
  - knots in 83, 195, 203, 421, 439, 441, 447, 467
  - misaligned 477
  - models *see* Simulations
  - of  $e^-e^+$  277, 475
  - power 217, 319, 400
  - relativistic beaming 57, 153, 195, 246, 373, 379, 397, 413
  - relativistic jets 5, 21, 57, 131, 147, 195, 273, 400, 427, 437, 439
  - sheath 489
  - superluminal *see* relativistic
  - supersonic 137, 147, 435, 449, 453, 463, 481
  - transonic 427
  - two-sided 57, 133, 475
- Keplerian Rotation Curve 205, 211
- Klein-Nishina Effects 413
- $K_{mag.} - z$  plane 567
- Large Scale Structure 159, 499, 547
  - anisotropy 507
- LF *see* Luminosity Function
- LINERS 205
- Line Region

- broad line (BLR) 167, 244, 381, 413
- excitation of EELR 571
- extended EL (EELR) 167, 195, 217, 223, 471, 473, 571
- narrow line (NLR) 67, 81, 381
- Lines**
  - absorption 271, 385, 559
  - asymmetric 205
  - diagnostic diagrams 217, 559
  - em. line arc/filaments 227, 230, 236
  - kinematics 217
  - luminosity 217, 385
  - mass 236
  - gas emission line 179, 230, 236, 469, 571
  - high excitation 232
  - high ionization 227, 250
  - iron abundance 417
  - iron breadth 273
  - line ratio 217, 227, 232, 363, 405, 465, 473, 515, 559, 571
  - low excitation 515
  - low ionization 227, 250
  - molecular 167
  - narrow 205, 211, 236
  - peak shift 250
  - profile 217, 250
  - satellite 205
  - CIV $\lambda$ 1549 232, 250, 373
  - FeII 250
  - Fe K $\alpha$  205, 273, 363
  - H $\alpha$  41, 183, 205, 227, 230, 236, 321, 363
  - H $\beta$  81, 167, 217, 227, 250, 363, 469
  - Ly $\alpha$  321, 571, 577, 583
  - Ly $\alpha$  absorption 561, 571
  - MgII 167, 223, 373, 389, 402, 405
  - [NII] 41, 236
  - [OII] 73, 81, 167, 227, 230, 232, 373, 402, 515, 559, 571
  - [OIII] 73, 81, 167, 185, 205, 217, 227, 230, 232, 236, 250, 263, 321, 389, 465, 515, 571
  - [OIII] anisotropies 389
- Linear Size-z* 563, 567
- Luminosity Distribution 252, 547
- Luminosity Functions
  - AGN 535
  - blue 535
  - epoch-dependent 305, 547, 553
  - flat-spectrum 535, 569
  - gamma-ray 595
  - normal galaxies 535
  - optical 238, 523, 545
  - optical nuclear 541
  - quasar 545
  - radio 88, 238, 305, 373, 535
  - Seyfert 541
  - steep spectrum 569
  - X-ray 259, 305, 373, 543
- Luminosity-Size Correlation *see Correlations - P - l*
- Luminosity-z plane 567
- Mach Number 43, 137, 143, 167, 427, 449, 453, 467, 481
- Magnetic Field 49, 51, 145, 211, 256, 333, 339, 347, 351, 423, 433, 443, 457, 475, 483, 485
  - at high redshift 163
  - configuration 242, 341, 477
  - confinement by 433
  - diffusion 339
  - equipartition 57, 63, 143, 159, 167, 256, 291, 400, 407, 423, 483
  - fluctuation 339, 483
  - frozen-in 159
  - kinematic dynamo 159
  - poloidal 427, 433

- self-generated 291
- toroidal 427
- Magnetohydrodynamics (MHD) *see also* Simulations
  - contact discontinuity 159, 461
  - contact surface 461
  - exact solutions 457
  - models 419, 427, 455, 457
  - subalfvénic model 457
  - superalfvénic velocity 455
  - time independent equatn 457
  - turbulence 423, 483
  - turbulent layers 489
- Medium
  - accretion 571
  - column density 205
  - cooling 159, 467
  - dense 469, 585
  - gas density 205, 236, 319, 571
    - dynamics 445
    - temperature 250, 319
  - heating 159
  - high velocity gas 167
  - hot 305, 341, 357, 363, 407, 457
  - intergalactic (IGM) 305, 311, 313, 315, 317, 333, 361
  - interstellar (ISM) 111, 181
  - intracluster (ICM) 327, 333, 339, 341, 343, 357
  - ionized by jets 469
    - by shocks 515, 577
    - by starburst 577
  - ISM/IGM interface 179, 427
  - photoionization of 167, 217, 515
  - shocked intracluster 159
  - thermal electrons dens. 311
- Megamaser ( $\text{H}_2\text{O}$ ) 181, 205, 211
  - monitoring/survey 205
- Mergers 240, 254, 427, 471, 577
  - remnant 227
- Millimiter Wavelengths 175, 519, 571
- Mirror Model 413
- Monster *see* AGN
- Mosaicing 495, 523
- Motion *see also* Jet
  - curved/helical 5, 43, 443, 447
  - intrinsic kinematics 447
  - low speed 571
  - pattern 57
  - proper motions 5, 23, 39, 124, 127, 427, 441
  - relativistic 14, 17, 41, 57, 137, 147, 203, 250, 277, 373, 379, 391, 395, 443, 447, 535
  - subluminal 427
  - superluminal *see* relativistic
  - supersonic 159, 319
  - two components 475, 489
  - variable speed 5
  - velocity gradients 475
- Multi-wavelength 14, 45, 242, 281, 283, 285, 289, 353, 515
- MSO *see* Radio Sources - Medium-size Symmetric Objects
- New Physics 291
- Obscuration 391
  - anisotropic 281, 373
  - circumnuclear matter 379
- Optical
  - continuum featureless 167
    - nebular 217, 389
    - steepening 405
  - hot-spot 201
  - identifications 259, 325, 495, 499, 507, 519, 525, 555, 561
  - jets 47, 195, 201, 203
  - knots 195, 203, 577
  - lines *see* Lines
  - lobes 331

- polarization (also UV) 195, 201, 205, 211, 217, 223, 234, 242, 281, 331, 385, 389, 402, 515
- Optical/Radio Connection 217, 571
- Orientation 381, 385, 393, 395, 405, 437
  - beaming/orientation 395, 437
  - viewing angle-redshift 391
- Pair Production 277, 291, 413
- Pinching Force 427
- Pion Production 291
- Plasma *see* Medium
- $P - l - z$  diagram 563
- Polarimetry *see* Optical - Polarization
- Polarization (radio) 33, 49, 51, 53, 55, 77, 79, 85, 137, 159, 227, 283, 343, 347, 437, 449, 485, 495, 513
  - depolarization 77, 137, 159, 195, 227, 311, 321, 397
  - depolarization asymmetry *see* Laing-Garrington effect
  - Faraday disperson 397
    - rotation 195, 227, 495
    - screen 159
  - Laing-Garrington effect 77, 147, 159, 311, 351, 373, 395, 397
  - rotation measure 79, 133, 159, 163, 321
  - VLBI 5, 33, 49, 51, 85, 242
- Population of Radio Sources 547
  - counts 525, 547, 553, 555, 593
  - mJy 581
  - $\mu$ Jy 555, 559, 593
  - redshift distribution 545, 559
  - space density 495, 547, 553, 561, 593
  - space distribution 547
  - sub-mJy 523, 525
- Pressure
  - confinement 433
  - equilibrium 333, 357
  - press. driven expansion 483
  - ram 63, 167, 195, 317, 459, 571
- Proton Induced Cascade 167, 277
- QSO *see* Quasar
- Quasars 79, 83, 85, 101, 155, 201, 203, 263, 269, 329, 373, 379, 397, 405, 407, 427, 485, 499, 517, 519, 541, 547, 561
  - bright candidates 507
  - continuum spectrum 407
  - core-dominated 5, 85, 373
  - distortion 155
  - flat spectrum 285, 400, 561, 595
  - hidden 167, 217, 223, 234, 379, 389, 402, 407, 519, 571, 577
  - high redshift 561
  - illumination 217
  - lobe-dominated 329, 373
  - radio loud 248, 252, 259, 321, 327, 400, 407, 545
  - quiet 185, 248, 400, 545
  - weak 155, 400, 545
  - size 155, 329,
- Radio Galaxies 21, 23, 25, 90, 118, 124, 127, 129, 131, 133, 137, 143, 145, 153, 159, 163, 167, 175, 183, 217, 223, 227, 234, 248, 254, 263, 323, 373, 379, 427, 471, 517, 519, 541, 555
  - broad line (BLRG) 35, 263, 373, 515
  - evolution (also dynamical) 313, 373, 483
  - giant 311, 313, 315, 317, 495
  - tail - narrow angle (NAT) 145, 347, 349, 361

- straight ang.(SAT) 349
  - wide angle (WAT) 305, 349, 427, 475
  - high redshift 159, 163, 217, 402, 519, 571, 577, 581, 583, 588
  - loud/quiet 238, 381
  - narrow line (NLRG) 395, 407, 499, 515
  - optical properties 238, 240
  - X-ray emission from 256
  - weak 236
- Radio Source/Medium Interaction  
333, 361, 571, 577
- Radio Sources
- arm-length 397
  - asymmetry 137, 147, 311, 317, 343, 373, 395, 479
  - cocoons 167, 195, 203, 349, 449, 459, 481, 485, 571
  - compact 95, 97, 103, 113, 129, 531
  - compact steep spectrum 63, 67, 69, 71, 73, 77, 79, 81, 83, 263, 373, 405, 469, 495, 547
  - compact symmetric object 57, 63, 67, 88, 90, 92, 469, 547
  - compactness 513
  - double 157, 397, 459, 513
  - evolution 63, 67, 88, 90, 137, 305, 315, 319, 563
  - expansion velocity *see* Motions
  - filaments in 167, 195, 427, 467, 485
  - flat spectrum 5, 244, 259, 277, 423, 535, 547, 553
  - FR-I 53, 124, 127, 131, 143, 147, 159, 238, 305, 323, 331, 349, 373, 379, 385, 397, 400, 427, 461, 463, 475, 547
  - FR-II 53, 81, 85, 88, 113, 124, 129, 137, 147, 153, 159, 217, 223, 238, 323, 331, 349, 373, 379, 385, 397, 400, 407, 427, 445, 459, 475, 547
  - halo 313, 321, 333, 341, 357
  - hot spots 167, 179, 319, 467, 475, 513
  - lifetime (also dynamical) 63, 137, 145, 238, 305, 313, 479, 483, 583
  - lobes 118, 167, 179, 201, 256, 313, 319, 357, 381, 469
  - medium-size symmetric 63, 88
  - peaked spectrum 67, 69, 75, 79, 118, 129, 215, 469, 495, 547, 585
  - plumes 513
  - relics 333, 345
  - size (also evolution) 63, 137, 305, 319, 373, 481, 555
  - steep spectrum 259, 547, 553
  - stellar *see* stars
  - X-shaped 254
- Samples *see* Surveys
- Scattered light 167, 217, 223, 331, 577
- Scattering
- by dust 234, 389
  - electrons 234
  - reflection 223
  - Compton 427
  - resonant 363
  - Thomson 211
- Scintillation
- by plasma 111
  - modulation index 103
  - refractive 103, 111
- SED *see* Spectra Energy Distribution
- Sedov-Taylor blast 291
- Seyfert Galaxies 177, 179, 205, 217, 230, 269, 273, 381, 541

- Shocks 5, 195, 223, 230, 427, 443, 449, 471, 481
- accretion 571
  - auto-ionizing 473
  - biconical 449
  - bow shock 159, 167, 571
  - cross 435
  - diffusive acceleration 423
  - extragalactic 291
  - jet-induced 217
  - Mach 435
  - magnetosonic front 419
  - oblique 131, 427, 441
  - ping-pong 291
  - reconfining 439
  - relativistically moving 41, 427
  - transverse 437
- Simulations 427, 437, 439, 449, 459
- 3D 167, 453, 465, 467
  - bow shock 465
  - cold/hot model 435
  - double jet model 475
  - hydrodynamical(also relat) 437, 465, 435, 471
  - jet energy/mass flux 475
  - kinematic interactions 465
  - MHD *see* Magnetohydrodynamics
  - of jets 421, 427, 433, 437, 443, 453, 455, 459, 463, 467
  - of variability 487
  - photoionization/shocks 465
  - self-similar models 433, 455, 459
  - synthetic radio maps 439, 443, 467, 487, 531
  - stagnation point 461
  - turbulence/vortices 423, 427, 435, 461, 463
- Spectra
- asymmetry 395
  - at high redshift 163
- broad band 259, 265
  - energy distribution (SED) 185, 217, 385, 389, 413, 588, 591
  - index 95, 97, 145, 215, 317, 343, 345, 347, 489, 495, 519, 525, 555
  - IC losses 185, 317, 343, 345, 347
  - index-colour diagram 559
  - inverted 27, 423, 525
  - particle ageing 145, 167, 185, 195, 203, 317, 343, 345, 347, 423, 427, 483, 489
  - radio-to-optical 195, 281
    - turn-over 97, 163
  - tomography 489
  - ultra-steep 495
- Spectroscopy 248, 271
- spectrophotometry 81
  - spectropolarimetry 223, 389, 402, 577
- Stars
- energy distribution 571, 588
  - formation 167, 215, 217, 331, 559, 577, 588, 591
  - initial mass function 588
  - in radiocatalogs 499
  - population/evolution 588, 591
  - population synthesis 389, 588, 591
  - radio-related component 571
- Statistical Methods 97, 285
- correlation function 499, 535, 547
  - fluctuation analysis 525
  - $1/V_a$  543
- Sunyaev-Zeldovich 363, 593
- Survey Images 495, 499, 503, 507
- Surveys
- B3-VLA 519
  - BGS-IRAS 535
  - Bright quasar 499

- CRSS 543
- EMSS 246, 269, 385, 543
- FIRST 315, 499, 547
- Green Bank 259
- JVAS 495, 527
- large-sky 495, 499, 503, 507
- LBQS 252
- Molonglo (MRC) 143, 163, 259, 393, 405, 517
- NVSS 269, 325, 503, 535
- ROSAT all-sky 259, 263, 305
- PMN 259, 381, 507, 547
- various samples 49, 157, 244, 263, 269, 373, 393, 513, 515, 517, 523
- VLBI 57, 88
- WENSS 315, 495, 585
- Synchrotron 167, 256
  - blocking 423
  - cooling 339, 441
  - emissivity 457
  - lifetime *see* Spectra - particle ageing
  - losses *see* Spectra - particle ageing
  - pile-up 423
  - reacceleration 483
  - self Compton (SSC) 167, 277, 289, 413, 419, 421, 427
- $S - z$  relation 591
- Telescopes (& Instrumentation)
  - 6m Russian 591
  - AAT 473, 507
  - ASCA 167, 259, 273, 363, 417
  - ATCA 143, 227, 353, 355, 523, 525
  - ATNF 313, 507, 561
  - Calar Alto 519, 541
  - Cerro Tololo 517
  - CFHT 385
  - CGRO 19, 25, 99, 277, 285, 287, 289, 595
  - COBE 547
  - COMPTEL 277, 595
  - Effelsberg 14, 285, 311, 317, 343, 345, 347, 519
  - EGRET 14, 17, 19, 39, 129, 277, 281, 283, 285, 289, 413, 421, 595
  - ESO 227, 353, 523, 525, 561
  - EVN 85, 122, 157
  - GINGA 167, 273
  - Green Bank 14
  - HST 92, 124, 129, 131, 167, 177, 195, 201, 203, 230, 250, 385, 513, 555, 571, 577, 583
  - IRAM 14, 175, 519
  - Keck 223, 402, 519, 577, 581
  - La Palma 240, 321
  - Las Campanas 517
  - Merlin 85, 118, 157, 177, 195, 201, 203, 513
  - MOST 103, 143, 353
  - Palomar 519
  - PTI 515
  - RATAN-600 95, 591
  - ROSAT 167, 256, 259, 265, 267, 271, 305, 351, 353, 357, 361, 363, 435, 499, 525
  - San Pedro Martir 236, 269, 271
  - SEST 99
  - SHEVE 19, 21, 23, 73, 129
  - UMRAO 17, 90, 283
  - VLA 53, 55, 77, 79, 92, 113, 115, 131, 133, 137, 145, 147, 153, 155, 157, 159, 179, 183, 215, 223, 252, 259, 271, 305, 325, 329, 333, 343, 349, 351, 357, 393, 395, 397, 463, 499, 513, 517, 519, 527, 535, 543, 555, 561, 593
  - VLBA 5, 33, 21, 23, 27, 30, 35, 41, 90, 92, 115, 120, 131, 133, 211, 345, 485, 527

- WSRT 53, 55, 145, 155, 157, 256, 311, 317, 347, 397, 495
- $\theta - z$  relation 393, 527, 563, 591
- $\theta - S$  relation 563
- Top-down scenario 291
- Unification Models 55, 57, 127, 153, 163, 167, 217, 234, 248, 263, 273, 373, 379, 381, 389, 393, 397, 400, 402, 477, 547, 553, 563, 577
  - difficulties with 381, 393, 535, 547, 567
  - evidence against 563
  - evolutionary 391
  - obscuring torus 167, 205, 223, 273, 373, 381, 400
- UV
  - background 561
  - bump 400
  - continuum 217, 389
  - excess 217, 515, 588
  - polarization *see* Optical
- Variability 413, 419, 421, 487
  - autocorrelation analysis 246
  - high-frequency 14, 25, 57, 75, 99
  - infrared 45
  - low-frequency 103, 485
  - optical 45, 246, 287, 289, 373
- outburst model 101
- radio 39, 45, 75, 105, 283, 373, 495, 499
  - structure function 103, 246
  - timescale 103
- Viewing angle *see* orientation
- VLBI 14, 39, 43, 67, 69, 124, 127
  - millimeter 11, 17, 33
  - multi-frequency 5, 35
  - single baseline 75
  - space (VSOP) 529, 531
  - spectral line 92
  - World Array 83
- Wind
  - collimated 455
  - super 381
- X-ray 167, 259, 263, 333, 363, 407, 417
  - anisotropic emission 263
  - beaming model 543
  - extended emission 263, 305, 341, 351, 357, 361
  - radio emitting (REX) 269, 271, 499
  - ratio to FIR 273
  - spectra 265, 267, 273, 363, 385, 407
  - variability 263