Microscopy

Coming Events

2019

NextTEM: Next-Generation

Transmission Electron Microscopy Workshop August 4, 2019 Portland, OR www.microscopy.org/MandM/2019/program/ NexTEM_2019_Announcement.pdf

Microscopy & Microanalysis 2019

August 4–8, 2019 Portland, OR www.microscopy.org

Denver X-Ray Conference

August 5-9, 201 Lombard, IL www.dxcicdd.com

MC2019 Microscopy Conference

September 1–5, 2019 Berlin, Germany www.microscopy-conference.de

National Society for Histology, 45th Annual Symposium

September 20–25, 2019 New Orleans, LA www.histoconvention.org/futuredates.cfm

Interdisciplinary Symposium on 3D Microscopy

October 1–4, 2019 Engelberg, Switzerland www.3dssom2019.ch

Neuroscience 2019

October 19–23, 2019 Chicago, IL Sponsor: Society for Neuroscience www.sfn.org

2020

Microscopy & Microanalysis 2020

August 2–6, 2020 Milwaukee, WI www.microscopy.org

2021

Microscopy & Microanalysis 2021

August 1–5, 2021 Pittsburgh, PA www.microscopv.org

2022

Microscopy & Microanalysis 2022

July 31–August 4, 2022 Portland, OR www.microscopy.org

2023

Microscopy & Microanalysis 2023

July 24–28, 2023 Minneapolis, MN www.microscopy.org

2024

Microscopy & Microanalysis 2024

July 28-August 1, 2024 Cleveland, OH www.microscopy.org

More Meetings and Courses

Check the complete calendar near the back of this magazine.

Carmichael's Concise Review

Printing Patches for Diseased Hearts

Stephen W. Carmichael


Mayo Clinic, Rochester, MN 55905

carmichael.stephen@mayo.edu

Cardiovascular diseases are the number one cause of death in industrialized countries. To date, heart transplantation is the only treatment available for patients with end-stage cardiac failure. Many of these patients die while waiting for a suitable donor heart; therefore, there is a need to develop new approaches to regenerate cardiac muscle that has infarcted. Since, in theory, only the infarcted portion needs to be replaced, a functional "patch" may be all that is needed to restore cardiac function to a survivable level. Tissue engineering of cardiac tissue provides such an approach by integrating cardiac cells and 3D biomaterials. The latter serve as temporary scaffolds, mechanically support-

ing the cells and promoting their reorganization into a functional tissue. This could be fashioned in vitro until the patch is mature enough to be transplanted onto the infarction site. After integration into the host commences, the biomaterials gradually degrade leaving a functional living patch that restores cardiac function. Recently Nadav Noor, Assaf Shapira, Reuven Edri, Idan Gal, Lior Wertheim, and Tal Dvir developed a thick and perfusable cardiac patch, using 3D printing, that shows much promise for treating end-stage cardiac failure [1].

The biocompatibility of the scaffolding materials is a crucial factor for eliminating the risk of implant rejection, which in turn jeopardizes the success of the treatment. Therefore, Noor et al. developed a method to use autologous tissue for the scaffold. They took adipose tissue from the omentum of either patients or pigs. Then the cellular and acellular materials were separated. While the cells were reprogrammed to become pluripotent stem cells and differentiated into cardiac






Figure 1: (a) Fluorescence microscopy image of a 3D-printed blood vessel cross section showing the interactions of green fluorescent protein (expressing endothelial cells) and red fluorescent protein (expressing fibroblasts). Bar=100 μ m. (b) Confocal image of a 3D-printed heart (cardiac myocytes in pink, endothelial cells in orange). Width of heart=6 mm.

COMING UP ON **50 YEARS** OF **DEVELOPMENT, MANUFACTURING, AND CUSTOMER SERVICE...**

...and still innovating

Free customer service

Sectioning tests with biological and material research specimens of all kinds. We send you the sections along with the surfaced sample, a report on the results obtained and a recommendation of a suitable knife. Complete discretion when working with proprietary samples.

Re-sharpening and reworking service

A re-sharpened Diatome diamond knife demonstrates the same high quality as a new knife. Even knives purchased in previous years can continue to be re-sharpened. The knives can be reworked into another type of knife for no extra charge, e.g. ultra to cryo or 45° to 35°.

Exchange service

Whenever you exchange a knife we offer you a new Diatome knife at an advantageous price.

DIATOME U.S.

DIATOME

diamond knives

ultra 45° • cryo • histo • ultra 35° histo jumbo • STATIC LINE II • cryo immuno ultra sonic • ultra AFM & cryo AFM

NEW!... trimtools 20, 45, and 90Finally, one trimming tool for all of your trimming needs, be it at room or crvo temperatures.

the highest quality...
the most precise sectioning...
incomparable durability



muscle cells and blood vessel-forming cells, the extracellular matrix was processed into a personalized hydrogel. The cells and hydrogel were mixed to generate patient-specific, immunocompatible cardiac patches. Two cellular "bioinks" were generated: the cardiac cell bioink, which was used for printing the parenchymal tissue, and a bioink consisting of blood vessel-forming cells. In this strategy, when using the patient's own materials and cells, the two bioinks may be used to print thick, vascularized, and perfusable patches of cardiac tissue that fully match the immunological, biochemical, and anatomic properties of the patient. Furthermore, the authors demonstrated that the personalized hydrogel can be used to print volumetric, freestanding, cellular structures, including entire hearts with their major blood vessels!

Scanning electron microscopy was used to visualize the ultrastructure of the personalized hydrogel. Fluorescence microscopy was used in a series of immunocytochemical studies to confirm the identities of the differentiated cells. For example, staining for sarcomeric actinin confirmed that the pluripotent cells had differentiated into cardiac myocytes. Confocal microscopy was used to visualize the printed blood vessels within the cardiac patches. Another example demonstrates endothelial cells and fibroblasts (Figure 1a).

These and other results demonstrated the ability to use the patient's own cells and extracellular material for 3D printing of fully personalized contracting cardiac patches that closely fit the patient's biochemical and cellular properties, as well as the anatomy of the patient. This approach can yield structures several millimeters thick, which is sufficient for engineering clinically relevant cardiac patches.

Finally, Noor et al. conducted some proof of concept studies. They fabricated small-scale cellularized human hearts with major blood vessels, based on a digital design. A heart several centimeters in height was constructed. Immunostaining demonstrated the presence of cardiac myocytes and endothelial cells (Figure 1b). Although a great deal of research and development needs to be devoted, this is an elegant first step toward the generation of a functional, mechanically stable organ that may be amenable to clinical applications.

References

- [1] N Noor et al., *Adv Sci*, April 15, 2019, https://onlinelibrary.wiley.com/doi/full/10.1002/advs.201900344.
- [2] The author gratefully acknowledges Drs. Nadav Noor and Tal Dvir for reviewing this article.

Mт



+1 866 TSS 2003 www.tssmicroscopy.com

electron microscopes re-visioned

microscopy

The moment "I think" becomes "I know".

This is the moment we work for.



Connect with ZEISS!

Connect with ZEISS at M&M 2019 in Portland to explore the latest microscopy innovations and advancements through hands-on technology demonstrations and daily in-booth educational presentations. Meet our experts to learn how ZEISS can help you advance research, achieve insights, and minimize time-to-result with the latest in our portfolio of light, confocal, electron/ion and X-ray microscopy solutions.

Visit us at booth #1117 at M&M 2019 in Portland, OR.

