

Lecture Notes in Physics

428

U. G. Jørgensen (Ed.)

Molecules in the Stellar Environment

**Proceedings of IAU Colloquium No. 146
Copenhagen, Denmark 1993**



Springer-Verlag

Lecture Notes in Physics

Editorial Board

H. Araki

Research Institute for Mathematical Sciences
Kyoto University, Kitashirakawa
Sakyo-ku, Kyoto 606, Japan

E. Brézin

Ecole Normale Supérieure, Département de Physique
24, rue Lhomond, F-75231 Paris Cedex 05, France

J. Ehlers

Max-Planck-Institut für Physik und Astrophysik, Institut für Astrophysik
Karl-Schwarzschild-Strasse 1, D-85748 Garching, FRG

U. Frisch

Observatoire de Nice
B. P. 229, F-06304 Nice Cedex 4, France

K. Hepp

Institut für Theoretische Physik, ETH
Hönggerberg, CH-8093 Zürich, Switzerland

R. L. Jaffe

Massachusetts Institute of Technology, Department of Physics
Center for Theoretical Physics
Cambridge, MA 02139, USA

R. Kippenhahn

Rautenbreite 2, D-37077 Göttingen, FRG

H. A. Weidenmüller

Max-Planck-Institut für Kernphysik
Saupfercheckweg 1, D-69117 Heidelberg, FRG

J. Wess

Lehrstuhl für Theoretische Physik
Theresienstrasse 37, D-80333 München, FRG

J. Zittartz

Institut für Theoretische Physik, Universität Köln
Zùlpicher Strasse 77, D-50937 Köln, FRG

Managing Editor

W. Beiglböck

Assisted by Mrs. Sabine Landgraf
c/o Springer-Verlag, Physics Editorial Department V
Tiergartenstrasse 17, D-69121 Heidelberg, FRG



The Editorial Policy for Proceedings

The series Lecture Notes in Physics reports new developments in physical research and teaching – quickly, informally, and at a high level. The proceedings to be considered for publication in this series should be limited to only a few areas of research, and these should be closely related to each other. The contributions should be of a high standard and should avoid lengthy redraftings of papers already published or about to be published elsewhere. As a whole, the proceedings should aim for a balanced presentation of the theme of the conference including a description of the techniques used and enough motivation for a broad readership. It should not be assumed that the published proceedings must reflect the conference in its entirety. (A listing or abstracts of papers presented at the meeting but not included in the proceedings could be added as an appendix.)

When applying for publication in the series Lecture Notes in Physics the volume's editor(s) should submit sufficient material to enable the series editors and their referees to make a fairly accurate evaluation (e.g. a complete list of speakers and titles of papers to be presented and abstracts). If, based on this information, the proceedings are (tentatively) accepted, the volume's editor(s), whose name(s) will appear on the title pages, should select the papers suitable for publication and have them refereed (as for a journal) when appropriate. As a rule discussions will not be accepted. The series editors and Springer-Verlag will normally not interfere with the detailed editing except in fairly obvious cases or on technical matters.

Final acceptance is expressed by the series editor in charge, in consultation with Springer-Verlag only after receiving the complete manuscript. It might help to send a copy of the authors' manuscripts in advance to the editor in charge to discuss possible revisions with him. As a general rule, the series editor will confirm his tentative acceptance if the final manuscript corresponds to the original concept discussed, if the quality of the contribution meets the requirements of the series, and if the final size of the manuscript does not greatly exceed the number of pages originally agreed upon. The manuscript should be forwarded to Springer-Verlag shortly after the meeting. In cases of extreme delay (more than six months after the conference) the series editors will check once more the timeliness of the papers. Therefore, the volume's editor(s) should establish strict deadlines, or collect the articles during the conference and have them revised on the spot. If a delay is unavoidable, one should encourage the authors to update their contributions if appropriate. The editors of proceedings are strongly advised to inform contributors about these points at an early stage.

The final manuscript should contain a table of contents and an informative introduction accessible also to readers not particularly familiar with the topic of the conference. The contributions should be in English. The volume's editor(s) should check the contributions for the correct use of language. At Springer-Verlag only the prefaces will be checked by a copy-editor for language and style. Grave linguistic or technical shortcomings may lead to the rejection of contributions by the series editors. A conference report should not exceed a total of 500 pages. Keeping the size within this bound should be achieved by a stricter selection of articles and not by imposing an upper limit to the length of the individual papers. Editors receive jointly 30 complimentary copies of their book. They are entitled to purchase further copies of their book at a reduced rate. As a rule no reprints of individual contributions can be supplied. No royalty is paid on Lecture Notes in Physics volumes. Commitment to publish is made by letter of interest rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume.

The Production Process

The books are hardbound, and the publisher will select quality paper appropriate to the needs of the author(s). Publication time is about ten weeks. More than twenty years of experience guarantee authors the best possible service. To reach the goal of rapid publication at a low price the technique of photographic reproduction from a camera-ready manuscript was chosen. This process shifts the main responsibility for the technical quality considerably from the publisher to the authors. We therefore urge all authors and editors of proceedings to observe very carefully the essentials for the preparation of camera-ready manuscripts, which we will supply on request. This applies especially to the quality of figures and halftones submitted for publication. In addition, it might be useful to look at some of the volumes already published. As a special service, we offer free of charge LATEX and TEX macro packages to format the text according to Springer-Verlag's quality requirements. We strongly recommend that you make use of this offer, since the result will be a book of considerably improved technical quality. To avoid mistakes and time-consuming correspondence during the production period the conference editors should request special instructions from the publisher well before the beginning of the conference. Manuscripts not meeting the technical standard of the series will have to be returned for improvement.

For further information please contact Springer-Verlag, Physics Editorial Department V, Tiergartenstrasse 17, D-69121 Heidelberg, FRG

U. G. Jørgensen (Ed.)

Molecules in the Stellar Environment

Proceedings of IAU Colloquium No. 146
Held at Copenhagen, Denmark, May 24-29, 1993

Springer-Verlag

Berlin Heidelberg New York
London Paris Tokyo
Hong Kong Barcelona
Budapest

Editor

U. G. Jørgensen
Niels Bohr Institute
Blegdamsvej 17
DK-2100 Copenhagen

ISBN 3-540-57747-5 Springer-Verlag Berlin Heidelberg New York
ISBN 0-387-57747-5 Springer-Verlag New York Berlin Heidelberg

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1994
Printed in Germany

Printing and binding: Druckhaus Beltz, Hemsbach/Bergstr.
SPIN: 10080311 55/3140-543210 - Printed on acid-free paper

Preface

The region of a star where the spectrum is formed is called the atmosphere. It consists of the photosphere (where most of the visual and infrared light comes from), the chromosphere (a somewhat hotter layer above the photosphere where, in cool stars, most of the ultraviolet light is produced), and sometimes a corona (the very hot outermost region). Stars with an “average” (effective) temperature in the photosphere of less than around 4000 K are called “cool”. The low luminosity cool stars include the M dwarfs, some white dwarfs, and the brown dwarfs. All these are stellar types that often can be as old as the universe, and they can provide us with important and detailed information about things as different as the conditions in the early universe, the unseen mass in the galaxies, and of course stellar structure and evolution itself. The high luminosity cool stars are called red giants. They are often larger than the Earth’s orbit around the Sun, and a wind of gas and dust from their uppermost layers can be so strong that the mass of our Sun would be expelled in less than 100,000 years. These stars continuously enrich the interstellar medium with material from the nucleosynthesis deep in their interior. New stars and planets forming from the interstellar clouds are therefore built “of the ashes of the red giants”. In fact about half of all the elements that surround us come from this process (2/3 of all the elements heavier than iron, and a few of the lighter and more abundant ones too; the rest of the elements come from supernovae). Nevertheless, there is no theory capable of explaining how the material is blown out of the red giant stars. Part of the wind-material can gather temporarily in shells around the stars. Dense shells of gas and dust around red giants are known as circumstellar envelopes. All these phenomena are collectively referred to in this book as the stellar environment. It has not yet been possible to construct a unified model for this part of a star.

The gas in cool stars is dominated by small molecules (like CO, H₂O, HCN) which slowly grow into bigger molecules (like carbon chains and polyaromatic hydrocarbon rings) and grains (like silicon carbide and graphite dust) in the outflowing gas. A major obstacle to constructing a unified model for the stellar environment in cool stars has been the severe lack of data for the molecular physics and chemistry that prevail at the high temperatures and/or low pressures of the stellar environment. It is the aim of the present book to review the status and knowledge of the theory, observations, and experiments relating to both the astrophysical and the chemical aspects of this problem, and to stimulate work in the area where data and progress are most needed. One problem that any

scientist entering this field will immediately discover is that “the two sides” – the chemistry and the astrophysics – each speak their own language. It is this problem which in the first chapter of the book is described as “the two villages”. Each chapter in the book has therefore been aimed at presenting both the basic concepts and the underlying theory, together with the most recent knowledge and progress. This aim is described in the first chapter as creating “a bridge between the villages” – i.e., the ability to pass knowledge from one of the communities to the other.

I am thankful to all the authors for their patience with me when I returned their manuscripts for the n'th time claiming that we need more “stones on the bridge” in order to “make it easy to pass from one of the villages to the other” – i.e., in order to make the concepts from one of the disciplines understandable for scientists and students from the other discipline. It is my hope that the book will be used as such a bridge between molecular chemistry and stellar astrophysics.

The idea of the book (and the IAU Colloquium 146 upon which it is based) arose from discussions between Georges Graner, Mike Seaton, Rainer Wehrse and myself during a fruitful meeting on atomic and molecular opacities in Venezuela in the summer of 1991. The project was well received by the host institutes in Copenhagen (the Niels Bohr Institute and Nordita), and the financial where-withal was secured by generous support from the International Astronomical Union (on recommendations by commissions 14, 29, and 36), the Danish Natural Science Research Council, the Augustinus Foundation, the Carlsberg Foundation, and Knud Højgaard's Foundation. I gratefully acknowledge this support, as well as the work done by the scientific organizing committee (consisting of Georges Graner, David L. Lambert, Björn O. Roos, Takashi Tsuji, Rainer Wehrse, and myself) and the local organizing committee (consisting of Ben Mot-telson, Bernard Pagel, Peter Thejll, and myself). Particular thanks are due to Peter Thejll without whose continuous effort the organization of the conference would have been impossible.

Copenhagen, November 1993

Uffe Gråe Jørgensen

Contents

Stellar Photospheres and Molecules — a View from the Bridge <i>David L. Lambert</i>	1
Dominating Molecules in the Photosphere of Cool Stars <i>Uffe Gråe Jørgensen</i>	29
Opacity Problems in Cool Low Mass Stars <i>Michael Scholz and Rainer Wehrse</i>	49
Molecular Opacities in Cool Dwarf Stars <i>James Liebert</i>	61
White Dwarfs <i>Peter Thejll</i>	71
Astrophysical Applications of Approximate Methods for Molecular Opacities — from Stars to Substellar Brown Dwarfs <i>Takashi Tsuji</i>	79
Infrared Spectroscopy and Molecules in Circumstellar Envelopes <i>Kenneth H. Hinkle</i>	98
Molecular Abundances in the Envelopes Around Evolved Stars <i>Hans Olofsson</i>	113
Polyynes and Polycyclic Aromatic Molecules in C-Rich Circumstellar Envelopes <i>Alain Omont</i>	134
Improvements in the Computation of Grain Opacity <i>David R. Alexander and Jason W. Ferguson</i>	149
From Molecules to Grains <i>Erwin Sedlmayr</i>	163
Opacity Problems in Protostellar Objects <i>Harold W. Yorke and Thomas Henning</i>	186
Molecules in the Sun and Molecular Data <i>Nicolas Grevesse and A. Jacques Sauval</i>	196
Pressure-Induced Molecular Absorption in Stellar Atmospheres <i>Aleksandra Borysow</i>	209
Continuous Molecular Opacities and Photodissociation <i>Ewine F. van Dishoeck</i>	223
Effects of Non-Local Thermodynamic Equilibrium (NLTE) on Molecular Opacities <i>Hollis R. Johnson</i>	234
Dissociation Energies and Partition Functions of Small Molecules <i>Michel Costes and Christian Naulin</i>	250

Atomic Opacities <i>M. J. Seaton</i>	265
Computation of the Absorption Coefficient for Diatomic Molecules <i>Mats Larsson</i>	271
Computation of Opacities for Diatomic Molecules <i>Robert L. Kurucz</i>	282
Computation of Frequencies and Linestrengths for Triatomic Molecules of Astronomical Interest <i>Steven Miller, Jonathan Tennyson, Hugh R.A. Jones and Andrew J. Longmore</i>	296
Computational Approaches to Determining Accurate Band Strengths <i>Stephen R. Langhoff and Charles W. Bauschlicher, Jr.</i>	310
Ab Initio Calculations of Absorption Coefficients of Small Carbon Hydride Molecules <i>S.D. Peyerimhoff</i>	326
The RASSCF, RASSI, and CASPT2 Methods Used on Small Molecules of Astrophysical Interest <i>Per-Åke Malmqvist</i>	338
The MORBID Method <i>Per Jensen</i>	353
Experimental Measurement of Weak Band Intensities <i>Kevin K. Lehmann and Daniele Romanini</i>	366
Oscillator Strengths and Excited State Lifetimes in Metallic Hydrides and Oxides <i>Joël Schamps</i>	376
The Berkeley Program on Molecules of Astrophysical Interest <i>Sumner P. Davis</i>	397
Production, Detection and Study in the Infrared of Unstable Molecules and Radicals <i>Mireille Morillon-Chapey</i>	412
Laboratory Millimeter Wave Spectroscopy of Small Reactive Species <i>C. Demuyneck, M. Bogey, H. Bolvin, M. Cordonnier, J.L. Destombes, A. Walters</i>	417
<i>Table of contents for "Poster Session Proceedings of IAU Colloquium 146: Molecular Opacities in the Stellar Environment", edited by P. Thejll and U. G. Jørgensen</i>	432
Index	434