

# EUROPEAN PSYCHIATRY

VOL 8/No 2

1993

ISSN 0767-399 X  
SCSPED II (2) 59-112  
PSYPEK (8) (2)

ex PSYCHIATRIE & PSYCHOBIOLOGIE

THE JOURNAL OF THE ASSOCIATION OF EUROPEAN PSYCHIATRISTS

## REVIEWS

- Personality structure in the paranoid psychoses of later life**  
*R Howard, R Levy (London, UK)* ..... 59
- The potential role of cholecystokinin in schizophrenia: review and update**  
*R Payeur, MK Nixon, M Bourin, J Bradwejn, JM Legrand (Nantes, France; Montréal, Canada)* ..... 67

## ORIGINAL ARTICLES

- Reconstruction of MADRS in Benin: a contribution to the study of its cross-cultural validity**  
*G Bertschy, JF Viel, S Vandiel, RG Ahyi (Prilly-Lausanne, Switzerland; Besançon, France; Benin, West Africa)* ..... 79
- Platelet serotonin uptake in patients suffering from pancreatic carcinoma, chronic physical disease and depression**  
*I Modai, Y Shaked, G Shaked, A Valevski, M Mark, A Weizman, Z Jerushalmy (Petah Tiqva, Israel)* ..... 85
- Bromocriptine improves digit symbol substitution test scores in neuroleptic-treated chronic schizophrenic patients**  
*C de Beaurepaire, R de Beaurepaire, M Cleau, P Borenstein (Villejuif, Caen, France)* ..... 89
- Ten years after – the post-treatment course of alcoholism**  
*G Längle, K Mann, G Mundle, HW Schied (Tübingen, Rottweil, Germany)* ..... 95

## SHORT COMMUNICATIONS

- The treatment of alcoholism in Europe 1992 – empirical results**  
*MJAJM Hoes (Tiel, The Netherlands)* ..... 101
- Neuroradiological findings in post partum psychiatric disorder**  
*T Becker, E Hofmann, M Knoche, M Lanczik (Würzburg, Germany)* ..... 105
- List of Reviewers** ..... 109
- Agenda** ..... 109
- Instructions to authors** ..... 111



ELSEVIER



# PRAZINIL

CARPIPRAMINE

4 comprimés par jour  
en 2 prises matin et soir



**Forme et présentation :** Etui de 24 comprimés sécables dosés à 50 mg de carpipramine (DCI) base sous forme de dichlorhydrate monohydraté. **Propriétés :** Psychotrope désinhibiteur. **Indications :** • Inhibition au cours des états anxieux. • Les psychoses schizo-phréniques à symptomatologie déficitaire, qu'il s'agisse de psychoses déficitaires d'emblée (forme hétérophréniques, schizo-phrénies simples) ou de déficit progressif survenant au cours de l'évolution des psychoses chroniques. **Contre-indications :** • Troubles de la conduction et du rythme cardiaque. • Ne pas associer aux IMAO ; respecter un délai de 15 jours après l'arrêt d'un traitement comportant ce type de médicament. • Affections hépatiques et rénales sévères. • Grossesse ; chez une espèce animale, l'expérimentation met en évidence à très forte dose une embryotoxité et une foetotoxicité. Dans l'espèce humaine, le risque n'est pas connu ; par conséquent, par mesure de prudence, éviter de prescrire pendant la grossesse. • L'allaitement est déconseillé pendant le traitement. **Précautions d'emploi :** • Surveillance en début de traitement (psychique et somatique) notamment chez les patients avec risque suicidaire. • Surveillance renforcée chez les épileptiques. • Surveillance particulière en cas d'anesthésie générale. • A utiliser avec précautions en cas d'affection cardiovasculaire grave, d'insuffisance rénale et/ou hépatique. **Interactions médicamenteuses :** Association déconseillée avec l'alcool. **Associations à prendre en compte :** • Antihypertenseurs ; majoration de l'effet antihypertenseur et risque d'hypotension orthostatique majorée. • Autres déprimeurs du système nerveux central ; majoration de la dépression centrale pouvant avoir des conséquences importantes, notamment en cas de conduite automobile ou d'utilisation de machines. **Effets indésirables :** • Quelques cas de difficultés d'endormissement ont été rapportés. • Possibilité d'hypotension orthostatique (en particulier chez le sujet âgé). • Très rares cas de galactorrhée et d'aménorrhée. **Mode d'emploi et posologie :** • 1 à 4 comprimés par jour, la posologie moyenne étant de 3 comprimés par jour en 2 ou 3 prises. • L'activité du Prazinil se manifeste, en

général, entre le 7<sup>e</sup> et le 15<sup>e</sup> jour. **Surdosage :** En cas de surdosage mesuré, procéder à l'évacuation rapide du produit ingéré, hospitaliser le patient en milieu hospitalier. Il n'existe pas d'antidote spécifique. Liste I. A.M.M. 320 437.0 (1976). **Prix :** 62,10 F + SHP (24 comprimés). Remboursé Sécurité Sociale à 70 %. Admis aux Collectivités. Laboratoires Pierre Fabre - PIERRE FABRE MEDICAMENT - 45, place Abel Gance - 92100 Boulogne.

# EUROPEAN PSYCHIATRY

The journal of the Association of European Psychiatrists

**Editors:** C Ballus (Barcelona), JD Guelfi (Paris), H Heimann (Tübingen), R Murray (London)

**Co-Editors:** M Maj (Naples), CB Pull (Luxembourg), M Ackenheil (Munich), P Bech (Copenhagen)

**Deputy editors:** P Boyer, Y Lecrubier (Paris). **Secretariat:** Hôpital de la Salpêtrière, Pavillon Clérambault, 47, bd de l'Hôpital, 75651 Paris Cedex 13, France. Tel: (0033) 1 45 86 70 22. Fax: (0033) 1 44 23 92 49

## Advisory board

J Adès, *Colombes, France*  
HS Akiskal, *Rockville, USA*  
NC Andreasen, *Iowa City, USA*  
J Angst, *Zurich, Switzerland*  
P Baumann, *Lausanne, Switzerland*  
H Beckmann, *Würzburg, Germany*  
P Berner, *Vienna, Austria*  
A Bertelsen, *Risskov, Denmark*  
J Birley, *London, UK*  
JC Bisslerbe, *Meudon, France*  
D Bobon, *Glain-Liège, Belgium*  
B Bondy, *Munich, Germany*  
JP Boulenger, *Sherbrooke, Canada*  
F Brambilla, *Milan, Italy*  
I Brockington, *Birmingham, UK*  
A Clare, *Dublin, Ireland*  
F Clerget-Darpoux, *Paris, France*  
V Conde Lopez, *Valladolid, Spain*  
S Consoli, *Paris, France*  
J Cottraux, *Lyons, France*  
M von Cranach, *Kaufbeuren, Germany*  
A Dahl, *Oslo, Norway*  
JM Danion, *Strasbourg, France*  
JFW Deakin, *Manchester, UK*  
M de Bonis, *Le Kremlin Bicêtre, France*  
H Dufour, *Lausanne, Switzerland*  
R Engel, *Munich, Germany*  
L Farde, *Stockholm, Sweden*  
A Féline, *Le Kremlin Bicêtre, France*  
A Fernandes da Fonseca, *Porto, Portugal*  
F Ferrero, *Geneva, Switzerland*  
M Fichter, *Prien am Chiemsee, Germany*  
H Freeman, *London, UK*

HJ Gaertner, *Tübingen, Germany*  
J Gibert, *Cádiz, Spain*  
D Goldberg, *Manchester, UK*  
I Hand, *Hamburg, Germany*  
WE Haefely, *Basel, Switzerland*  
H Häfner, *Mannheim, Germany*  
T Helgason, *Reykjavik, Iceland*  
H Hippus, *Munich, Germany*  
A Jablenski, *Sofia, Bulgaria*  
E Johnston, *Edinburgh, UK*  
M Kastrup, *Hvidovre, Denmark*  
D Kemali, *Naples, Italy*  
R Kendell, *Edinburgh, UK*  
D Klein, *New York, USA*  
R Klein, *New York, USA*  
S Langer, *Paris, France*  
J Lellouch, *Villejuif, France*  
T Lemperière, *Colombes, France*  
J-P Lépine, *Paris, France*  
OM Lesch, *Vienna, Austria*  
SW Lewis, *London, UK*  
H Léo, *Paris, France*  
JJ Lopez-Ibor, *Madrid, Spain*  
P McGuffin, *Cardiff, UK*  
W Maier, *Mainz, Germany*  
A Mann, *London, UK*  
K Mann, *Tübingen, Germany*  
I Marks, *London, UK*  
J Marlet, *Venray, The Netherlands*  
J Massana Ronquillo, *Barcelona, Spain*  
J Mendlewicz, *Brussels, Belgium*  
HJ Möller, *Bonn, Germany*  
D Naber, *Munich, Germany*

E O'Callaghan, *Dublin, Ireland*  
Y Ono, *Tokyo, Japan*  
M Patris, *Strasbourg, France*  
J Pellet, *Saint-Etienne, France*  
C Perris, *Umeå, Sweden*  
P Pichot, *Paris, France*  
H Pope, *Belmont, USA*  
AJ Puech, *Paris, France*  
G Racagni, *Milan, Italy*  
N Retterstøl, *Oslo, Norway*  
M A Ron, *London, UK*  
R Rosenberg, *Risskov, Denmark*  
M Roth, *Cambridge, UK*  
F Rouillon, *Colombes, France*  
J Saiz-Ruiz, *Madrid, Spain*  
A Sanchez-Blanco, *Zaragoza, Spain*  
N Sartorius, *Geneva, Switzerland*  
F Schulsinger, *Copenhagen, Denmark*  
G Sedvall, *Stockholm, Sweden*  
L Singer, *Strasbourg, France*  
CN Stefanis, *Athens, Greece*  
E Straube, *Tübingen, Germany*  
E Strömgen, *Risskov, Denmark*  
E Taylor, *London, UK*  
P Taylor, *London, UK*  
L Träskman-Bendz, *Lund, Sweden*  
J Vallejo Ruibola, *Barcelona, Spain*  
D Widlöcher, *Paris, France*  
J Wilmotte, *Marchienne du Pont, Belgium*  
J Wing, *London, UK*  
FT Zimmer, *Tübingen, Germany*  
J Zohar, *Beer-Sheva, Israel*

## Association of European Psychiatrists

**President:** P Bech (Copenhagen); **Past President:** C Ballus (Barcelona); **President Elect:** R Murray (London); **Secretary General:** C Pull (Luxembourg); **Treasurer:** M Patris (Strasbourg); **Counsellors:** D Kemali (Naples), J Angst (Zurich); **Sections:** L Singer (Strasbourg).



ÉDITIONS SCIENTIFIQUES ELSEVIER

29, rue Buffon, F-75005 Paris

Tél: (1) 47 07 11 22 – Télex: 202400 F – Telecopier: (1) 43 36 80 93

SUBSCRIPTIONS 1993 – Vol 8 in 6 issues

• France: 1200 FF • Students: 720 FF • EEC: 1380 FF for organisms or firms (VAT registration number requested); 1405,09 FF for individuals • Excluding EEC: 1380 FF – Air delivery included.

Address order and payment to: Éditions Scientifiques Elsevier

Bank: CCP Paris, No 30041 00001 1904540H020/70.

– Subscriptions begin 4 weeks after receipt of payment and start with the first issue of the calendar year.

– Back issues and volumes are available from the publisher.

– Claims for missing issues should be made within six months of publication.

Consulting Translator: P. Rousseau-Conningham.

Advertising: Éditions Scientifiques Elsevier (Anne Blanvillain).

© 1993 Éditions Scientifiques Elsevier, Paris

Tous droits de traduction, d'adaptation et de reproduction par tous procédés réservés pour tous pays. Loi du 11 mars 1957. Il est interdit de reproduire, même partiellement, la présente publication sans l'autorisation de l'éditeur ou du Centre Français du Copyright, 6 bis, rue Gabriel-Laumain, 75010 Paris.

All rights reserved. No part of this publication may be translated, reproduced, stored in a retrieval system or transmitted in any form or by any other means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of the publisher.

Imprimerie St-Paul, 55000 Bar-le-Duc, France  
Dépôt légal: mai 1993. N° 3-93-0320

Le directeur de la publication: Alain Devanlay  
Commission paritaire: 68321  
Périodicité bimestrielle