

4897

1956

Vol. XXIX, No. 4

JOURNAL
OF
HELMINTHOLOGY

(Founded by R. T. LEIPER)

Edited by

J. J. C. BUCKLEY, D.Sc.

William Julien Courtauld Professor of Helminthology
in the University of London



London School of Hygiene
and
Tropical Medicine
Keppel Street
London
W.C.1

JOURNAL
OF
HELMINTHOLOGY

(Founded by R. T. LEIPER)

Vol. XXIX, 1955-56

Edited by

J. J. C. BUCKLEY, D.Sc.

William Julien Courtauld Professor of Helminthology
in the University of London



London School of Hygiene
and
Tropical Medicine
• Keppel Street
London
W.C.1

CONTENTS OF VOLUME XXIX

Nos. 1/2.

| | PAGES |
|---|--------|
| 1. Willmott, S. and Pester, F. R. N. The Discovery of <i>Paramphistomum hiberniae</i> Willmott, 1950, and its Intermediate Host in the Channel Islands | 1—2 |
| 2. Wallace, H. R. Factors Influencing the Emergence of Larvae from Cysts of the Beet eelworm, <i>Heterodera schachtii</i> Schmidt | 3—16 |
| 3. Soliman, K. N. Observations on Some Helminth Parasites from Ducks in Southern England... .. | 17—26 |
| 4. Gharib, H. M. Some Observations on the Transmission of Bacteria by Infective Larvae of <i>Nippostrongylus brasiliensis</i> | 27—32 |
| 5. Gharib, H. M. Observations on Skin Penetration by the Infective Larvae of <i>Nippostrongylus brasiliensis</i> | 33—36 |
| 6. Yeh Liang-Sheng. A New Tapeworm, <i>Diphyllobothrium salvelini</i> sp. nov., from a Salmon, <i>Salvelinus alpinus</i> , in Greenland | 37—48 |
| 7. Yeh Liang-Sheng. A New Bursate Nematode <i>Hepatojarakus malayae</i> gen. et sp. nov. from the Liver of <i>Rattus rattus jarak</i> (Bonhote) on Pulau Jarak, Straits of Malacca | 44—48 |
| 8. Winslow, R. D. A New Method of the Production and Recovery of Cysts of Root Eelworms (<i>Heterodera</i> spp.) for Use in Bio-assay | 49—54 |
| 9. McClelland, W. F. J. <i>Nematobothrium labeonis</i> n.sp., a Member of the Family Didymozoidae (Trematoda) from a Freshwater Fish | 55—64 |
| 10. Franklin, M. T. A Redescription of <i>Aphelenchoides parietinus</i> (Bastian, 1865) Steiner, 1932 | 65—76 |
| 11. Ellenby, C. On a Technique for Infecting Plants with the Potato Root-eelworm, <i>Heterodera rostochiensis</i> Wollenweber | 77—80 |
| 12. Peters, B. G. The Combined Use of Nematicidal Soil Fumigants and Solubilized Chemicals | 81—86 |
| 13. Schuurmans Stekhoven, J. H., Jr. and Mawson, Patricia M. On some Free-living Marine Nematodes from Kerguelen Island | 87—104 |
| Actual Dates of Publication, Volume XXVIII | 104 |

No. 3.

| | PAGES |
|---|---------|
| 1. Dougherty, E. C. The Genera and Species of the Subfamily Rhabditinae Micoletzky, 1922 (Nematoda): a Nomenclatorial Analysis—including an Addendum on the Composition of the Family Rhabditidae, Örley, 1880 | 105—152 |
| 2. Edwards, E. E. Further Observations on the Occurrence of Nematodes of the Genus <i>Meloidogyne</i> in the Gold Coast | 153—170 |

No. 4.

| | |
|---|---------|
| 1. Spedding, C. R. W. and Brown, T. H. The "Spring Rise" in the Nematode Egg-Count of Sheep ... | 171—178 |
| 2. Spedding, C. R. W. The Control of Worm-infestation in Sheep by Grazing Management | 179—186 |
| 3. Goodey, J. B. and Brown, E. B. Stem Eelworm Attacking Carrots | 187—192 |
| 4. Robinson, D. L. H. A Routine Method for the Maintenance of <i>Schistosoma mansoni</i> <i>in vitro</i> | 193—202 |
| 5. Yeh Liang-Sheng. On a Collection of Helminths from Thomson's Gazelle, <i>Gazella thomsoni</i> , from Tanganyika | 203—228 |
| Index | 229 |