

Original Research

Cite this article: Kılınc İşleyen E and Demirkaya Z. Relationship between disaster response self-efficacy and disaster preparedness in nursing students: After-earthquake study. *Disaster Med Public Health Prep.* **18**(e83), 1–8. doi: <https://doi.org/10.1017/dmp.2024.69>.

Keywords: disasters; self-efficacy; emergency preparedness; earthquakes; nursing students

Corresponding author: Eda Kılınc İşleyen; Email: eda.isleyen@usak.edu.tr

Relationship Between Disaster Response Self-Efficacy and Disaster Preparedness in Nursing Students: After-Earthquake Study

Eda Kılınc İşleyen PhD RN¹ and Zehra Demirkaya²

¹Faculty of Health Science, Public Health Nursing Department, Uşak University, Uşak, Türkiye and ²Faculty of Health Science, Nursing Department, Pamukkale University, Denizli, Türkiye

Abstract

Objective: This study was conducted to reveal the relationship between nursing students' disaster response self-efficacy and their disaster preparedness perceptions.

Methods: This cross-sectional study was conducted on nursing students after a major earthquake that occurred in Turkey on February 6, 2023 ($n = 302$). Data collection took place from June 2023 to October 2023, using the Disaster Response Self-Efficacy Scale (DRSES) and Disaster Preparedness Perception Scale (DPPS). Descriptive statistics, independent samples t-test, correlation, and multiple linear regression analysis were used to analyze the data.

Results: Nursing students' DRSES mean score was 63.35 ± 10.83 (moderate level) and DPPS mean score was 3.41 ± 0.50 (high level). A positive and moderate correlation was found between nursing students' DRSES and DPPS scores ($r = 0.515$; $P = 0.000$). Predictors affecting nursing students' disaster preparedness are disaster response self-efficacy score, being male, and making a family disaster plan.

Conclusions: The results of this study highlight the importance of increasing the disaster response self-efficacy needed by nursing students to successfully assist patients in disaster situations.

Disaster is defined as a nature, technology, or human-induced event that causes physical, economic, and social losses in society, and stops or interrupts normal life and human activities.¹ Disasters emerge as an important public health problem in terms of high morbidity and mortality rates and the economic losses they cause.² The increase in disasters around the world seriously affects human health, environmental health, and the economy. In the past decade, more than 2.6 billion people in the world have been affected by natural events such as earthquakes, tsunamis, landslides, hurricanes, heat waves, floods, or severe cold weather.³

Turkey is a country that frequently encounters natural disasters due to its tectonic, seismic, topographic, and climatic structure. Disasters seen in Turkey include floods, avalanches, landslides, fires, but most importantly earthquakes. Turkey ranks third in the world in terms of human loss in earthquakes and eighth in terms of the number of people affected. On average, at least 1 earthquake with a magnitude between 5 and 6 occurs every year.^{4,5} Two major earthquakes of magnitude 7.7 and 7.6 occurred in our country on June 2, 2023, centered in Kahramanmaraş, and nearly 60,000 people lost their lives, and 107,000 people were injured.⁴

Being prepared for disaster management has an important place in reducing the harmful effects of emergencies and disasters.⁶ Nurses are the health professionals who are most responsible for reducing risks in the environment and protecting health during disasters. In this context, nurses' knowledge about disasters, their preparedness for disasters, and their capacity to respond quickly play an important role in the management of disasters.⁷ Nurses can engage in a wide range of nursing activities such as environmental assessment, triage, decontamination, patient care, chronic disease management, treatment, care of the deceased, and rehabilitation in disasters. These activities also require nurses to respond to disasters under difficult conditions and with limited resources, to adapt to the process, and to communicate effectively with other health-care providers.²

At the same time, it is emphasized that preparing nurses more effectively for disasters is 1 of the mandatory issues of the 21st century.⁸ Therefore, it is very important for nursing students to learn the knowledge and skills necessary to be ready for and respond to disaster situations throughout their education process.⁹ Studies have determined that most nurses have low levels of knowledge and readiness to respond to disasters.¹⁰ Additionally, studies on disaster management in nurses/nursing students have also shown that nurses do not have the relevant competencies to manage disasters effectively.^{9,11–14} Studies conducted in Japan,¹⁵ the Philippines,¹⁶ and the United States⁶ showed that nurses were not competent and self-confident in responding to disaster events, and that they did not plan their workplace emergency or disaster plans. They stated that they did not think they could implement it. Additionally, nurses

© The Author(s), 2024. Published by Cambridge University Press on behalf of Society for Disaster Medicine and Public Health, Inc.

SDMPH
SOCIETY FOR DISASTER MEDICINE & PUBLIC HEALTH

in some developed and developing countries have not been adequately prepared for disaster management.¹¹

Contrary to the research results, nurses and nursing students are expected to have high disaster response self-efficacy and disaster preparedness. Nurses' skills and readiness to respond to any disaster event are largely related to their self-efficacy. Studies have determined that disaster-related self-efficacy and previous experience in disaster management affect disaster preparedness in nurses/nursing students.^{17,18}

It is important to increase nursing students' disaster preparedness and disaster response self-efficacy to avoid damages that may occur because of a disaster. In short, it is important to increase the disaster self-efficacy levels of nursing students to ensure their preparedness for disaster. However, no study examining the relationship between these 2 concepts has been found in our country. However, Turkey is a risky country in terms of disasters. For this reason, it is necessary to first reveal the relationship between these concepts to plan appropriate interventions to ensure that future nurses are prepared for disasters. Therefore, this study aimed to reveal the relationship between nursing students' disaster response self-efficacy and their perceptions of disaster preparedness. Determining nursing students' disaster response self-efficacy and preparedness perceptions is important in planning initiatives based on sustainable development goals.

Research Questions

1. What is the disaster response self-efficacy level of nursing students?
2. What is the perception of disaster preparedness level of nursing students?
3. Is there a relationship between nursing students' disaster response self-efficacy and their perceptions of disaster preparedness?
4. What are the predictors that affect perception of disaster preparedness in nursing students?

Methods

Study Design

This is a cross-sectional study.

Place and Time of Study

The research was conducted at a university in western Turkey between June 12, 2023, and October 27, 2023.

Study Setting and Sample

The population of the research consisted of 3rd and 4th grade students studying at a university's Faculty of Health Sciences/Department of Nursing. Because students studying in this department take both Emergency Nursing and First Aid and Public Health Nursing courses until the 3rd grade, they have knowledge and awareness about disasters. For this reason, the population of the study consisted of 3rd and 4th grade nursing students ($N = 315$).

In the study, a 2-way hypothesis was established to examine the relationship between nursing students' disaster response self-efficacy and disaster preparedness, and the number of samples was calculated using the G*Power 3.1.9.7 program. The correlation value was taken as 0.21 and the required number of samples was

calculated as at least 289 with a 5% margin of error for the correlation analysis ($\alpha = 0.05$, H_0 correlation value 0 and 95% power ($1 - \beta = 0.95$). Missing data were considered during the research process. Ten percent more individuals were included in the study. Initially, 310 students participated in the study, 8 students were excluded because they had incomplete answers in the data collection forms, and the study was completed with a total of 302 students. The inclusion criteria for the study were: (1) being a student in the nursing department, (2) 3rd and 4th grades (must be at least a 3rd grade student), and (3) be over 18 y of age. Exclusion criteria; students who have started the 3rd grade with transfer from other departments and have not taken Emergency Nursing and First Aid courses (Departments such as Physical Therapy and Rehabilitation, Elderly Care, etc.). Students who met the inclusion and exclusion criteria and agreed to participate in the study formed the sample of the study.

Instruments

A personal and disaster-related information form, Disaster Response Self-Efficacy Scale, and Nurses' Disaster Preparedness Perception Scale were used as data collection tools.

Personal and Disaster-Related Information Form

This form was prepared by researchers in line with the literature.^{8,9,19-22} This form contains questions about individuals' socio-demographic characteristics and their knowledge and attitudes toward the disaster.

Disaster Response Self-Efficacy Scale (DRSES)

This scale was developed by Li et al. in 2017.²³ The Turkish validity and reliability of the scale was conducted by Toraman and Korkmaz in 2023.²⁴ The scale is a 5-point Likert type and consists of a total of 19 items and 3 sub-dimensions (Search and rescue and psychological assessment self-efficacy, Disaster assessment self-efficacy, Adaptation self-efficacy). The scale is answered as "I don't have any confidence in myself (1 point), I don't have confidence in myself (2 points), I have very little confidence in myself (3 points), I have confidence in myself (4 points), and I have great confidence in myself (5 points)." The scale score is calculated by summing the answers to the questions. A high score from the scale indicates high disaster response self-efficacy. The minimum score from the scale is 19 and the maximum score is 95. In the Turkish validity and reliability study of the scale, Cronbach's alpha coefficient was found to be 0.94 and test-retest reliability was 0.95. Goodness-of-fit indexes of the scale are χ^2/df 2.540; RMSEA: 0.067; GFI: 0.93, CFI = 0.93, IFI = 0.92, NFI: 0.95, TLI: 0.94.

Disaster Preparedness Perception Scale (DPPS)

It is a scale developed in Turkish by Özcan and Erol in 2013 to measure how prepared nurses feel against disaster. The scale consists of 20 items and 3 sub-dimensions; Preparation phase (questions 1-6), Intervention phase (questions 7-15), After disaster phase (questions 16-20). Scale items are 5-point Likert type and are scored as (1-Strongly Disagree, 2-Disagree, 3-Partly Agree, 4-Agree, 5-Strongly Agree). As the score obtained from the scale increases, the perception of disaster preparedness increases. The cutoff points of the scale are determined by dividing the total of the scale and subscale scores by 5. For the subscale and total scale, the score is 1.00-1.79 as very low, 1.80-2.59 as low, 2.60-3.39 as moderate, and 3.40-4.19 as high.

The content validity of the scale was found to be 92%, the Cronbach Alpha value was 0.90, and the test-retest reliability coefficient was 0.98.¹⁹

Data Collection Process

The data of the research were collected in the classroom environment using the face-to-face data collection method. Data collection took an average of 30 min. The entire process and dates of the study are as follows: Identifying the problem (February-March 2023), Literature review (March-April 2023), Creating the research question (April 2023), Determining the research and analysis methods (April-May 2023), Data collection and analysis (12.06.2023-27.10.2023).

Statistical Analysis

Data were analyzed by using the IBM Statistical Package for the Social Sciences (SPSS) 22.0. Descriptive statistics including mean, standard deviation, and percentage were used to express data about descriptive characteristics, DRSES and DPPS. Because data collected with the DRSES and DPPS had a normal distribution (Skewness/Kurtosis value for Self-Efficacy: 0.542/-0.700; Skewness/Kurtosis value for Preparedness: 0.432/-0.224), parametric tests were used for analysis of the data. Independent samples t-test was used to determine the differences in the mean scores on the DRSES and DPPS in terms of sociodemographic features between 2 groups and Bonferroni corrected 1-way analysis of variance (ANOVA) was used to determine the differences among 3 or more groups. The relation between the mean score on the DRSES and the mean score on the DPPS was examined by using Pearson correlation analysis. The factors affecting disaster preparedness was determined with a multiple linear regression analysis. $P < 0.05$ was considered as statistically significant.

Results

Demographic and Disaster Related Characteristics of the Nursing Students

The mean age of nursing students is 21.39 ± 1.55 . In the study, 82.8% of the nursing students are female. The concept of disaster reminds students of earthquakes the most (96.7%). The type of disaster that students find most important is earthquake (63.9%) and war (27.5%). Only 21.2% of the students received disaster-related training. A total of 44.4% of the students reported that they had experienced a disaster, and 92.1% of them had experienced an earthquake. Most of the students reported that they wanted to intervene in the disaster (65.6%). Most of the students have participated in disaster drills before (87.1%), 67.4% of which were earthquake drills. While only 13.9% of the students have a disaster kit, 32.8% have a first aid kit (Table 1).

DRSES and DPPS Score Means of Nursing Students

In this study, the DRSES score of nursing students is 63.35 ± 10.83 (moderate level), the search and rescue and psychological assessment self-efficacy subscale score is 31.68 ± 6.28 , the disaster assessment self-efficacy subscale score is 14.34 ± 3.96 , and the adaptation self-efficacy subscale score is 15.28 ± 2.82 . Nursing students' DPPS score is 3.41 ± 0.50 (high level), preparation phase subdimension score is 4.17 ± 0.62 (high level), intervention phase

Table 1. Demographic and disaster related characteristics of the nursing students ($n = 302$)

Characteristics	n (%)	X ± SD (min-max)
Age (year)		21.39 ± 1.55 (19-31)
Gender		
Female	250 (82.80)	
Male	52 (17.20)	
Mother education level		
Illiterate	17 (5.60)	
Only literate	17 (5.60)	
Primary school	23 (7.60)	
Middle school	178 (58.90)	
High school	42 (13.90)	
University and above	25 (8.30)	
Father education level		
Illiterate	3 (1.00)	
Only literate	17 (5.60)	
Primary school	20 (6.60)	
Middle school	132 (43.70)	
High school	71 (23.50)	
University and above	59 (19.50)	
Income		
Income less than expense	74 (24.50)	
Income equals expense	194 (64.20)	
Income more than expense	34 (11.30)	
What does the concept of disaster remind you of first?		
Earthquake	292 (96.70)	
Floods	8 (2.60)	
Explosion and fire	1 (0.30)	
Tsunami and landslide	1 (0.30)	
What is the most important type of disaster?		
Earthquake	193 (63.90)	
Floods	2 (0.70)	
Wars	83 (27.50)	
Explosion and fire	22 (7.30)	
Tsunami and landslide	2 (0.70)	
Have you received disaster-related training/courses?		
Yes	64 (21.20)	
No	238 (78.80)	
Have you ever experienced a real disaster?		
Yes	134 (44.40)	
No	168 (55.60)	
What is the disaster you experienced?*		
Earthquake	128 (92.10)	
Fire	5 (3.70)	
War	2 (1.40)	
Floods	2 (1.40)	
Avalanche	1 (0.70)	
Hose	1 (0.70)	
Would you like to respond to a disaster as a volunteer?		
Yes	198 (65.60)	
No	104 (34.40)	
Have you ever had to care for real disaster victims?		
Yes	29 (9.60)	
No	273 (90.40)	

(Continued)

Table 1. (Continued)

Characteristics	n (%)	X ± SD (min-max)
Is there a disaster plan for the hospital where you interned?		
Yes	34 (11.30)	
No	9 (3.00)	
I don't know	259 (85.80)	
Does your school have a disaster plan?		
Yes	50 (16.60)	
No	3 (1.00)	
I don't know	249 (82.50)	
Have you ever read the disaster plan of the place or school where you interned?		
Yes	14 (4.60)	
No	288 (95.40)	
Have you ever participated in a disaster drill before?		
Yes	263 (87.10)	
No	39 (12.90)	
If yes, what drill*		
Earthquake	184 (67.40)	
Fire	89 (32.60)	
In your opinion, rate your country's preparedness against disasters.		
Not ready	203 (67.20)	
Partially ready	95 (31.50)	
Completely ready	4 (1.30)	
Do you have a disaster kit containing the materials you will need in case of disaster?		
Yes	42 (13.90)	
No	260 (86.10)	
Do you have a bag or cabinet in your home containing first aid supplies and medications?		
Yes	99 (32.80)	
No	203 (67.20)	
Have you insured your home against natural disasters?		
Yes	111 (36.80)	
No	191 (63.20)	
Have you made any family plans for disaster?		
Yes	128 (42.40)	
No	174 (57.60)	
Do you plan to receive disaster-related training in the future?		
Yes	266 (88.10)	
No	36 (11.90)	

Abbreviations: X, mean; SD, standard deviation; min, minimum; max, maximum.

*Participants marked more than 1 option.

subdimension mean score is 2.94 ± 0.70 (moderate level), after disaster phase subdimension score is 3.36 ± 0.631 . It was found to be 0.63 (moderate level) (Table 2).

Comparison of Nursing Students' Scores From DRSES and DPPS in Terms of Demographic and Disaster Related Characteristics

The mean scores of male students in DRSES (66.94 ± 9.77), search and rescue, and psychological assessment self-efficacy (34.42 ± 5.13) and disaster assessment self-efficacy (15.69 ± 2.84) were found to be significantly higher ($P < 0.05$). Only the DPPS (3.55 ± 0.59) and disaster assessment self-efficacy (15.64 ± 4.63) mean scores of the students who had previously received disaster-oriented training were found to be significantly higher than those who had not received disaster-oriented training ($P < 0.05$). While

Table 2. Scale score averages of nursing students

Parameter	Mean	SD	Min-max
DRSES	63.357	10.836	19.00-95.00
Search & rescue and psychological assessment self-efficacy	31.688	6.285	10.00-50.00
Disaster assessment self-efficacy	14.347	3.968	5.00-25.00
Adaptation self-efficacy	15.281	2.822	4.00-20.00
DPPS	3.419	0.501	2.00-5.00
Preparation phase	4.176	0.624	1.00-5.00
Intervention phase	2.945	0.702	1.00-5.00
After-disaster phase	3.363	0.631	1.00-5.00

Abbreviations: DPPS, Disaster Preparedness Perception Scale; DRSES, Disaster Response Self-Efficacy Scale; min, minimum; max, maximum; SD, standard deviation; X, mean.

the mean scores of DRSES (65.34 ± 9.92), search and rescue, and psychological evaluation competency (32.79 ± 5.93), disaster assessment self-efficacy (15.17 ± 3.79) of students with previous disaster experience are significantly higher than those of students without disaster experience. DRSES (69.07 ± 8.98) and search and rescue and psychological assessment self-efficacy (35.35 ± 4.21) scale scores of the students who read the disaster plan of the place or school where they did their internship were found to be significantly higher than the students who did not read the disaster plan before. DRSES and DPPS scores of students who have a disaster kit containing the materials they will need in case of a disaster are higher than students who do not have a disaster kit. The DPPS (3.53 ± 0.52), DRSES (65.28 ± 11.47), disaster assessment self-efficacy (14.49 ± 4.30), and adaptation self-efficacy (16.04 ± 2.76) mean scores of the students who made family planning for a disaster were found to be significantly higher than the students who did not make family planning (Table 3).

Relationship Between DRSES and DPPS Mean Scores in Nursing Students

A positive and moderate correlation was found between the DRSES scale score and the DPPS scale score of nursing students ($r = 0.515$; $P = 0.000$). A positive and moderately significant correlation was found between nursing students' DRSES scale score and the intervention phase ($r = 0.490$; $P = 0.000$) and after-disaster phase mean score ($r = 0.551$; $P = 0.000$) (Table 4).

Predictors Affecting Disaster Preparedness in Nursing Students

Multiple linear regression analysis was performed to determine the predictors affecting the disaster preparedness of nursing students. According to the analysis results, increasing disaster response self-efficacy of nursing students ($\beta = 0.483$), being male ($\beta = 0.103$), and making a family disaster plan ($\beta = 0.111$) were determined as predictors that increased disaster preparedness (Table 5).

Discussion

In the study, the disaster response self-efficacy of the nursing students was found to be at a moderate level and their disaster preparedness was found to be at a high level. There is a positive relationship between nursing students' disaster response self-efficacy and disaster preparedness. In addition, high disaster response self-efficacy is among the predictors affecting nursing students' disaster preparedness. Previous studies have determined

Table 3. Comparison of nursing students' scores from DRSES and DPPS in terms of demographic and disaster related characteristics

Characteristics	DRSES	Search and rescue and psychological assessment self-efficacy	Disaster assessment self-efficacy	Adaptation self-efficacy	DPPS
Gender					
Female	62.61 ± 10.91	31.12 ± 6.36	14.06 ± 3.95	15.29 ± 2.84	3.41 ± 0.49
Male	66.94 ± 9.77	34.42 ± 5.13	15.69 ± 2.84	15.21 ± 2.73	3.46 ± 0.53
t-test	-2.648; p = 0.009	-3.512; p = 0.001	-2.714; p = 0.007	0.196; p = 0.845	-0.712; p = 0.477
Income					
Income less than expense	62.25 ± 11.73	31.32 ± 6.57	14.12 ± 4.28	14.94 ± 3.17	3.37 ± 0.55
Income equals expense	63.85 ± 10.51	31.89 ± 6.21	14.36 ± 3.82	15.39 ± 2.74	3.43 ± 0.48
Income more than expense	62.91 ± 10.73	31.29 ± 6.19	14.76 ± 4.12	15.35 ± 2.39	3.43 ± 0.50
ANOVA	0.614; p = 0.542	0.296; p = 0.744	0.307; p = 0.736	0.695; p = 0.500	0.351; p = 0.705
Have you received disaster-related training/courses?					
Yes	65.34 ± 9.08	32.92 ± 6.02	15.64 ± 4.63	15.37 ± 2.43	3.55 ± 0.59
No	62.82 ± 11.21	31.35 ± 6.32	14.00 ± 3.73	15.25 ± 2.92	3.38 ± 0.46
t-test	1.656; p = 0.099	1.774; p = 0.077	2.974; p = 0.003	0.298; p = 0.766	2.382; p = 0.018
Have you ever experienced a real disaster?					
Yes	65.34 ± 9.92	32.79 ± 5.93	15.17 ± 3.79	15.50 ± 2.73	3.48 ± 0.48
No	61.77 ± 11.28	30.80 ± 6.43	13.69 ± 3.98	15.10 ± 2.88	3.36 ± 0.51
t-test	2.878; p = 0.004	2.751; p = 0.006	3.274; p = 0.001	1.203; p = 0.230	1.940; p = 0.053
Would you like to respond to a disaster as a volunteer?					
Yes	64.02 ± 10.67	31.98 ± 6.21	14.67 ± 3.91	15.51 ± 2.68	3.45 ± 0.47
No	62.08 ± 11.08	31.11 ± 6.40	13.72 ± 4.01	14.84 ± 3.03	3.34 ± 0.53
t-test	1.480; p = 0.140	1.149; p = 0.251	1.998; p = 0.047	1.952; p = 0.052	1.934; p = 0.54
Have you ever had to care for real disaster victims?					
Yes	65.93 ± 10.42	33.20 ± 6.04	15.89 ± 4.33	15.55 ± 2.91	3.61 ± 0.47
No	63.08 ± 10.86	31.52 ± 6.30	14.18 ± 3.89	15.25 ± 2.81	3.39 ± 0.49
t-test	1.347; p = 0.179	1.370; p = 0.172	2.225; p = 0.027	0.542; p = 0.588	2.232; p = 0.026
Is there a disaster plan for the hospital where you interned?					
Yes	68.52 ± 7.99	34.97 ± 4.28	15.26 ± 3.83	15.97 ± 2.11	3.51 ± 0.44
No	62.22 ± 9.10	32.11 ± 6.62	14.55 ± 3.39	14.22 ± 2.86	3.17 ± 0.57
I don't know	62.71 ± 11.05	31.24 ± 6.38	14.22 ± 4.00	15.22 ± 2.89	3.41 ± 0.50
ANOVA	4.473; p = 0.012	5.462; p = 0.005	1.054; p = 0.350	1.702; p = 0.184	1.687; p = 0.187
Does your school have a disaster plan?					
Yes	65.56 ± 9.76	32.84 ± 6.16	14.42 ± 3.34	15.80 ± 2.47	3.43 ± 0.40
No	52.66 ± 10.21	25.33 ± 8.96	14.66 ± 0.57	13.33 ± 1.154	3.00 ± 0.10
I don't know	63.04 ± 10.97	31.53 ± 6.24	14.32 ± 4.11	15.20 ± 2.88	3.42 ± 0.52
ANOVA	2.625; p = 0.074	2.471; p = 0.086	0.021; p = 0.980	1.668; p = 0.190	1.084; p = 0.340
Have you ever read the disaster plan of the place or school where you interned?					
Yes	69.07 ± 8.98	35.35 ± 4.21	15.14 ± 3.08	15.78 ± 2.54	3.37 ± 0.45
No	63.07 ± 10.85	31.51 ± 6.32	14.30 ± 4.00	15.25 ± 2.83	3.42 ± 0.50
t-test	2.031; p = 0.043	2.251; p = 0.025	0.767; p = 0.444	0.684; p = 0.494	-0.366; p = 0.715
Have you ever participated in a disaster drill before?					
Yes	63.34 ± 11.01	31.59 ± 6.41	14.22 ± 3.86	15.30 ± 2.80	3.41 ± 0.48
No	63.43 ± 9.71	32.30 ± 5.39	15.15 ± 4.56	15.10 ± 2.96	3.46 ± 0.61
t-test	-0.048; p = 0.962	-0.658; p = 0.511	-1.361; p = 0.174	0.424; p = 0.672	-0.614; p = 0.540
Do you have a disaster kit containing the materials you will need in case of disaster?					
Yes	67.83 ± 10.48	34.00 ± 6.01	15.83 ± 4.05	16.07 ± 2.81	3.57 ± 0.50
No	62.63 ± 10.73	31.31 ± 6.26	14.10 ± 3.90	15.15 ± 2.80	3.39 ± 0.49
t-test	2.921; p = 0.004	2.593; p = 0.010	2.641; p = 0.009	1.964; p = 0.050	2.234; p = 0.026
Do you have a bag or cabinet in your home containing first aid supplies and medications?					
Yes	66.27 ± 10.12	33.33 ± 5.48	15.27 ± 3.71	15.74 ± 2.72	3.55 ± 0.47
No	61.93 ± 10.91	30.88 ± 6.50	13.89 ± 4.01	15.05 ± 2.84	3.35 ± 0.50
t-test	3.318; p = 0.001	3.224; p = 0.001	2.862; p = 0.004	2.014; p = 0.045	3.238; p = 0.001

(Continued)

Table 3. (Continued)

Characteristics	DRSES	Search and rescue and psychological assessment self-efficacy	Disaster assessment self-efficacy	Adaptation self-efficacy	DPPS
Have you made any family plans for disaster?					
Yes	65.28 ± 11.47	32.41 ± 6.76	14.99 ± 4.30	16.04 ± 2.76	3.53 ± 0.52
No	61.93 ± 10.14	31.15 ± 5.87	13.87 ± 3.64	14.71 ± 2.73	3.33 ± 0.46
t-test	2.684; p = 0.008	1.726; p = 0.085	2.440; p = 0.015	4.150; p = 0.000	3.447; p = 0.001
Do you plan to receive disaster-related training in the future?					
Yes	63.76 ± 10.87	31.76 ± 6.36	14.33 ± 3.96	15.50 ± 2.71	3.43 ± 0.49
No	60.36 ± 10.18	31.13 ± 5.67	14.44 ± 4.04	13.63 ± 3.09	3.29 ± 0.54
t-test	1.774; p = 0.077	0.559; p = 0.577	-0.156; p = 0.876	3.804; p = 0.000	1.544; p = 0.124

Note: One-way ANOVA, Bonferroni, t = independent sample t-test <0.05.

Abbreviations: ANOVA, analysis of variance; DPPS, Disaster Preparedness Perception Scale; DRSES, Disaster Response Self-Efficacy Scale.

Table 4. Relationship between DRSES and DPPS mean scores in nursing students

		DPPS	Preparation phase	Intervention phase	After-disaster phase
DRSES	Correlation	0.515**	0.084	0.490**	0.551**
	P	0.000	0.144	0.000	0.000
Search and rescue and psychological assessment self-efficacy	Correlation	0.485**	-0.002	0.509**	0.523**
	P	0.000	0.966	0.000	0.000
Disaster assessment self-efficacy	Correlation	0.804**	0.014	0.945**	0.642**
	P	0.000	0.802	0.000	0.000
Adaptation self-efficacy	Correlation	0.308**	0.236**	0.176*	0.345**
	P	0.000	0.000	0.002	0.000

Abbreviations: DPPS, Disaster Preparedness Perception Scale; DRSES, Disaster Response Self-Efficacy Scale.

* = $p < 0.01$, ** = $p < 0.05$.

Table 5. Predictors affecting disaster preparedness in nursing students

Independent variables	B	SE	Beta (β)	T	p	F	Model (p)	R ²	Durbin Watson
Constant	28.186	3.894		7.239	0.000*	16.849	0.000*	0.316	2.077
DRSES	10.457	1.083	0.483	9.655	0.000*				
Gender (male)	2.949	1.419	0.103	2.078	0.039*				
Have you ever experienced a real disaster? (yes)	2.030	1.081	0.093	1.878	0.061				
Is there a disaster plan for the hospital where you interned? (yes)	3.085	1.838	0.090	1.679	0.094				
Have you ever read the disaster plan of the place or school where you interned? (yes)	3.128	2.765	0.061	1.131	0.259				
Do you have a disaster kit containing the materials you will need in case of disaster? (yes)	0.846	1.770	0.027	0.478	0.633				
Do you have a bag or cabinet in your home containing first aid supplies and medications? (yes)	1.204	1.241	0.052	0.970	0.333				
Have you made any family plans for disaster? (yes)	0.111	0.055	0.110	2.017	0.045*				

Abbreviations: SE, standard error of coefficient; β , standardized regression coefficient; R², proportion of variation in dependent variable explained by regression model; p, the level of statistical significance, * $P < 0.05$.

that most nurses have low knowledge and readiness to respond to disasters.^{10,14} Additionally, studies on disaster management in nurses/nursing students have also shown that nurses do not have the relevant competencies to effectively manage disasters.^{9,11-14} Studies conducted in Japan,¹⁵ the Philippines,¹⁶ and the United States⁶ showed that nurses were not competent and self-confident in responding to disaster events, and that they did not plan their workplace emergency or disaster plans. They stated that they did not think they could implement it. Additionally, nurses in some developed and developing countries have not been adequately prepared for disaster management.¹¹

In our study, nursing students reported that they were willing to receive education about disasters to prepare for disaster management. This finding is consistent with Al Khalailah et al. (2012), which is similar to a previous study. Nursing students were found to express a strong need for disaster nursing content.²⁵

Attendance in disaster-related training or courses has been established as an important strategy to improve nurses' disaster readiness and competencies. Previous studies have identified higher levels of competence and preparedness for disaster events among nurses who had undertaken training and courses related to disaster. Surprisingly, in our study, more than half of the nursing

students reported not having attended any disaster-related courses or training, which aligns with earlier studies.^{9,20,26} The fact that there is no difference between the disaster response self-efficacy scores of students who received training and those who did not receive training may indicate that the training is not effective and sufficient in practice.

The concept of disaster reminds students mostly of earthquakes, and the type of disaster they find most important is earthquake. Most of the students stated that their disaster experience was an earthquake. The reason for this is that Turkey is an earthquake country and a major earthquake occurred on February 6, 2023.⁴ It is an expected result that the disaster response self-efficacy, search and rescue, and psychological evaluation proficiency, and disaster evaluation proficiency mean scores of students with previous disaster experience will be higher than those without disaster experience. Labrague et al. (2021) found that the disaster response self-efficacy of nurses who had experienced disasters before was high. However, the fact that nursing students' adaptation competence was not high in this study indicates that their self-efficacy will be low in case of a disaster, and they will not be able to cope with the disaster effectively.

The reason why there is no difference between the disaster response self-efficacy and disaster preparedness of students who have participated in disaster drills and those who have not participated before indicates that the disaster drills are not functional and do not give effective results for the moment of disaster. Many studies have found that interactive, simulation-based, and learner-centered nursing education programs helped prepare health-care professionals and positively influenced their self-confidence, motivation, and disaster response attitudes.²⁷ In the experimental study conducted by Erkin et al. (2023) it was observed that the disaster nursing course positively improved nursing students' disaster awareness, disaster preparedness, and disaster response self-efficacy perceptions.²⁸ Kamanyire et al. (2021) reported that it is mandatory for nursing students to be included in regular disaster drills and simulations to gain knowledge about institutional and personal disaster preparedness.²⁹

The number of students who have a disaster kit containing the materials they will need in case of a disaster and a cabinet/bag containing first aid materials and medicines at home is quite low. Also, in others study reported that most of participants did not have disaster kit preparation.³⁰ Students who have a disaster kit and first aid materials at home have a high level of disaster response self-efficacy and disaster preparedness perception. This situation is associated with the fact that students already care about disasters and have high awareness about disasters. Again, although the number of students who plan for disaster within the family is low, these students have a high level of disaster response self-efficacy and disaster preparedness perception. In a study conducted on nursing students, most of the students were unaware of the existence of an emergency plan and had not read the plan.³¹ Additionally, among the predictors affecting the disaster preparedness of nursing students is any planning within the family for a disaster situation. It is also an important result that individuals who have high sensitivity and awareness about disasters in the family take such precautions against disasters.

The predictor that affects nursing students' disaster preparedness is disaster response self-efficacy. This emphasizes the conclusion that self-efficacy is important in increasing nursing students' disaster preparedness. It is important to increase the disaster response self-efficacy and disaster preparedness of nursing

students to be prepared for disasters and intervene early in a society that lives in a region with a high risk of disasters, such as Turkey.

Although the disaster response self-efficacy of the nursing students participating in this study was found to be at a moderate level, programs to increase the perception of disaster preparedness are continuing or being implemented in Turkey. Currently, there are important plans and activities in Turkey regarding disaster management and the creation of applicable disaster management plans.²⁸ These plans must cover all health-care professionals. Additionally, AFAD organizes many Disaster Awareness and Preparedness Trainings.³²

Conclusions

As a result, although nursing students see themselves as moderate in disaster response, most of the students are willing to respond to disasters. Disaster self-efficacy is an important predictor of actual disaster response; thus, measures to increase disaster self-efficacy in nursing students are warranted. Nursing students' disaster response self-efficacy affects their disaster preparedness perceptions. The results of this study highlight the importance of increasing the disaster response self-efficacy needed by nursing students to successfully assist patients in disaster situations. It can be used to evaluate the need for nursing departments in Turkey to include the disaster nursing course in the nursing curriculum. The increase in nursing students' search and rescue and psychological assessments self-efficacy, disaster assessment competency and adaptation competency will increase students' readiness and self-confidence in managing future disasters. Nursing education plays an important role in fostering disaster competence and confidence in responding to emergency and disastrous events by incorporating disaster-related content into the nursing curriculum using simulated disaster drills, first aid, and life support training.

Acknowledgments. I thank all the students who participated in this study and the university that gave the institution permission.

Author contributions. Eda Kılınc İşleyen: Conceptualization; data collecting; writing-original draft; analysis, review & editing. Zehra Demirkaya: Data collecting; conceptualization; investigation; writing.

Funding statement. This work was supported by the (TUBITAK 2209-A) under Grant (number 1919B012301666).

Competing interests. The author(s) declare none.

Ethical consideration. This study was performed in line with the principles of the Declaration of Helsinki. Approval was granted by the Uşak University Non-Interventional Clinical Research Ethics Committee (Date: 08.06.2023/ No: 136-136-13). Informed consent was obtained from all nursing students before starting the study. Besides, permission was received from the Faculty of Health Science where the study was conducted (Date and Number of Documents: 16.05.2023-E.142335). Permission was also obtained from the researchers developing the scales used by means of email.

References

1. **European Commission.** Disaster preparedness: European Civil Protection and Humanitarian Aid Operations. Accessed December 10, 2023. https://civil-protection-humanitarian-aid.ec.europa.eu/what/humanitarian-aid/disaster-preparedness_en
2. **Taşkıran G, Baykal Ü.** Disasters and nurses' preparedness for disasters in Turkey: literature review. *J Health Nurs Manag.* 2017 2(4):79-88. doi: 10.5222/SHYD.2017.079

3. **World Health Organization.** 2022. Disasters and emergencies. Accessed December 15, 2023. <https://www.who.int/teams/integrated-health-services/clinical-services-and-systems/surgical-care/disasters-and-emergencies>
4. **T.R. Ministry of Internal Affairs, Disaster and Emergency Management Presidency (AFAD).** Annotated dictionary of disaster management terms. Accessed December 15, 2023. <https://www.afad.gov.tr/aciklamali-afet-yone-timi-terimleri-sozlugu>
5. **T.R. Ministry of Internal Affairs, Disaster and Emergency Management Presidency (AFAD).** Natural incident statistics for 2020. Accessed December 10, 2023. https://www.afad.gov.tr/kurumlar/afad.gov.tr/e_Kutu-phane/Istatistikler/2020yilidogakaynakliolayistatistikleri.pdf
6. **Baack S, Alfred D.** Nurses' preparedness and perceived competence in managing disasters. *J Nurs Scholarsh.* 2013;45(3):281-287. doi: [10.1111/jnu.12029](https://doi.org/10.1111/jnu.12029)
7. **Veenema TG, Griffin A, Gable AR, et al.** Nurses as leaders in disaster preparedness and response—a call to action. *J Nurs Scholarsh.* 2016; 48(2):187-200. doi: [10.1111/jnu.12198](https://doi.org/10.1111/jnu.12198)
8. **Kamanyire JK, Wesonga R, Achora S, et al.** Nursing students' perceived disaster preparedness and response: pilot study in Oman. *Sultan Qaboos Univ Med J.* 2021;21(4):621-625. doi: [10.18295/squmj.5.2021.074](https://doi.org/10.18295/squmj.5.2021.074)
9. **Bülbül E.** Assessment of nursing students' self-efficacy in disaster response. *Emerg Aid Disaster Sci.* 2021;1(2):45-49.
10. **Loke AY, Guo C, Molassiotis A.** Development of disaster nursing education and training programs in the past 20 years (2000-2019): a systematic review. *Nurse Educ Today.* 2021;99:104809. doi: [10.1016/j.ne-dt.2021.104809](https://doi.org/10.1016/j.ne-dt.2021.104809)
11. **Usher K, Redman-MacLaren ML, Mills J, et al.** Strengthening and preparing: enhancing nursing research for disaster management. *Nurse Educ Pract.* 2015;15(1):68-74. doi: [10.1016/j.nepr.2014.03.006](https://doi.org/10.1016/j.nepr.2014.03.006)
12. **Alfred D, Chilton J, Connor D, et al.** Preparing for disasters: education and management strategies explored. *Nurse Educ Pract.* 2022;15(1):82-89. doi: [10.1016/j.nepr.2014.08.001](https://doi.org/10.1016/j.nepr.2014.08.001)
13. **Loke AY, Li S, Guo C.** Mapping a postgraduate curriculum in disaster nursing with the international council of nursing's core competencies in disaster nursing V2.0: the extent of the program in addressing the core competencies. *Nurse Educ Today.* 2021;106:105063. doi: [10.1016/j.nedt.2021.105063](https://doi.org/10.1016/j.nedt.2021.105063)
14. **Avcı S, Kaplan B, Ortağ T.** The level of knowledge and awareness of nursing students about disasters. *Resilience.* 2020;4(1):89-101. doi: [10.32569/resilience.619897](https://doi.org/10.32569/resilience.619897)
15. **Öztekin SD, Larson EE, Akahoshi M, et al.** Japanese nurses' perception of their preparedness for disasters: quantitative survey research on one prefecture in Japan. *Jpn J Nurs Sci.* 2016;13(3):391-401. doi: [10.1111/jjns.12121](https://doi.org/10.1111/jjns.12121)
16. **Labrague LJ, Yboa BC, McEnroe-Petitte DM, et al.** Disaster preparedness in Philippine nurses. *J Nurs Scholarsh.* 2016;48(1):98-105. doi: [10.1111/jnu.12186](https://doi.org/10.1111/jnu.12186)
17. **Mousavi M, Majidi A, Shabahang R, et al.** The prediction of disaster nursing competency based on the self-efficacy and disaster-related experiences of nurses. *J Clin Nurs Midwifery.* 2020; 9(1):582-590.
18. **Wutjatmiko AT, Zuhriah L, Fathoni M.** Relationship between personal self-efficacy and flood disaster preparedness of Indonesian nurses. *Public Health Indones.* 2018;4(1):25-30.
19. **Özcan F, Erol S.** Nurses' Disaster Readiness and Perception of Preparedness. [master's thesis]. Istanbul. Marmara University Health Sciences Institute, Department of Public Health Nursing; 2013.
20. **Labrague LJ, Kamanyire JK, Achora S, et al.** Predictors of disaster response self-efficacy among nurses in Oman. *Int J Disaster Risk Reduct.* 2021;61:102300. doi: [10.1016/j.ijdrr.2021.102300](https://doi.org/10.1016/j.ijdrr.2021.102300)
21. **Şentuna B, Çakı F.** 2020. A scale development study in Balıkesir sampling: disaster preparedness scale. *İdealkent.* 2020;11(31):1959-1983.
22. **Ciris Yıldız C, Yildirim D.** The effects of disaster nursing education program on beliefs in general disaster preparedness, disaster response self-efficacy, and psychological resilience in nursing students: a single-blind, randomized controlled study. *Nurs Educ Perspect.* 2022;43(5):287-291. doi: [10.1097/01.NEP.0000000000001011](https://doi.org/10.1097/01.NEP.0000000000001011)
23. **Li H-Y, Bi R-X, Zhong Q-L.** The development and psychometric testing of a Disaster Response Self-Efficacy Scale among undergraduate nursing students. *Nurse Educ Today.* 2017;59:16-20. doi: [10.1016/j.nedt.2017.07.009](https://doi.org/10.1016/j.nedt.2017.07.009)
24. **Toraman AU, Korkmaz EK.** Validity and reliability study of the Turkish adaptation of the Disaster Response Self-Efficacy Scale (DRSES). *Disaster Med Public Health Prep.* 2023;17:e297. doi: [10.1017/dmp.2022.249](https://doi.org/10.1017/dmp.2022.249)
25. **Al Khalaileh MA, Bond E, Alasad JA.** Jordanian nurses' perceptions of their preparedness for disaster management. *Int Emerg Nurs.* 2012; 20(1):14-23. doi: [10.1016/j.ienj.2011.01.001](https://doi.org/10.1016/j.ienj.2011.01.001)
26. **Rizqillah AF, Suna J.** Indonesian emergency nurses' preparedness to respond to disaster: a descriptive survey. *Australas Emerg Care.* 2018;21(2):64-68. doi: [10.1016/j.auec.2018.04.001](https://doi.org/10.1016/j.auec.2018.04.001)
27. **Kose G, Unver V, Tastan S, et al.** Embedded participants in simulation-based disaster education: experiences of nursing students. *Clin Simul Nurs.* 2020;47:9-15. doi: [10.1016/j.ecns.2020.06.011](https://doi.org/10.1016/j.ecns.2020.06.011)
28. **Erkin Ö, Konakçı G, Arkan Üner G.** The effect of disaster nursing course on nursing students' perceptions of disaster awareness, preparedness, response self-efficacy. *Journal of Disaster and Risk.* 2023;6(4):1234-1246. doi: [10.35341/afet.1240283](https://doi.org/10.35341/afet.1240283)
29. **Kamanyire JK, Wesonga R, Achora S, et al.** Nursing students' perceived disaster preparedness and response: pilot study in Oman. *Sultan Qaboos Univ Med J.* 2021;21(4):621-625. doi: [10.18295/squmj.5.2021.074](https://doi.org/10.18295/squmj.5.2021.074)
30. **Unver V, Basak T, Tastan S, et al.** Analysis of the effects of high-fidelity simulation on nursing students' perceptions of their preparedness for disasters. *Int Emerg Nurs.* 2018;38:3-9. doi: [10.1016/j.ienj.2018.03.002](https://doi.org/10.1016/j.ienj.2018.03.002)
31. **Koca B, Arkan G.** The effect of the disaster management training program among nursing students. *Public Health Nurs.* 2020;37(5):769-777. doi: [10.1111/phn.12760](https://doi.org/10.1111/phn.12760)
32. **T.R. Ministry of Internal Affairs, Disaster and Emergency Management Presidency (AFAD).** To develop a 2024-2028 strategic plan whose aim is to manage disasters that may occur in different parts of Turkey. Accessed December 15, 2023. <https://www.afad.gov.tr/afad-2024-2028-stratejik-pla-ninda-son-asamaya-gelindi>