

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

A CRITICAL APPRAISAL OF STAPES SURGERY AFTER TEN YEARS	JOHN J. SHEA and ✓ FRANCISCO SANABRIA
A CRITICAL ANALYSIS OF CERTAIN CASES OF DESTRUCTIVE EAR DISEASE	FRANCIS MCGUCKIN ✓
THE NATURE AND BEHAVIOUR OF THE DEEP MEATAL SKIN	G. HOLTI ✓
HYPERKERATOSIS VERSUS EPIDERMOSIS	A. TUMARKIN
FENESTRATION OF THE OVAL WINDOW AFTER UNSUCCESSFUL FENESTRATION OF THE HORIZONTAL SEMICIRCULAR CANAL	JOHN J. SHEA and ✓ G. D. L. SMYTH
CLINICAL RECORDS—	
NASOPHARYNGEAL FIBROMA	KENNEDY HUNTER, ✓ G. D. L. SMYTH and C. A. J. MACAFEE
FOREIGN BODY (STONE) IN THE FRONTAL SINUS	K. C. GADRE, ✓ J. D. LODAYA and C. K. DESHPANDE
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOTOLOGY	
THE IRISH OTOLARYNGOLOGICAL SOCIETY	
GENERAL NOTES	

London
Headley Brothers
109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1963

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
A CRITICAL APPRAISAL OF STAPES SURGERY AFTER TEN YEARS. John J. Shea and Francisco Sanabria (Memphis, Tennessee)	101
A CRITICAL ANALYSIS OF CERTAIN CASES OF DESTRUCTIVE EAR DISEASE. Francis McGuckin (Newcastle-on-Tyne)	115
THE NATURE AND BEHAVIOUR OF THE DEEP MEATAL SKIN. G. Holti (Newcastle-upon-Tyne)	122
HYPERKERATOSIS VERSUS EPIDERMOSIS. A. Tumarkin (Liverpool)	126
FENESTRATION OF THE OVAL WINDOW AFTER UNSUCCESSFUL FENESTRATION OF THE HORIZONTAL SEMICIRCULAR CANAL. John J. Shea (Memphis) and G. D. L. Smyth (Belfast)	130
CLINICAL RECORDS—	
NASOPHARYNGEAL FIBROMA. Kennedy Hunter, G. D. L. Smyth and C. A. J. Macafee (Belfast)	138
FOREIGN BODY (STONE) IN THE FRONTAL SINUS. K. C. Gadre, J. D. Lodaya and C. K. Deshpande (Bombay).	146
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY	150
THE IRISH OTOLARYNGOLOGICAL SOCIETY	160
GENERAL NOTES	164

**For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2**

THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD

BY

DONALD F. PROCTOR, M.D.

Associate Professor of Laryngology and Otology

Assistant Professor of Physiology

Formerly, Professor of Anesthesiology

The Johns Hopkins University School of Medicine, Baltimore, Maryland

This second volume in Doctor Proctor's series will serve to clarify a great many controversial issues for both otolaryngologist and pediatrician. It is designed to provide the physician with a **BACKGROUND OF KNOWLEDGE** essential to **management of the common ear and respiratory diseases** . . . then to portray those **TECHNIQUES OF PATIENT CARE** which the author has found effective in his own practice.

Chapter coverage includes . . .

- History of the field
- Fundamentals of physiology
- General principles underlying diagnostic and therapeutic considerations
- Specific problems related to the nose and paranasal sinuses, the ears and temporal bones
- Conservation of hearing and speech

RECOMMENDED OPERATIVE TREATMENTS are discussed in **detail and fully illustrated**. **HEARING AND SPEECH PROBLEMS** are approached from the viewpoint of preventive medicine . . . treatment of diseases amenable to cure . . . and assistance to those children whose irremediable handicap leaves them with defective ability to communicate.

Pediatric Surgical Monograph Series
edited by Mark M. Ravitch, M.D.,
Associate Professor of Surgery, The
Johns Hopkins University School of
Medicine.

January 1963
\$12.50

200 pages
183 illustrations

CHARLES C THOMAS · PUBLISHER
301-327 East Lawrence Avenue : Springfield : Illinois U.S.A.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**A NEW
BRITISH
PENICILLIN
FROM BRL**

ORBENIN ^{REGD.} (BRL) **1621** SODIUM GLOXACILLIN

ORAL PENICILLIN ACTIVE AGAINST RESISTANT STAPHYLOCOCCI

ORBENIN is indicated for immediate use in known or suspected resistant staphylococcal infections, and in mixed Gram-positive infections (e.g. infected burns) where resistant staphylococci may be present.

- Orbenin is stable to staphylococcal penicillinase and highly effective against 'resistant' staphylococci. Its activity is four times that of methicillin.
- Orbenin is also highly effective against other Gram-positive organisms, including streptococci, pneumococci and penicillin-sensitive staphylococci.
- Orbenin is bactericidal; it is acid-stable and well absorbed by either the oral or intramuscular routes.

Dosage by mouth is 500 mg. 6 hourly. Dosage by intramuscular injection is 250 mg. four to six hourly.



ORBENIN

is a product of British research at the
BEECHAM RESEARCH LABORATORIES LTD
BRENTFORD · ENGLAND · TELEPHONE: ISLeworth 4111

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



*“Strike, but
hear me”*

Themistocles

And the reply was *μαρυδία* which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes – the largest selection in the country – for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.

INGRAMS

The Independent Hearing Aid Consultants


2 SHEPHERD STREET, LONDON, W.1

*Domiciliary
visits
in any part
of the country*

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

SURGICEL

ABSORBABLE
HAEMOSTAT



Bleeding from the anterior aspect of the nasal cavity is readily controlled by the application of SURGICEL* to the bleeding site. The SURGICEL* is removed 12 to 24 hours after application without fear of provoking further bleeding.

A MAJOR ADVANCE IN HAEMOSTASIS

effective control of difficult bleeding

SURGICEL haemostatic gauze completely controls capillary and venous oozing. Its use increases the range and safety of surgical procedures on highly vascular areas.

easily handled

SURGICEL is more easily handled than other agents in this field. It does not fragment, can be sutured in position and adheres closely to the site of bleeding but does not cling to gloves or instruments.

completely absorbed

SURGICEL is made from oxidized regenerated cellulose. It is absorbed with minimum tissue response and may be safely left *in situ*. No case of intolerance or sensitivity has been recorded.

Johnson & Johnson
(Gt Britain) Ltd

PRODUCTS TO MATCH THE SURGEON'S SKILL

HOSPITAL DIVISION · SLOUGH · BUCKS

*a trade mark of Johnson & Johnson JJ 104

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ROYAL EAR HOSPITAL PATTERN ULTRASONIC EQUIPMENT

for the conservative surgery of Ménière's Disease. (Arslan Technique.) U.K. and U.S.A. patents applied for. Now available with the following special advantages:

TRANSDUCER and cable will withstand sterilization in autoclave.

Low operating voltage of transducer.

APPLICATORS can be interchanged to suit anatomy of middle ear.

Applicator tip normally $2\frac{1}{2}$ mm. in diameter.

Intensities up to 100 Watts per sq. cm., giving ample power for pituitary irradiation in carcinoma.

GENERATOR operates on 90-250 volts 50 or 60 cycles.

Weight 50 lb. Size 21 by 14 by 12 in.

Tuning and intensity can be checked continuously.

REFERENCES:

Arslan. Proc. Fifth Int. Congress Oto-Rhino-Laryngol., Amsterdam, 1953.

Proc. roy. Soc. Med., 1958, 51, 617.

J. Laryng., 1960, LXXIV, 628.

Ibid., 1960, LXXIV, 730.

Ibid., 1961, LXXV, 345.

Ibid., 1962, LXXVI, 299.

Made in England by
FRISTON ELECTRONICS LTD.,
25 CHURCH ROAD,
RICHMOND,
SURREY.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

'PETERS' NEW CLINIC AUDIOMETER

FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES :

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to 1 db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.


The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either :

WESTREX COMPANY Ltd.
152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd.
VICTORIA WORKS, GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



'OTOSPORIN' clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

'Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

'OTOSPORIN'^{BRAND} drops
issued in bottles of 5 c.c.



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) **LONDON**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements