

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY[®]

EDITORIAL

Clostridium difficile Nosocomial Infections -- Still Lethal and Persistent

JOSEPH SILVA, JR., MD

368

ORIGINAL ARTICLES

Ten Years of Prospective Clostridium difficile -Associated Disease Surveillance and Treatment at the Minneapolis VA Medical Center, 1982-1991

MARY M. OLSON, RN, BSN; CAROL J. SHANHOLTZER, MT, BS; JAMES T. LEE JR., MD, PhD; DALE N. GERDING, MD

371

A Sustained Outbreak of Clostridium difficile in a General Hospital: Persistence of a Toxigenic Clone in Four Units

SWAPAN K. NATH, PhD; JAMES H. THORNLEY, FRCP(C); MARY KELLY, ART; BERNADETTE KUCERA, RN, CIC; STEPHEN L.W. ON. MSC; BARRY HOLMES, PhD; MENELAOS COSTAS, PhD

382

Nosocomial Transmission of Serratia odorifera Biogroup 2: Case Report Demonstration by Macrorestriction Analysis of Chromosomal DNA Using Pulsed-Field Gel Electrophoresis

HELIO S. SADER, MD; TRISH M. PERI, MD, MSC; RICHARD J. HOLLIS, MA; DONNA DIVISHEK, LPN; LOREEN A. HERWALDT, MD; RONALD N. JONES, MD

390

BEYOND INFECTION CONTROL: THE NEW HOSPITAL EPIDEMIOLOGY

Profiling Physician Practice: A Potential for Misuse

R. MICHAEL MASSANARI, MD, MS

394

CLINICAL PHARMACOLOGY OF ANTIBIOTICS

Itraconazole: A New Triazole Antifungal Agent

JERRY M. ZUCKERMAN, MD; ALLAN R. TUNKEL, MD, PhD

397

TOPICS IN OCCUPATIONAL MEDICINE

Management of Healthcare Workers Exposed to Pertussis

DAVID J. WEBER, MD, MPH; WILLIAM A. RUTALA, PhD, MPH

411

SPECIAL REPORT

OSHA TB Inspection Survey

MICHAEL D. DECKER, MD, MPH

416

Continued inside.

Infection Protection in a Nutshell...




Introducing . . .

CONTAIN-OR™

**. . . A Common Sense Way to Minimize
Your Exposure to Bloodborne Pathogens.**

Contain-OR™ is designed to contain splash and splatter at the source during the removal and disposal of thoracic drainage tubes. Contain-OR features a 33" polyethylene

sleeve with a drawtape closure enclosed in a 2" soft plastic, shell-like hub. An easily removed shrink wrap covers the sleeve until ready to use.



The Contain-OR hub slides over the 3/8" or 1/2" drain tube during system assembly. It will not impede normal chest tube care.



When ready to use, Contain-OR is easily positioned at the connector, the shrink wrap is removed and the sleeve is advanced to the chest tube exit site.



While anchoring the airtight dressing and drawtape with one hand, the tubes are removed briskly into the sleeve and the drawtape is closed in one continuous motion.

Easy to Use:

- **Contain-OR** slides over the drain tube of the closed wound drainage system at the time of assembly.
- **Contain-OR** is positioned away from the chest tubes so as not to impede normal chest tube care.
- **Contain-OR** is moved into position, ready for use, at the time of tube removal.

Features/Benefits

- **33" Polyethylene Sleeve** - Accepts most chest tube lengths.
- **Drawtape Closure** - Closes sleeve during removal in one continuous motion.
- **2" dia. Soft Plastic Hub** - Houses folded sleeve until ready to use.
- **1/2" or 3/8" opening** - Fits most standard-dosed wound drainage systems.
- **Versatile** - Easily used for *Single or Double* chest tube set ups.
- **Sterile** - Added to drainage system during assembly.
- Designed to meet OSHA Regulations.

In a nutshell, **CONTAIN-OR** is common sense protection for health care workers against exposure to bloodborne pathogens.

Catalog Code	Size
19000	3/8" Opening
19005	1/2" Opening

Packaged 10 per Carton

The *Contains*TM family of removal, containment and disposal products is produced by DLP, a leading worldwide manufacturer of innovative, quality cardiovascular disposable products.

For More Information:

On Contain-OR or any of the other ContainsTM family of products contact your local DLP Sales Representative or

Call Toll Free:
1-800-799-6488

For more information on minimizing exposure to Bloodborne pathogens:

1. "Critical Care Nurses Want Protective Devices" Health Industry Today, Aug. 1992, p. 4-5
2. Linda L. Ronk, RN et al. "Perception, Universal Precautions Compliance" AORN Journal, Vol. 59, No. 1 (Jan. 1994), p. 253-266
3. "Occupational Exposure to Bloodborne Pathogens - Biohazard," Federal Register, U.S. Department of Labor, OSHA, 29 CFR Part 1910.1030, 6, Dec. 1991, Part II (Excerpts) p. 64175-64182.
4. "Personal Protective Equipment Cuts Risk," Bloodborne Facts, U.S. Department of Labor, OSHA.
5. "Recommended Practices - Universal Precautions in the Perioperative Practice Setting," AORN Journal, Vol. 57, No. 2 (Feb. 1993), p.554-558.

Warning: Contain-OR should be used with personal protective equipment such as gloves, eyewear, etc.

Complete information on DLP cardiovascular devices including indications, contraindications and cautions, is contained in the product package labeling and should be consulted before use.

Restricted Device: Federal law (USA) restricts the sale, distribution or use of this device to, by or on the lawful order of a physician. This product is designed as a disposable product for single patient use only.

TM Contains and Contain-OR are trademarks of DLP, Inc.

© DLP is a registered trademark of DLP, Inc. © Copyright DLP, Inc. 1994
Patents Pending

dlp.
together
we bring
medical
innovations
to the
world

DLP, Inc. World Headquarters
620 Watson Street SW
P.O. Box 409
Grand Rapids, MI 49501-0409
Tel 616-242-5200
Fax 616-242-5262

DLP Medical, U.K.
England U.K.

DLP Holland, Inc.
The Netherlands

DLP Deutschland, Inc.
Germany

ONLY MONOJECT® SAFETY SYRINGES HAVE A TRUE TRANSPORT POSITION

OUR PATENTED TWO-STEP LOCKING MECHANISM

ASSURES SAFE TRANSPORT AND SAFE DISPOSAL.

JUST SLIDE THE SHIELD FORWARD UNTIL YOU FEEL

THE POSITIVE STOP AND HEAR THE AUDIBLE SNAP.

IT'S NOW SECURE FOR SAFE TRANSPORT.

FOR SAFE DISPOSAL, SLIDE THE SHIELD FORWARD

AGAIN, AND AFTER THE AUDIBLE SNAP, TWIST TO


LOCK PERMANENTLY. A SAFETY SHIELD WITH A

TRUE TRANSPORT POSITION . . . ONE MORE REASON

WHY HEALTHCARE PROFESSIONALS HAVE MADE

MONOJECT NO. 1. NOW AVAILABLE IN A FULL

ARRAY OF SIZES.



ASIS

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGYTM

CONTENTS

LETTERS TO THE EDITOR

Disagreement over CDC Draft Guideline

Karim Adal, MD; Anne M. Anglim, MD; Yardena Siegman-Igra, MD, MPH; Barry M. Farr, MD, MSc;
Jack M. Gwaltney Jr., MD; W. Michael Scheld, MD

366

CORRECTION

366

MEDICAL NEWS

Gina Puglieses, RN, MS

420

Eating on the Wards Responsible for Hepatitis A Outbreak Among Healthcare Workers	420
OSHA Announces Timetable for TB Standard	420
AHA-Sponsored Teleconference to Cover TB Controls and OSHA Compliance	420
Guidelines for New or Remodeled Healthcare Facilities Being Revised	420
Gloves Found to Reduce Volume of Blood Transferred During Needlestick Injuries	421
Computer-Assisted Education Program for TB	421
First Asian-Pacific Conference on Hospital Infection	421
Standards for Healthcare Networks Developed by JCAHO	422
Dental Infection Control Kit Available from CDC	422

SHEA NEWS

C. Glen Mayhall, MD

424

SHEA/CDC/AHA Course Is Again a Big Success	424
SHEA Undergoes a Growth Spurt	424

THE PUBLICATION OF ADVERTISING IN THE JOURNAL DOES NOT CONSTITUTE ANY GUARANTEE OR ENDORSEMENT BY THE SOCIETY FOR HEALTHCARE EPIDEMIOLOGY OF AMERICA OR SLACK INCORPORATED OF THE ADVERTISED PRODUCT OR SERVICE OR OF CLAIMS MADE BY THE ADVERTISER. THE PUBLICATION OF ARTICLES AND OTHER EDITORIAL MATERIAL IN THE JOURNAL DOES NOT NECESSARILY REPRESENT THE POLICY RECOMMENDATIONS OR ENDORSEMENT BY THE SOCIETY.

PUBLISHER: Infection Control and Hospital Epidemiology (ISSN-0899823X. Canadian GST#129780466) is published exclusively by SLACK Incorporated 12 times a year. Address: 6900 Grove Rd., Thorofare, NJ 08086. Telephone: (609) 848-1000.

COPYRIGHT 1994 The Society for Healthcare Epidemiology of America, Inc., and SLACK Incorporated. All rights reserved. No part of this publication may be reproduced without written permission from the publisher. Printed in the USA.

SUBSCRIPTIONS: Requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Incorporated, 4-22-11, Kitakasai, Edogawaku, Tokyo 134, Japan. Subscription rates in the United States and possessions: Individual: One year-\$85.00; Two years-\$120.00; Three years-\$150.00; Institutional: One year-\$95.00; Two years-\$135.00; Three years-\$175.00. Fellows: \$20 per year with proof of training status. Canada, \$18.00 additional each year plus 7% for Canadian Goods & Services tax; all other countries: \$36.00 additional each year. Single copies of current issues may be obtained for \$15.00, United States and possessions; \$20.00 all other countries.

REPRINTS: All requests to reprint or use material published herein should be addressed to Lester Robeson, SLACK Incorporated, 6900 Grove Rd., Thorofare, NJ 08086. For reprint orders and prices, contact Lester Robeson at (609) 8481000. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by SLACK Incorporated, provided that the base fee of \$1.00 per copy, plus \$.15 per page is paid directly to Copyright Clearance Center, 27 Congress St., Salem, MA 01970. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotional purposes, or for creating new collective works.

CHANGE OF ADDRESS: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086, and additional entry points. **POSTMASTER:** Send address changes to SLACK Incorporated, 6900 Grove Rd., Thorofare, NJ 08086.

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY is listed in Index Medicus, Current Contents-Clinical Practice, Hospital Literature Index, Cumulative Index to Nursing & Allied Health Literature, Nursing Abstracts, and Laboratory Performance Information Exchange System.

EDITORIAL OFFICES

Vanderbilt University School of Medicine
 A-1131 Medical Center North
 Nashville, TN 37232-2637
 (615) 343-1095; (615) 343-1882 (FAX)
 Email: iche@mcmail.vanderbilt.edu

EDITOR

Michael D. Decker, MD, MPH

MANAGING EDITOR

Susan Cantrell

STATISTICAL EDITOR

Beverly G. Mellen, PhD

SENIOR ASSOCIATE EDITORS

C. Glen Mayhall, MD

Gina Pugliese, RN, MS

William Schaffner, MD

ASSOCIATE EDITORS

Donald A. Goldmann, MD

Didier Pittet, MD, MS

Andreas Widmer, MD, MS

SECTION EDITORS**Beyond Infection Control:****The New Hospital Epidemiology**

Bryan P. Simmons, MD

Stephen B. Kritchevsky, PhD

Memphis, Tennessee

Wing Hong Seto, MD

Hong Kong

Disinfection and Sterilization

William A. Rutala, PhD, MPH

Chapel Hill, North Carolina

Emerging Infectious Diseases

Larry J. Strausbaugh, MD

Portland, Oregon

Robert W. Pinner, MD

Atlanta, Georgia

From the Laboratory

Marcus Zervos, MD

Royal Oak, Michigan

Fred C. Tenover, PhD

Atlanta, Georgia

Information Management

John A. Sellick, DO

Buffalo, New York

The International Perspective

Mary D. Nettleman, MD, MS

Richmond, Virginia

Issues in Surgery

James T. Lee, MD, PhD

St. Paul, Minnesota

Medical News

Gina Pugliese, RN, MS

Chicago, Illinois

Martin S. Favero, PhD

Irvine, California

Practical Healthcare Epidemiology

Loreen A. Herwaldt, MD

Iowa City, Iowa

SHEA News

Murray D. Batt, MD

Clarksburg, West Virginia

Statistics for Hospital Epidemiology

David Birnbaum, PhD, MPH

Sidney, British Columbia, Canada

Topics in Long-Term Care

Philip W. Smith, MD

Omaha, Nebraska

Topics in Occupational Medicine

David Weber, MD, MPH

Chapel Hill, North Carolina

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY[®]

EDITORIAL ADVISORY BOARD

- Jacques F. Acar, MD Paris, France
 J. Wesley Alexander, MD Cincinnati, Ohio
 Paul Arnow, MD Chicago, Illinois
 Graham A.J. Ayliffe, MD Birmingham, United Kingdom
 Neil L. Barg, MD Yakima, Washington
 Elizabeth Ann Bolyard, RN, MPH, CIC Atlanta, Georgia
 John M. Boyce, MD Providence, Rhode Island
 Professor Dr. Ilja Braveny Munich, Federal Republic of Germany
 Charles Bryan, MD Columbia, South Carolina
 Christian Brun-Buisson, MD Creteil, France
 Donald E. Craven, MD Boston, Massachusetts
 Sue Crow, MSN, RN, CIC Shreveport, Louisiana
 Franz Daschner, MD Freiburg, Federal Republic of Germany
 Leigh G. Donowitz, MD Charlottesville, Virginia
 Charles E. Edmiston, Jr., PhD Milwaukee, Wisconsin
 Theodore C. Eickhoff, MD Denver, Colorado
 Bruce Farber, MD Manhasset, New York
 Victoria J. Fraser, MD St. Louis, Missouri
 Peter C. Fuchs, MD, PhD Black Butte, Oregon
 Richard A. Garibaldi, MD Farmington, Connecticut
 Velvl Greene, PhD, MPH Beer Sheva, Israel
 Robert Gaynes, MD Atlanta, Georgia
 David W. Gregory, MD Nashville, Tennessee
 David K. Henderson, MD Bethesda, Maryland
 Peter N.R. Heseltine, MD Los Angeles, California
 Karen Hoffmann, RN, CIC, MS Chapel Hill, North Carolina
 Marguerite McMillan Jackson, RN, PhD San Diego, California
 Janine Jagger, MPH, PhD Charlottesville, Virginia
 William R. Jarvis, MD Atlanta, Georgia
 Douglas S. Kernodle, MD Nashville, Tennessee
 Robert H. Latham, MD Nashville, Tennessee
 Lewis B. Lefkowitz, MD Nashville, Tennessee
 Hsieh-Shong Leu, MD, MSc Taipei, Taiwan
 Jack Levy, MD Brussels, Belgium
 Victor Lorian, MD Bronx, New York
 Dennis G. Maki, MD Madison, Wisconsin
 Professor Dr. Walter Marget Munich, Federal Republic of Germany
 William J. Martone, MD Bethesda, Maryland
 Allison McGeer, MD Toronto, Ontario, Canada
 John E. McGowan, Jr., MD Atlanta, Georgia
 Jonathan L. Meakins, MD, DSc Montreal, Quebec, Canada
 Raf Mertens, MD Brussels, Belgium
 Robert R. Muder, MD Pittsburgh, Pennsylvania
 Joseph M. Mylotte, MD, CIC Buffalo, New York
 Lindsay Nicolle, MD Winnipeg, Manitoba, Canada
 Juhani Ojajarvi, MD Helsinki, Finland
 Michael T. Osterholm, PhD, MPH Minneapolis, Minnesota
 Jan Evans Patterson, MD San Antonio, Texas
 Sindy M. Paul, MD Trenton, New Jersey
 Michael A. Pfaller, MD Iowa City, Iowa
 Samuel Ponce de Leon, MD, MSc Mexico City, Mexico
 Isaam Raad, MD Houston, Texas
 Manfred L. Rotter, MD, DipBact Vienna, Austria
 Theodore Sacks, MD Jerusalem, Israel
 William E. Scheckler, MD Madison, Wisconsin
 Kent Sepkowitz, MD New York City, New York
 Denis Spelman, MD Prahran Victoria, Australia
 Michael L. Tapper, MD New York, New York
 Clyde Thornsberry, PhD Brentwood, Tennessee
 Professor Leonid P. Titov Minsk, Republic of Belarus
 Timothy R. Townsend, MD Millwood, Virginia
 Antoni Trilla, MD, PhD Barcelona, Spain
 Professor Wang Shu-Qun Beijing, People's Republic of China
 J. John Weems, Jr., MD Greenville, South Carolina
 Robert A. Weinstein, MD Chicago, Illinois
 Professor Dr. W. Weuffen Greifswald, Federal Republic of Germany
 Sergio B. Wey, MD São Paulo, Brazil
 Rebecca Wurtz, MD Evanston, Illinois

SLACK Incorporated

6900 Grove Road
 Thorofare, New Jersey 08086
 (609) 848-1000

Vice President/Group Publisher

Richard N. Roash

Publisher

John C. Carter

Editorial Director

Jennifer Kilpatrick

Production Editor

Shirley P. Strunk, ELS

Assistant Editor

Eileen C. Anderer

Circulation Manager

Lester J. Robeson, CCCC

Production Director

Christine Malin

Production Coordinator

Joanne Patterson

Publishing Director/ Advertising

Wayne McCourt

Pharmaceutical Group Sales Director

Michael LoPresti






Advertising Sales Representative

Jennine Kane


Classified/Recruitment Sales Manager

Michele Burch

Put a uvex better breathing™ HEPA-Tech™ respirator between you and TB.



Please read all warnings on literature and packaging materials. Not for use against any other airborne or bloodborne pathogens.



With tuberculosis on the rise, you're at significant risk of being exposed if you're in contact with patients in an enclosed location. The **uvex better breathing HEPA-Tech 3010** disposable respirator fully meets the CDC and OSHA guidelines for preventing the transmission of TB in healthcare environments. The HEPA-Tech is not only effective, it's comfortable. Choose from **three sizes** (small, medium, and large) with soft, formed-foam sealing

surfaces and adjustable headbands. The unique **"fit-check cup"** assures a reliable fit every time. And with HEPA-Tech, breathing resistance is so low there's **no need for an exhalation valve**, making it more attractive and less threatening. HEPA-Tech is NIOSH certified (No. TC-21C-604). For more information and a free sample, mail or fax the coupon along with your business card. And start breathing easier about TB exposure.

Please include your business card. Mail or fax to uvex at 800-232-9674. Access Code 4293808##.

Send me more information and a free sample of the uvex better breathing™ HEPA-Tech™ respirator (Offer expires 7/31/94)

I need HEPA-Tech now Have a uvex distributor call me

Name/Title _____

Organization _____

Address _____ City _____

State / ZIP / Phone _____

UVEX SAFETY, LLC
10 Thurber Blvd.
Smithfield, RI 02917
(401) 232-1200

uvex®
Beats Everything in Sight