

Index of Subjects

- $\delta^{13}\text{C}$, 605
 ^{14}C , 1
abiotic factors, 521
above-ground, 205
abundance modelling, 67
acid phosphatase activity, 627
Acosmium cardenasii, 497
activity patterns, 303
Africa, 381, 605
agouti, 251
agricultural clearings, 25
allelopathy, 571
allometry, 271
Alouatta seniculus, 355
alpha, 521
Alticinae, 343
altitude, 139
altitudinal migration, 645
Amazon, 509
Amazon caatinga, 215
Amazona finschi, 227
Amazonia, 173
Ampelocera ruizii, 497
Amphibia, 415, 423
amphibians, 521
Andes, 547
ant, 559
Anura, 415
anurans, 407
arthropods, 637
Astrocaryum standleyanum, 473
Ateles geoffroyi, 45
Ateles hybridus, 355
Atlantic forest, 619
Atlantic rain forest, 373
Australia, 139
avian, 335
avoidance, 303
Balanites wilsoniana, 193
banana, 247
bark, 393
Barro Colorado Island, 473
bats, 173
Bayesian methods, 551
beetles, 343
below-ground, 205
Bertholletia excelsa, 251
beta, 521
beta diversity, 481, 509
biodiversity, 583
biomass, 13, 605
biomass allocation, 271
birds, 381
body mass, 185
Bolivia, 497
Boliviano-Tucumano, 583
Borneo, 445
botflies, 619
Bovidae, 13
bracken spread, 457
Brazil, 119, 127, 373
Brazilian biomes, 423
Bromeliaceae, 123, 373, 563, 571
brood temperature, 445
Brosimum alicastrum, 163
Bruchidae, 473
budburst, 237
Bufonidae, 415
burial depth, 457
Bursera, 563, 571
Burseraceae, 433
cache pilferage, 473
Calakmul, 163
camera traps, 263
canopy, 119
canopy cover, 313
canopy openness, 533
carbon isotopic composition, 215
carbon stocks, 467
carnivorous plants, 365
Caryocar glabrum, 215
Cecropiaceae, 433
Celtis zenkeri, 193
central Africa, 293
cerrado, 185
Cerro de la Muerte, 351
Cervidae, 13
Chamela-Cuixmala, 227
Chromolaena odorata, 25
Chrysomelidae, 343
Chrysophyllum albidum, 193
climatic effects, 423
clonal growth, 151
clumped, 193
clutch size, 285
CO₂ chambers, 605
coarse woody debris, 467, 627
coevolution, 619
coffee, 247
coffee plantation, 93,
Colombia, 355
commensalism, 127, 243
community structure, 481
compensatory continuum hypothesis, 163
competition, 555, 559
complex networks, 127
Conostegia xalapensis, 343
coprophagous beetles, 53
Cordia millennii, 193
Costa Rica, 521, 559
Darwin's finches, 285
Dasyprocta fuliginosa, 251
Dasyprocta punctata, 473
defaunation, 35
dendrochronology, 237
density, 193
density-dependence, 293
Dialium pachyphyllum, 115
Dialium zenkeri, 115
diet, 645
dioecy, 433
dipterocarp, 271, 551
dispersal, 193
dispersal limitation, 551
disturbance, 193
diversity, 119
drought, 393, 497
early-successional trees, 533
ecological separation, 303
ecology, 415
ecosystem engineers, 407
ecosystem respiration, 605
ectoparasitism, 619
Ecuador, 547
edge effects, 67
elevation, 285
elevational occurrence, 481
emigration, 559
energy, 559
environmental stochasticity, 151
Eperua leucantha, 215
epiphyte, 93
estimation, 115
Eucalyptus, 595
extrafloral nectar, 555
feeding group, 323
feeding guild, 67
fine roots, 271
fire ecology, 595
fire regime, 313
flood-pulse concept, 79
food, 559
food preferences, 53
foraging mode, 243
forest grazing, 583
forest habitat, 381
forest margin, 53
forest regeneration, 533
forest succession, 1
Formicidae, 365
fragmentation, 35, 67
frogs, 509
fruit abundance, 251
fruit crop size, 227
fruiting phenology, 381
fruit-set, 351
functional groups, 583
fungicide, 293
Furnariidae, 547

- Galapagos Islands, 285
 gallery forest, 151
 geophagy, 173
Geospiza fuliginosa, 285
 germination, 571
 gold dust day gecko, 243
 gradient, 139
 granivory, 227
 grass dynamics, 313
 gross primary production, 605
 growth, 185
 growth rate, 93
 growth rate model, 163
 habitat filtering, 509
 habitat preferences, 53
 habitat variability, 323
 herbivory, 151
 herpetology, 423
 hierarchical processes, 79
 home range, 185
 host limitation, 563
 host selection, 119
 host specificity, 127
 humid savanna, 605
 hummingbird visitation, 351
 hydraulic sufficiency, 215
 independent bout method, 115
 inflorescence, 555
 intermediate disturbance hypothesis, 323
 intratropical migration, 645
 introduced species, 347
 invasional meltdown, 347
Ipomoea, 563, 571
 Isoptera, 103
 jasmonic acid, 555
 Kaa-Iya National Park, 303
 Kakadu National Park, 79, 595
 Korup National Park, 293
 Lambir National Park, 205
 Lamto, 323
 land-use, 67
 land-use change, 53, 335
 landscape pattern, 79
 late-successional trees, 533
 L-dopa, 263
 leaf water potential, 497
 lianas, 637
 licks, 173
 life-history strategies, 619
 light, 559
 Lima bean, 555
 limiting resource model, 163
 litter, 313
 local species richness, 521
 logging, 45
 lost roots, 271
 LTER, 247
 Luo Scientific Reserve, 115
 Luquillo Forest Dynamics Plot, 433
 Madagascar, 365
Manilkara zapota, 45
 Margarodidae, 335
 marsupial, 185
 Mayan zone, 45
Melaleuca, 79
Melanophryniscus cambaraensis, 415
 Melicharidae, 373
 meta-analysis, 423
 metal toxicity, 103
Metrosideros polymorpha, 1
 Mexico, 163, 227, 237, 457
Micranda sprucei, 215
Microberlinia bisulcata, 293
 microsites, 313
 mineral-rich water sources, 173
 moist savanna, 323
 monsoonal tropics, 595
 mortality, 123
 mortality rate, 93
 Mount Kinabalu, 103
 movement, 415
 Muscidae, 285
Myoprocita pratti, 251
 natural disturbance, 151
 nectar thievery, 373
 Neotropical birds, 645
 Neotropical forest, 251
Nepenthes, 365
 nest, 547
 nestling development rates, 619
 net ecosystem exchange, 605
 Nicaragua, 645
 niche breadth, 381
 niche overlap, 445
 niche partitioning, 481
 nitrogen isotopic composition, 215
 nitrogen, soil moisture, 605
 non-trophic interaction, 407
 non-volant mammal, 139
 northern Australia, 313
 null models, 445
 nutrient limitation, 123, 627
 observer effect, 243
 oceanic island, 347
Ocotea aciphylla, 215
 ohia, 1
 old fields, 247
 Orchidaceae, 93, 123, 127
Oubanguia alata, 293
 palms, 637
 Panama, 473, 637
Panthera onca, 303
 parasitism, 285
Pecari tajacu, 263, 407
Pheidole, 445
 phenology, 351
Philornis, 619
Philornis downsi, 285
 phylogenetic signal, 127
 phylogenetic structure, 127
 pitcher plants, 365
 plant defence, 555
 plant pathogens, 293
 plant-animal interaction, 227, 347, 335
 plant-frugivore interactions, 45
 pollination, 555
 polynomial models, 13
 population dynamics, 151
 population ecology, 185
 positive interaction, 347
 post-dispersal seed predation, 227
 post-fire regeneration strategies, 457
 predation, 193, 285
 primary tropical rain forest, 271
 Psittacidae, 227
Puma concolor, 303
 radiocarbon, 1
 rain forests, 119, 445
 redundancy analysis, 423
 regeneration, 25, 35
 relative growth rate, 163
 relocation, 559
 reproduction, 619
 reproductive compensation, 619
 reptiles, 521
 resource competition, 481
 resource defence, 335
 resource partitioning, 445
 resource patch, 227
 resource seasonality, 251
 resource tracking, 645
 RGR, 123
Ricinodendron heudelotii, 193
 riparian fire regimes, 79
 river continuum concept, 79
 Sabah, 103
 savanna, 13
 scale insects, 335
 Scarabaeinae, 355
 scattered trees, 335
 scatter-hoarding, 473
 sclerophyll index, 215
 Scolytidae, 473
 seasonality, 393, 645
 seasonally dry tropical forests, 25
 secondary caches, 251
 secondary growth, 393
 secondary succession, 467
 seed burial, 355
 seed dispersal, 25, 35, 115, 347
 seed fate, 355
 seed germination, 251
 seed handling, 473
 seed predation, 251, 263, 473
 seedling mortality, 293
 seedling recruitment, 35
 selective logging, 533, 551, 627
 semi-deciduous forest, 227
 serial monogamy, 559
Sericomyrmex amabilis, 263
 serpentine soils, 103
Setaria sphacelata, 247
 sex ratio, 433
 sexual diergism, 243
 sexual dimorphism, 243, 433
 silvopastoralism, 583
 size distribution, 433
 sodium, 173
 soil depth, 497
 soil heating, 457

- soil pH, 103
soil phosphorus fractionation, 627
soil temperatures, 457
soil water availability, 497
soil-feeding, 103
Solanum riparium, 497
South America, 415
South Kalimantan, 103
species abundance, 139
species composition, 53
species distribution, 323
species richness, 53, 139, 407, 481
species sorting, 509
spines, 637
spotted barbtail, 547
stable isotopes, 205
stand dynamics, 595
Stenodermatinae, 173
Stigmacoccus, 335
subtropics, 381
sugar reward, 373
sugarcane, 247
Sundaland, 103
Sweetia fruticosa, 497
tail regeneration, 243
Tayassu pecari, 407
temperature, 559
temperature effect, 243
temperature preferences, 445
termite community, 323
terrestrial food web, 205
Themeda triandra, 605
thermal gradient, 445
thorns, 637
Tillandsia, 563
transhumance, 583
transplantation experiment, 93
tree age, 1
tree growth rate, 1
tree rings, 237
Trema micrantha, 497
tri-trophic interaction, 343
trophic group, 205
tropical dry forest, 237, 303, 467, 571
tropical forest, 13, 35, 163, 509, 533
tropical montane forest, 93
tropical rain forest, 293, 393, 551
tropical savanna, 79
tropical trees, 433
tropics, 139
ultisols, 103
understorey diversity, 45
ungulates, 13
vascular epiphytes, 123
vegetation distribution, 79
Vitis tilifolia, 163
wallows, 407
Wamba, 115
water, 393
wet-dry tropics, 79
wood anatomy, 215
Yucatán Peninsula, 457

Index of Authors


- ABD RAHMAN, K. see YAGIHASHI, T.
- AIDARA, D. see DOSSO, K.
- ALZÉRRECA A., H. see MARQUARDT, S.
- ANDERSEN, A. N. see SCOTT, K. A.
- ANDRESEN, E. see SANTOS-HEREDIA, C.
- BABWETEERA, F. & BROWN, N. Spatial patterns of tree recruitment in East African tropical forests that have lost their vertebrate seed dispersers, 193
- BALLINA-GÓMEZ, H. S., IRIARTE-VIVAR, S., ORELLANA, R. & SANTIAGO, L. S. Compensatory growth responses to defoliation and light availability in two native Mexican woody plant species, 163
- BARRANTES, G. see FUCHS, E. J.
- BARTHLOTT, W. see REMBOLD, K.
- BATEMAN, B. L., KUTT, A. S., VANDER-DUYS, E. P. & KEMP, J. E. Small-mammal species richness and abundance along a tropical altitudinal gradient: an Australian example, 139
- BECK, H., THEBPANYA, P. & FILIAGGI, M. Do Neotropical peccary species (Tayassuidae) function as ecosystem engineers for anurans?, 407
- BECK, S. G. see MARQUARDT, S.
- BENÍTEZ-MALVIDO, J. see MELO, F. P. L.
- BENREY, B. see HERNÁNDEZ-CUMPLIDO, J.
- BENSON, W. W. see GUERRA, T. J.
- BIGNELL, D. E. see JONES, D. T.
- BÖHNING-GAESE, K. see KIRIKA, J. M.
- BOMPY, F. see STAHL, C.
- BONAL, D. see STAHL, C.
- BONGERS, F. see MARKESTEIJN, L.
- BOWMAN, D. M. J. S. see PRIOR, L. D.
- BOYES, R. S. & PERRIN, M. R. Aerial surveillance by a generalist seed predator: food resource tracking by Meyer's parrot *Poicephalus meyeri* in the Okavango Delta, Botswana, 381
- BRAVO, A., HARMS, K. E. & EMMONS, L. H. Puddles created by geophagous mammals are potential mineral sources for frugivorous bats (Stenodermatinae) in the Peruvian Amazon, 173
- BROWN, N. see BABWETEERA, F.
- BUNBURY, N. see LINNEBJERG, J. F.
- BURBAN, B. see STAHL, C.
- CAORSI, V. Z. see SANTOS, R. R.
- CEBALLOS, G. see MELO, F. P. L.
- CHAVARRÍA, L. see FRASER, K. C.
- CHUYONG, G. B. see NORGHAUER, J. M.
- COCKLE, K. L. see NORRIS, A. R.
- CRUZ, L. D. see FERNANDES, F. R.
- CUÉLLAR, E. see ROMERO-MUÑOZ, A.
- DA SILVEIRA VASCONCELOS, T., DOS SANTOS, T. G., HADDAD, C. F. B. & DE CERQUEIRA ROSSA-FERES, D. Climatic variables and altitude as predictors of anuran species richness and number of reproductive modes in Brazil, 423
- DE CERQUEIRA ROSSA-FERES, D. see DA SILVEIRA VASCONCELOS, T.
- DEL ROSARIO RAMÍREZ TREJO, M., PÉREZ-GARCÍA, B., PÉREZ-SALICRUP, D. R. & OROZCO-SEGOVIA, A. Effect of fire on the germination of spores of *Pteridium caudatum*, an invasive fern, 457
- DIAMOND, A. W. see FRASER, K. C.
- DIRZO, R. see GUTIÉRREZ-GRANADOS, G.
- DIRZO, R. see VILLASEÑOR-SÁNCHEZ, E. I.
- DONNELLY, M. A. see VON MAY, R.
- DOS SANTOS, T. G. see DA SILVEIRA VASCONCELOS, T.
- DOSSO, K., KONATÉ, S., AIDARA, D. & LINSENMAIR, K. E. Termite diversity and abundance across fire-induced habitat variability in a tropical moist savanna (Lamto, Central Côte d'Ivoire), 323
- DOUGLAS, M. M. see PETTY, A. M.
- DOUGLAS, M. M. see SCOTT, K. A.
- DUDANIEC, R. Y. see O'CONNOR, J. A.
- DUMBO, B. see KIRIKA, J. M.
- DUNN, T. see MCGLYNN, T. P.
- ELSCHOT, L. see JANSEN, P. A.
- EMMONS, L. H. see BRAVO, A.
- ENCINAS, F. D. see MARQUARDT, S.
- FARWIG, N. see KIRIKA, J. M.
- FEDERMAN, A. see SEIFAN, T.
- FERNANDES, F. R., CRUZ, L. D., MARTINS, E. G. & FURTADO DOS REIS, S. Growth and home range size of the gracile mouse opossum *Gracilinanus microtarsus* (Marsupialia: Didelphidae) in Brazilian cerrado, 185
- FERREIRA, A. W. C. see SILVA, I. A.
- FILIAGGI, M. see BECK, H.
- FISCHER, E. see REMBOLD, K.
- FITZGERALD, L. A. see LAURENCIO, D.
- FLORES-PALACIOS, A. see VALENCIA-DÍAZ, S.
- FLORES-PALACIOS, A. see VERGARA-TORRES, C. A.
- FORERO-MONTAÑA, J., ZIMMERMAN, J. K. & THOMPSON, J. Population structure, growth rates and spatial distribution of two dioecious tree species in a wet forest in Puerto Rico, 433
- FRASER, K. C., DIAMOND, A. W. & CHAVARRÍA, L. Evidence of altitudinal moult-migration in a Central American hummingbird, *Amazilia cyanura*, 645
- FUCHS, E. J., ROSS-IBARRA, J. & BAR-RANTES, G. Reproductive biology of *Macleania rupestris* (Ericaceae), a pollen-limited Neotropical cloud-forest species in Costa Rica, 351
- FUKUDA, D. see HYODO, F.
- FURTADO DOS REIS, S. see FERNANDES, F. R.
- GAMPER, H. A. & KOPTUR, S. Honeydew foraging by birds in tropical montane forests and pastures of Mexico, 335
- GARBER, P. A. see MADDEN, D.
- GARCÍA-ROBLEDO, C. see KUPREWICZ, E. K.
- GONTHIER, D. J., PARDEE, G. L. & PHILPOTT, S. M. *Azteca instabilis* ants and the defence of a coffee shade tree: an ant-plant association without mutual rewards in Chiapas, Mexico, 343
- GRANT, T. see SANTOS, R. R.
- GREENE, D. F. see HAYDEN, B.
- GREENEY, H. F. Bimodal breeding seasonality of an understorey bird, *Premnoplex brunnescens*, in an Ecuadorian cloud forest, 547
- GRIBEL, R. see TUCK HAUGAASEN, J. M.
- GUERRA, T. J., ROMERO, G. Q. & BENSON, W. W. Flower mites decrease nectar availability in the rain-forest bromeliad *Neoregelia johannis*, 373
- GUTIÉRREZ-GRANADOS, G. & DIRZO, R. Indirect effects of timber extraction on plant recruitment and diversity via reductions in abundance of frugivorous spider monkeys, 45
- HADDAD, C. F. B. see DA SILVEIRA VASCONCELOS, T.
- HANSEN, D. M. see LINNEBJERG, J. F.
- HANSKI, I. see VILJANEN, H.
- HARMS, K. E. see BRAVO, A.
- HART, P. J. Tree growth and age in an ancient Hawaiian wet forest: vegetation dynamics at two spatial scales, 1
- HAUGAASEN, T. see TUCK HAUGAASEN, J. M.
- HAYDEN, B., GREENE, D. F. & QUESADA, M. A field experiment to determine the effect of dry-season precipitation on annual ring formation and leaf phenology in a seasonally dry tropical forest, 237

- HEIL, M. see HERNÁNDEZ-CUMPLIDO, J.
 HERNÁNDEZ-CUMPLIDO, J., BENREY, B. & HEIL, M. Attraction of flower visitors to plants that express indirect defence can minimize ecological costs of ant-pollinator conflicts, 555
- HIDAYAT, P. see SHAHABUDDIN
 HIETZ, P. see SCHEFFKNECHT, S.
 HIREMATH, A. J. see TEEGALAPALLI, E.
 HUAMÁN, J. M. see VON MAY, R.
 HÜLBER, K. see SCHEFFKNECHT, S.
 HYODO, F., MATSUMOTO, T., TAKEMATSU, Y., KAMOI, T., FUKUDA, D., NAKAGAWA, M. & ITIOKA, T. The structure of a food web in a tropical rain forest in Malaysia based on carbon and nitrogen stable isotope ratios, 205
- IMAI, N., KITAYAMA, K. & TITIN, J. Distribution of phosphorus in an above-to-below-ground profile in a Bornean tropical rain forest, 627
- IRAPI, J. see MARKESTEIJN, L.
 IRIARTE-VIVAR, S. see BALLINA-GÓMEZ, H. S.
 ITIOKA, T. see HYODO, F.
- JACOBS, J. M. see VON MAY, R.
 JANSEN, P. A., ELSCHOT, L., VERKERK, P. J. & WRIGHT, S. J. Seed predation and defleshing in the agouti-dispersed palm *Astrocaryum standleyanum*, 473
- JATHANNA, D. see TEEGALAPALLI, E.
 JIMÉNEZ-APARICIO, A. R. see VALENCIA-DÍAZ, S.
- JOHNSON, S. see VILJANEN, H.
 JOLIN, Z. B. see STAHL, C.
 JONES, D. T., RAHMAN, H., BIGNELL, D. E. & PRASETYO, A. H. Forests on ultramafic-derived soils in Borneo have very depauperate termite assemblages, 103
- K'OTUTO, G. O. see OTIENO, D. O.
 KAJIMOTO, T. see NIIYAMA, K.
 KAMOI, T. see HYODO, F.
 KASSIM, ABD. R. see NIIYAMA, K.
 KEITT, T. H. see LASKY, J. R.
 KEMP, J. E. see BATEMAN, B. L.
 KIRIKA, J. M., BÖHNING-GAESE, K., DUMBO, B. & FARWIG, N. Reduced abundance of late-successional trees but not of seedlings in heavily compared with lightly logged sites of three East African tropical forests, 533
- KISSING, L. B. & POWERS, J. S. Coarse woody debris stocks as a function of forest type and stand age in Costa Rican tropical dry forest: long-lasting legacies of previous land use, 467
- KITAYAMA, K. see IMAI, N.
 KLEINDORFER, S. see O'CONNOR, J. A.
 KONATÉ, S. see DOSSO, K.
 KREUZER, M. see MARQUARDT, S.
 KUPREWICZ, E. K. & GARCÍA-ROBLEDO, C. Mammal and insect predation of chemically and structurally defended *Mucuna holtonii* (Fabaceae) seeds in a Costa Rican rain forest, 263
- KUTT, A. S. see BATEMAN, B. L.
 KUZYAKOV, Y. see OTIENO, D. O.
- LASKY, J. R. & KEITT, T. H. Abundance of Panamanian dry-forest birds along gradients of forest cover at multiple scales, 67
- LAURENCIO, D. & FITZGERALD, L. A. Environmental correlates of herpetofaunal diversity in Costa Rica, 521
- LEONARDI, S. B. see SANTOS, R. R.
 LIMA, M. I. S. see SILVA, I. A.
 LINNEBJERG, J. F., HANSEN, D. M., BUNBURY, N. & OLESEN, J. M. Diet composition of the invasive red-whiskered bulbul *Pycnonotus jocosus* in Mauritius, 347
- LINSENMAIR, K. E. see DOSSO, K.
- MADDEN, D., GARBER, P. A., MADDEN, S. L. & SNYDER, C. A. Rain-forest canopy-connectivity and habitat selection by a small neotropical primate, Geoffroy's tamarin (*Saguinus geoffroyi*), 637
- MADDEN, S. L. see MADDEN, D.
 MAFFEI, L. see ROMERO-MUÑOZ, A.
 MAINA, J. N. see OTIENO, D. O.
 MANDUJANO, S. & NARANJO, E. J. Ungulate biomass across a rainfall gradient: a comparison of data from neotropical and palaeotropical forests and local analyses in Mexico, 13
- MANUWOTO, S. see SHAHABUDDIN
 MARKESTEIJN, L., IRAIPI, J., BONGERS, F. & POORTER, L. Seasonal variation in soil and plant water potentials in a Bolivian tropical moist and dry forest, 497
- MARQUARDT, S., BECK, S. G., ENCINAS, F. D., ALZÉRRECA A., H., KREUZER, M. & MAYER, A. C. Plant species selection by free-ranging cattle in southern Bolivian tropical montane forests, 583
- MARTIN, K. see NORRIS, A. R.
 MARTÍNEZ-SALAS, E. see MELO, F. P. L.
 MARTINS, E. G. see FERNANDES, F. R.
 MATA ROSAS, M. see SCHEFFKNECHT, S.
 MATSUI, T. see YAGIHASHI, T.
 MATSUMOTO, T. see HYODO, F.
 MATSUO, N. see NIIYAMA, K.
 MATSUURA, Y. see NIIYAMA, K.
 MAUTZ, W. J. see SEIFAN, T.
 MAYER, A. C. see MARQUARDT, S.
 MCGLYNN, T. P., DUNN, T., WAYMAN, E. & ROMERO, A. A thermophile in the shade: light directed nest relocation in the Costa Rican ant *Ectatomma ruidum*, 559
- MELO, F. P. L., MARTÍNEZ-SALAS, E., BENÍTEZ-MALVIDO, J. & CEBALLOS, G. Forest fragmentation reduces recruitment of large-seeded tree species in a semi-deciduous tropical forest of southern Mexico, 35
- MEZGER, D. & PFEIFFER, M. Is nest temperature an important factor for niche partitioning by leaf-litter ants (Hymenoptera: Formicidae) in Bornean rain forests?, 445
- MONTREUIL, O. see VILJANEN, H.
 MYSTER, R. W. Testing dominance-diversity hypotheses using data from abandoned plantations and pastures in Puerto Rico and Ecuador, 247
- NAKAGAWA, M. see HYODO, F.
 NAKAYA, T. see YAGIHASHI, T.
 NARANJO, E. J. see MANDUJANO, S.
 NEWBERY, D. M. see NORGHAUER, J. M.
 NIIYAMA, K., KAJIMOTO, T., MATSUURA, Y., YAMASHITA, T., MATSUO, N., YASHIRO, Y., RIPIN, A., KASSIM, ABD. R. & NOOR, N. S. Estimation of root biomass based on excavation of individual root systems in a primary dipterocarp forest in Pasoh Forest Reserve, Peninsular Malaysia, 271
- NOERDJITO, W. A. see SHAHABUDDIN
 NOOR, N. S. see NIIYAMA, K.
 NORGHAUER, J. M., NEWBERY, D. M., TEDERSOO, L. & CHUYONG, G. B. Do fungal pathogens drive density-dependent mortality in established seedlings of two dominant African rain-forest trees?, 293
- NORRIS, A. R., COCKLE, K. L. & MARTIN, K. Evidence for tolerance of parasitism in a tropical cavity-nesting bird, planalto woodcreeper (*Dendrocolaptes platyrostris*), in northern Argentina, 619
- NOSS, A. J. see ROMERO-MUÑOZ, A.
- O'CONNOR, J. A., DUDANIEC, R. Y. & KLEINDORFER, S. Parasite infestation and predation in Darwin's small ground finch: contrasting two elevational habitats between islands, 285
- OLESEN, J. M. see LINNEBJERG, J. F.
 ONYANGO, J. C. see OTIENO, D. O.
 ORELLANA, R. see BALLINA-GÓMEZ, H. S.
- ORIHUELA, R. L. L. & WAECHTER, J. L. Host size and abundance of hemiepiphytes in a subtropical stand of Brazilian Atlantic Forest, 119
- OROZCO-SEGOVIA, A. see DEL ROSARIO RAMÍREZ TREJO, M.
- OTANI, T. see YAGIHASHI, T.
 OTIENO, D. O., K'OTUTO, G. O., MAINA, J. N., KUZYAKOV, Y. & ONYANGO, J. C. Responses of ecosystem carbon dioxide fluxes to soil moisture fluctuations in a moist Kenyan savanna, 605
- PACHECO-ÁLVAREZ, M. C. see VERGARA-TORRES, C. A.
 PARDEE, G. L. see GONTHIER, D. J.
 PERES, C. A. see TUCK HAUGAASEN, J. M.
 PÉREZ-GARCÍA, B. see DEL ROSARIO RAMÍREZ TREJO, M.

- PÉREZ-SALICRUP, D. R. see DEL ROSARIO RAMÍREZ TREJO, M.
- PERRIN, M. R. see BOYES, R. S.
- PETTY, A. M. & DOUGLAS, M. M. Scale relationships and linkages between woody vegetation communities along a large tropical floodplain river, north Australia, 79
- PFEIFFER, M. see MEZGER, D.
- PHILPOTT, S. M. see GONTHIER, D. J.
- POORTER, L. see MARKESTEIJN, L.
- POWERS, J. S. see KISSING, L. B.
- PRASETYO, A. H. see JONES, D. T.
- PRIOR, L. D., WILLIAMS, R. J. & BOWMAN, D. M. J. S. Experimental evidence that fire causes a tree recruitment bottleneck in an Australian tropical savanna, 595
- QUESADA, M. see HAYDEN, B.
- RAHAGALALA, P. see VILJANEN, H.
- RAHMAN, H. see JONES, D. T.
- REMBOLD, K., FISCHER, E., WETZEL, M. A. & BARTHLOTT, W. Prey composition of the pitcher plant *Nepenthes madagascariensis*, 365
- RENTON, K. see VILLASEÑOR-SÁNCHEZ, E. I.
- RIPIN, A. see NIIYAMA, K.
- RODRÍGUEZ-LÓPEZ, V. see VALENCIA-DÍAZ, S.
- ROMERO, A. see MCGLYNN, T. P.
- ROMERO, G. Q. see GUERRA, T. J.
- ROMERO-MUÑOZ, A., MAFFEI, L., CUÉLLAR, E. & NOSS, A. J. Temporal separation between jaguar and puma in the dry forests of southern Bolivia, 303
- ROSS-IBARRA, J. see FUCHS, E. J.
- SAKAMAKI, T. see TSUJI, Y.
- SAMPAIO, M. B. & SCARIOT, A. Effects of stochastic herbivory events on population maintenance of an understorey palm species (*Geonoma schottiana*) in riparian tropical forest, 151
- SANTA-CRUZ, R. see VON MAY, R.
- SANTIAGO, L. S. see BALLINA-GÓMEZ, H. S.
- SANTOS, R. R., LEONARDI, S. B., CAORSI, V. Z. & GRANT, T. Directional orientation of migration in an aseasonal explosive-breeding toad from Brazil, 415
- SANTOS-HEREDIA, C., ANDRESEN, E. & ZÁRATE, D. A. Secondary seed dispersal by dung beetles in a Colombian rain forest: effects of dung type and defecation pattern on seed fate, 355
- SCARIOT, A. see SAMPAIO, M. B.
- SCHEFFKNECHT, S., WINKLER, M., HÜLBER, K., MATA ROSAS, M. & HIETZ, P. Seedling establishment of epiphytic orchids in forests and coffee plantations in Central Veracruz, Mexico, 93
- SCHULZE, C. H. see SHAHABUDDIN
- SCOTT, K. A., SETTERFIELD, S. A., DOUGLAS, M. M. & ANDERSEN, A. N. Environmental factors influencing the establishment, height and fecundity of the annual grass *Sorghum intrans* in an Australian tropical savanna, 313
- SEIFAN, T., FEDERMAN, A., MAUTZ, W. J., SMITH, K. J. & WERNER, Y. L. Nocturnal foraging in a diurnal tropical lizard (Squamata: Gekkonidae: *Phelsuma laticauda*) on Hawaii, 243
- SERMAGE, J. see STAHL, C.
- SETTERFIELD, S. A. see SCOTT, K. A.
- SHAHABUDDIN, HIDAYAT, P., MANUWOTO, S., NOERDJITO, W. A., TSCHARNTKE, T. & SCHULZE, C. H. Diversity and body size of dung beetles attracted to different dung types along a tropical land-use gradient in Sulawesi, Indonesia, 53
- SILVA, I. A., FERREIRA, A. W. C., LIMA, M. I. S. & SOARES, J. J. Networks of epiphytic orchids and host trees in Brazilian gallery forests, 127
- SMITH, K. J. see SEIFAN, T.
- SNYDER, C. A. see MADDEN, D.
- SOARES, J. J. see SILVA, I. A.
- SOBRADO, M. A. Leaf characteristics, wood anatomy and hydraulic properties in tree species from contrasting habitats within upper Rio Negro forests in the Amazon region, 215
- STAHL, C., BURBAN, B., BOMPY, F., JOLIN, Z. B., SERMAGE, J. & BONAL, D. Seasonal variation in atmospheric relative humidity contributes to explaining seasonal variation in trunk circumference of tropical rain-forest trees in French Guiana, 393
- TAKEMATSU, Y. see HYODO, F.
- TANI, N. see YAGIHASHI, T.
- TANOUCHI, H. see YAGIHASHI, T.
- TEDERSOO, L. see NORGHAUER, J. M.
- TEEGALAPALLI, E., HIREMATH, A. J. & JATHANNA, D. Patterns of seed rain and seedling regeneration in abandoned agricultural clearings in a seasonally dry tropical forest in India, 25
- THEBPANYA, P. see BECK, H.
- THOMPSON, J. see FORERO-MONTAÑA, J.
- TITIN, J. see IMAI, N.
- TSCHARNTKE, T. see SHAHABUDDIN
- TSUJI, Y., YANGOZENE, K. & SAKAMAKI, T. Estimation of seed dispersal distance by the bonobo, *Pan paniscus*, in a tropical forest in Democratic Republic of Congo, 115
- TUCK HAUGAASEN, J. M., HAUGAASEN, T., PERES, C. A., GRIBEL, R. & WEGGE, P. Seed dispersal of the Brazil nut tree (*Bertholletia excelsa*) by scatter-hoarding rodents in a central Amazonian forest, 251
- VALDIVIA, J. see VON MAY, R.
- VALENCIA-DÍAZ, S., FLORES-PALACIOS, A., RODRÍGUEZ-LÓPEZ, V., VENTURA-ZAPATA, E. & JIMÉNEZ-APARICIO, A. R. Effect of host-bark extracts on seed germination in *Tillandsia recurvata*, an epiphytic bromeliad, 571
- VANDERDUYS, E. P. see BATEMAN, B. L.
- VENTURA-ZAPATA, E. see VALENCIA-DÍAZ, S.
- VERGARA-TORRES, C. A., PACHECO-ÁLVAREZ, M. C. & FLORES-PALACIOS, A. Host preference and host limitation of vascular epiphytes in a tropical dry forest of central Mexico, 563
- VERKERK, P. J. see JANSEN, P. A.
- VILJANEN, H., WIRTA, H., MONTREUIL, O., RAHAGALALA, P., JOHNSON, S. & HANSKI, I. Structure of local communities of endemic dung beetles in Madagascar, 481
- VILLASEÑOR-SÁNCHEZ, E. I., DIRZO, R. & RENTON, K. Importance of the lilac-crowned parrot in pre-dispersal seed predation of *Astronium graveolens* in a Mexican tropical dry forest, 227
- VON MAY, R., JACOBS, J. M., SANTA-CRUZ, R., VALDIVIA, J., HUAMÁN, J. M. & DONNELLY, M. A. Amphibian community structure as a function of forest type in Amazonian Peru, 509
- WAECHTER, J. L. see ORIHUELA, R. L. L.
- WAYMAN, E. see MCGLYNN, T. P.
- WEGGE, P. see TUCK HAUGAASEN, J. M.
- WERNER, Y. L. see SEIFAN, T.
- WESTER, S. & ZOTZ, G. Growth and survival of *Tillandsia flexuosa* on electrical cables in Panama, 123
- WETZEL, M. A. see REMBOLD, K.
- WILLIAMS, R. J. see PRIOR, L. D.
- WINKLER, M. see SCHEFFKNECHT, S.
- WIRTA, H. see VILJANEN, H.
- WRIGHT, S. J. see JANSEN, P. A.
- YAGIHASHI, T., OTANI, T., TANI, N., NAKAYA, T., ABD RAHMAN, K., MATSUI, T. & TANOUCHI, H. Habitats suitable for the establishment of *Shorea curtisii* seedlings in a hill forest in Peninsular Malaysia, 551
- YAMASHITA, T. see NIIYAMA, K.
- YANGOZENE, K. see TSUJI, Y.
- YASHIRO, Y. see NIIYAMA, K.
- ZÁRATE, D. A. see SANTOS-HEREDIA, C.
- ZIMMERMAN, J. K. see FORERO-MONTAÑA, J.
- ZOTZ, G. see WESTER, S.

CAMBRIDGE

JOURNALS



ENVIRONMENTAL PRACTICE

Published for the
National Association of Environmental Professionals

Environmental Practice

is available online at:
<http://journals.cambridge.org/enp>

**To subscribe contact
Customer Services**

in Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:
Phone +1(845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Editor-in-Chief

Kelly Tzoumis, DePaul University, USA

Co-Editor-in-Chief

James A. Montgomery, DePaul University, USA

Environmental Practice provides a multidisciplinary forum for authoritative discussion and analysis of issues of wide interest to the international community of environmental professionals, with the intent of developing innovative solutions to environmental problems for public policy implementation, professional practice, or both.

**Price information is available at:
<http://journals.cambridge.org/enp>**

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>

For free online content visit:
<http://journals.cambridge.org/enp>



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE

JOURNALS



Journal of the Marine Biological Association of the United Kingdom

Published for
The Marine Biological Association of the United Kingdom

Journal of the Marine Biological Association of the United Kingdom
is available online at
journals.cambridge.org/mbi

**To subscribe contact
Customer Services**

in Cambridge:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email subscriptions_newyork@cambridge.org

Editors-in-Chief

P. E. Gibbs, The Marine Biological Association of the UK,

Plymouth, UK

P. R. Dando, The Marine Biological Association of the UK,
Plymouth, UK

Executive Editor

Ann L. Pulsford, The Marine Biological Association of the
UK, Plymouth, UK

JMBA is an international journal with a worldwide distribution, publishing original research on all aspects of marine biology. It includes current international research developments and features much of the pioneering work taking place today on major issues concerning marine organisms and their environment. Subjects include ecological surveys and population studies, and chemical and physical oceanographic work.

**Price information is available at
<http://journals.cambridge.org/mbi>**

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>

*For free online content visit
<http://journals.cambridge.org/mbi>*



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE

JOURNALS



The Journal of Agricultural Science

The Journal of Agricultural Science

is available online at:

<http://journals.cambridge.org/ags>

**To subscribe contact
Customer Services**

in Cambridge:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email subscriptions_newyork@cambridge.org

Senior Editors

Julian Wiseman, University of Nottingham, UK

Animal papers

Robert E. L. Naylor, University of Aberdeen, UK

Crop & Soil papers

The Journal of Agricultural Science publishes papers concerned with the advance of agriculture and the use of land resources throughout the world. It publishes original scientific work related to strategic and applied studies in all aspects of agricultural science and exploited species, as well as reviews of scientific topics of current agricultural relevance.

**Price information is available at:
<http://journals.cambridge.org/ags>**

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>

For free online content visit:
<http://journals.cambridge.org/ags>



CAMBRIDGE
UNIVERSITY PRESS

JOURNAL OF tropical ecology

INSTRUCTIONS FOR AUTHORS

Potential contributors are advised that careful attention to the details below will greatly assist the Editor and thus speed the processing of their manuscripts. Poorly prepared manuscripts will be returned to authors.

Submission

All manuscripts must be submitted online via the website:

<http://mc.manuscriptcentral.com/jte>

Detailed instructions for submitting your manuscript online can be found at the submission website by clicking on the 'Instructions and Forms' link in the top right of the screen; and then clicking on the 'Author Submission Instructions' icon on the following page.

The Editor will acknowledge receipt of the manuscript, provide it with a manuscript reference number and assign it to reviewers. The reference number of the manuscript should be quoted in all correspondence with JTE Office and Publisher.

The submission of a manuscript will be taken to imply that the material is original, and that no similar paper has been published or is currently submitted for publication elsewhere. Papers are first inspected for suitability by the Editor or a Board member. Those suitable papers are then critically reviewed by usually two or three expert persons. On their advice the Editor provisionally accepts, or rejects, the paper. If acceptance is indicated the manuscript is usually returned to the author for revision. In some cases a resubmission is invited and on receipt of the new version the paper will be sent to a third referee. If the author does not return the revised or resubmitted version within six months the paper will be classified as rejected. Final acceptance is made when the manuscript has been satisfactorily revised.

Preparation of the manuscript

Authors are strongly advised to consult a recent issue of the *JTE* to acquaint themselves with the general layout of articles. Manuscripts should be neatly typed on A4 paper i.e. 21 cm × 30 cm. Double sided copy is permissible for review purposes, but final submission for publication must be on one side of the paper only. Double spacing must be used throughout, allowing wide margins (about 3 cm) on all sides. Main text pages should be numbered.

When a revised ms is being returned the author is requested to send a copy of the final version on computer disk (Apple Macintosh or IBM compatible PC) together with the hard copy typescript, giving details of the wordprocessing software used (e.g. Microsoft Word, Word or Word Perfect). However, the publisher reserves the right to typeset material by conventional means if an author's disk proves unsatisfactory.

A paper should be prepared using the following format:

Page 1. *Title page*. This should contain (a) the full title, preferably of less than 20 words and usually containing the geographical location of the study; (b) a running title of not more than 48 letters and spaces; (c) a list of up to 10 key words in alphabetical order suitable for international retrieval systems; (d) the full name of each author and their current affiliation; (e) the name of the institution in which the work was carried out; and (f) the present email and postal address of the author to whom proofs should be sent.

Page 2. *Abstract*. This should be a single paragraph, in passive mode, no more than 200 words long, a concise summary of the paper intelligible on its own in conjunction with the title, without abbreviations or references.

Page 3. *et seq.* The main body of the text may contain the following sections in the sequence indicated:

Discussion, (e) Acknowledgements, (f) Literature Cited, (g) Appendices, (h) Tables, (i) Legends to Figures. An extra section between (a) and (b) for Study Site or Study Species might be necessary.

Main headings should be in capital type and ranged left; sub-headings should be ranged left. A *Short Communication* has a title and keywords but no abstract (except what is entered in Manuscript Central) or section headings until Acknowledgements and item Literature Cited.

Acknowledgements should be brief. *Notes* should be avoided if at all possible; any notes will be printed at the end of the paper and not as footnotes.

Scientific names. The complete Latin name (genus, species and authority) must be given in full for every organism when first mentioned in the text unless a standard reference is available which can be cited. Authorities might alternatively appear in Tables where they are first used.

Units of measurement. Measurements must be in metric units; if not, metric equivalents must also be given. The minus index (m^{-1} , mm^{-3}) should be used except where the unit is an object, e.g. 'per tree', not 'tree $^{-1}$ '. Use d^{-1} , mo^{-1} and y^{-1} for per day, per month and per year.

Abbreviations. In general, abbreviations should be avoided. Numbers one to nine should be spelled out and number 10 onwards given in figures. Dates should follow the sequence day-month-year, e.g. 1 January 1997. The 24-hour clock should be used, e.g. 16h15.

Online supplementary material

Supplementary material is not copy edited or typeset but loaded onto CJO exactly as supplied. Supplementary material must be submitted at the same time as the article and must be clearly marked to distinguish it from the main article text.

Authors should ensure that they mention within their article that supplementary material is available on CJO.

Language

All papers should be written in English, and spelling should generally follow *The Concise Oxford Dictionary of Current English*. Abstracts in other languages will be printed if the author so desires together with an abstract in English. All abstracts must be provided by the author.

Literature cited

References to literature in the text should conform to the 'name-and-date' system: e.g. Fleming (1982); (Goh & Sasekumar 1980); Montgomery *et al.* (1981). If a number of references are cited at one place in the text, they should be arranged alphabetically and not chronologically. In the reference list citations should take the forms given below. References with two or more authors should be arranged first alphabetically then chronologically. The names of cited journals should be given in full. Certain foreign language citations may be translated into English, and this should always be done where the English alphabet is not used (e.g. Chinese, Russian, Thai).

FLEMING, T. H. 1982. Foraging strategies of plant-visiting bats. Pp. 287–325 in Kunz, T. H. (ed.). *Ecology of bats*. Plenum Press, New York. 425 pp.

GOH, A. H. & SASEKUMAR, A. 1980. The community structure of the fringing coral reef, Cape Rachado. *Malayan Nature Journal* 34:25–27.

MONTGOMERY, G. G., BEST, R. C. & YAMAKOSHI, M. 1981. A radio-tracking study of the American manatee *Trichechus inunguis* (Mammalia: Sirenia). *Biotropica* 13:81–85.

WHITMORE, T. C. 1984. *Tropical rain forests of the Far East*. (second edition). Oxford University Press, Oxford. 352 pp.

Use the following as contractions in text: 'pers. obs.', 'pers. comm.'; but 'unpubl. data', 'in press'. Authors should double-check that all references in the text correspond exactly to those in the Literature Cited

Tables and figures

Tables should be typed, together with their titles, on separate pages. Column headings should be brief, with units of measurement in parentheses. Vertical lines should not be used to separate columns. Avoid presenting tables that are too large to be printed across the page; table width must not exceed 80 characters, including spaces between words, figures and columns. Each table should be numbered consecutively with arabic numerals. The author should indicate in the text where tables and figures are to be inserted; all tables and figures must be mentioned in the text.

Authors should ensure that all figures, whether line drawings or photographs, clarify or reduce the length of the text. The preferred graphics package is Freehand, but many others may be accepted. Please indicate file format and graphics software used for originating artwork files. Typefaces should be restricted to Monotype, Adobe and Bitstream font libraries. High resolution figures should be supplied as TIFF or EPS files, but never as Postscript files. Line drawings should be scanned at 300 dpi and use only conventional Postscript files. Halftones to be scanned at 600 dpi with the preset dot range from 1–96%. If you wish to compress the files use lossless compression package software such as the LZW compression package.

Proofs

When pdf proofs are received they should be corrected carefully and returned to the publisher without delay. Errors remaining in these first proofs after the author has checked them are the authors responsibility. Any further editorial changes, apart from minor grammatical and syntactical improvements, will be communicated to the author before second proofs are prepared. Ensure that the editorial office knows of changes in your address.

Offprints

Upon publication the corresponding author will automatically receive a pdf of their article from Cambridge University Press. Authors will be offered the opportunity to order paper offprints by using the form supplied at proof stage.

Copyright

Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper. Authors receiving requests for permission to reproduce their work should contact Cambridge University Press for advice.

Business correspondence

Correspondence concerning offprints, copyright, back numbers, advertising and sales to libraries should be addressed to the publishers: Journals Department, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 8RU, UK or Cambridge University Press, 32 Avenue of the Americas, New York, NY 10013–2473 USA.

CONTENTS

Host preference and host limitation of vascular epiphytes in a tropical dry forest of central Mexico C. A. Vergara-Torres, M. C. Pacheco-Álvarez & A. Flores-Palacios	563
Effect of host-bark extracts on seed germination in <i>Tillandsia recurvata</i> , an epiphytic bromeliad S. Valencia-Díaz, A. Flores-Palacios, V. Rodríguez-López, E. Ventura-Zapata & A. R. Jiménez-Aparicio	571
Plant species selection by free-ranging cattle in southern Bolivian tropical montane forests S. Marquardt, S. G. Beck, F. D. Encinas, H. Alzérreca A., M. Kreuzer, & A. C. Mayer	583
Experimental evidence that fire causes a tree recruitment bottleneck in an Australian tropical savanna L. D. Prior, R. J. Williams & D. M. J. S. Bowman	595
Responses of ecosystem carbon dioxide fluxes to soil moisture fluctuations in a moist Kenyan savanna D. O. Otieno, G. O. K'Otuto, J. N. Maina, Y. Kuzyakov & J. C. Onyango	605
Evidence for tolerance of parasitism in a tropical cavity-nesting bird, planalto woodcreeper (<i>Dendrocolaptes platyrostris</i>), in northern Argentina A. R. Norris, K. L. Cockle & K. Martin	619
Distribution of phosphorus in an above-to-below-ground profile in a Bornean tropical rain forest N. Imai, K. Kitayama & J. Titin	627
Rain-forest canopy-connectivity and habitat selection by a small neotropical primate, Geoffroy's tamarin (<i>Saguinus geoffroyi</i>) D. Madden, P. A. Garber, S. L. Madden & C. A. Snyder	637
<i>Short Communication</i>	
Evidence of altitudinal moult-migration in a Central American hummingbird, <i>Amazilia cyanura</i> K. C. Fraser, A. W. Diamond & L. Chavarría	645
Index of Subjects	649
Index of Authors	653

Journal of Tropical Ecology now accepts submissions via Manuscript Central.
Go to <http://mc.manuscriptcentral.com/jte>

Cambridge Journals Online

For further information about this journal
please go to the journal website at:
journals.cambridge.org/tro



Mixed Sources

Product group from well-managed forests and other controlled sources
www.fsc.org Cert no. SA-COC-1527
© 1996 Forest Stewardship Council

CAMBRIDGE
UNIVERSITY PRESS