

KYBERNETES

International Journal of Cybernetics and Systems
(a quarterly)

EDITOR: B. H. Rudall

ASSISTANT EDITORS:

Professors

W. H. von Alven (USA), F. H. George (UK), T. C. Helvey (USA),
E. Nicolau (Romania) and Wu Xuemou (China)

ADVISORY BOARD:

Professors

A. Bensoussan (France), Chen Hanfu (China), S. Dillon Ripley (USA)
and M. Manescu (Romania)

Founder Editor: Professor J. Rose (UK)

There are also 15 section editors from 8 countries and 21 members of the
Editorial Board from 11 countries

This journal is concerned with the interdisciplinary study of cybernetics and systems in the widest sense. Among the extensive range of topics covered are the following: *Artificial Intelligence, Automation, Cybernetic Modelling, Computer Simulation, Biocybernetics, Economic and Social Systems, Nature and Validation of General Systems, Ecosystems, Adaptive Systems, Philosophy of Cybernetics, the Interrelation between Cybernetics and other Sciences.*

Kybernetes, now in its twenty first year of publication, aims to endow cybernetics and general systems with an authoritative voice of its own and to establish a competent forum for the exchange of knowledge and information in relevant fields. One of the primary objectives of this publication is to weed out pseudo-cybernetics claims and to base cybernetics on a sound foundation; hence, highly speculative papers that lie on the fringe of cybernetics and systems sciences will not be published. The journal contains only *original papers*; it is the official publication of the World Organisation of General Systems and Cybernetics.

Enquiries and orders to:

MCB UNIVERSITY PRESS

62 Toller Lane

Bradford

BD8 9BY

England

Tel. 0274 499821

Telex. 51317 MCBUNI G

Fax. 547143

For Subscription Rates, Advertising Rates and Back Issues enquire at MCB University
Press, as above.

A PRESTIGE PUBLICATION, INDISPENSABLE TO
YOUR ORGANISATION AND TO YOU
NOW IN ITS TWENTY FIRST YEAR

INDEX TO AUTHORS OF PAPERS TO VOLUME 9

- Aspragathos, N. A.** Assembly strategies for parts with a plane of symmetry, 189–195
- Badano, F., Betemps, M., Redarce, T. and Jutard, A.** Robotic assembly by slight random movements, 23–29
- Balakrishnan, J. D.** See Klatzky, Lederman and Balakrishnan
- Balakrishnan, J. D.** See Lederman, Klatzky and Balakrishnan
- Betemps, M.** See Badano, Betemps, Redarce and Jutard
- Bien, Z.** See Jang, Kim, Chung and Bien
- Bien, Z., Hwang, D.-H. and Oh, S.-R.** A nonlinear iterative learning method for robot path control, 387–392
- Bien, Z., Yeol Kwon, H., Youn, J. and Hong Suh, I.** A closed form 3D self-positioning algorithm for a mobile robot using vision and guide-marks, 265–274
- Blanchfield, P.** See Pomeroy, Williams and Blanchfield
- Blazevic, P., Delaplace, S., Fontaine, J. G. and Rabit, J.** Mobile robot using ultrasonic sensors: study of a degraded mode, 365–370
- Borghese, N. A., Di Rienzo, M., Ferrigno, G. and Pedotti, A.** ELITE: A goal oriented vision system for moving objects detection, 275–282
- Borić, M.** See Kirčanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Broome, D. R.** See Wang and Broome
- Burckhardt, C. W.** See Romerio and Burckhardt
- Burdea, G. and Zhuang, J.** Dextrous telerobotics with force feedback—an overview. Part 1: Human factors, 171–178
- Burdea, G. and Zhuang, J.** Dextrous telerobotics with force feedback—an overview. Part 2: Control and implementation, 291–298
- Camacho, R.** See Oliveira, Camacho and Ramos
- Cho, H. S.** See Park and Cho
- Chung, M.** See Jang, Kim, Chung and Bien
- Cook, K. H.** See Kim, Cook and Oh
- Dauchez, P. and Delebarre, X.** Force-Controlled Assembly of two Objects with a Two-arm Robot, 299–306
- Davies, B. L.** See Sun, Sezgin, Forrest and Davies
- Delebarre, X.** See Dauchez and Delebarre
- Delaplace, S.** See Blazevic, Delaplace, Fontaine and Rabit
- Di Rienzo, M.** See Borghese, Di Rienzo, Ferrigno and Pedotti
- Dissanayake, M. W. M. G., Goh, C. J. and Phan-Thien, N.** Time-optimal trajectories for robot manipulators, 131–138
- Djurović, N.** See Kirčanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Djurović, N. and Vukobratović, M.** Approximate Dynamic Models of Manipulation Robots, 341–347
- Enguehard, Ch.** See Khalil, Gautier and Enguehard
- Evans R.** See Shoureshi, Swedes, and Evans
- Ferrigno, G.** See Borghese, Di Rienzo, Ferrigno and Pedotti
- Fontaine, J. G.** See Blazevic, Delaplace, Fontaine and Rabit
- Forrest, A. K.** See Sun, Sezgin, Forrest and Davies
- Furuta, K.** See Yamakita and Furuta

- Garg, D. P.** Adaptive control of nonlinear dynamic SCARA type of manipulators, 319–326
- Gautier, M.** See Khalil, Gautier and Enguehard
- Goh, M. W. M. G.** See Dissanayake, Goh and Phan-Thien
- Hemami, A.** See Li, Hemami and Sankar
- Hongler, M. O.,** Automated mobile robots under the influence of random disturbances, 139–143
- Hong Suh, I.** See Bien, Yeol Kwon, Youn and Hong Suh
- Huissoon, J. P. and Wang, D.** On the design of a direct drive 5-bar-linkage manipulator, 441–446
- Hwang, D.-H.** See Bien, Hwang and Oh
- Isik, C.** See Simon and Isik
- Jumarie, G.** A new class of P.I.D. parameter adaptation algorithms for robot manipulators, 107–109
- Jang, W., Kim, K., Chung, M. and Bien, Z.** Concepts of augmented image space and transformed feature space for efficient visual servoing of an “eye-in-hand robot”, 203–212
- Jutard, A.** See Badano, Betemps, Redarce and Jutard
- Karan, B.** See Kirćanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Khalil, W., Gautier, M. and Enguehard, Ch.** Identifiable parameters and optimum configurations for robots calibration, 63–70
- Kim, D. H., Cook, K. H. and Oh, J. H.** Identification and compensation of a robot kinematic parameter for positioning accuracy improvement, 99–105
- Kim Dae-Won, Lee Bum-Hee and Ko Myoung-Sam.** A knowledge-based approach to modelling of robotic assembly cells, 31–42
- Kim, K. S.** See Lee, Kim and Kwak
- Kim, Z.** See Jang, Kim, Chung and Bien
- Kirćanski, N., Leković, Dj., Borić, M., Vukobratović, M., Djurović, M., Djurović, N., Petrović, T., Karan, B. and Urosević, D.** A distributed PC-based control system for education in robotics, 235–245
- Klatzky, R. L., Lederman, S. J. and Balakrishnan, J. D.** Task-driven extraction of object contour by human haptics: Part 1, 43–51
- Klatzky, R. L.** See Lederman, Klatzky and Balakrishnan
- Ko Myoung-Sam.** See Kim, Lee and Ko
- Kwak, Y. K.** See Lee, Kim and Kwak
- Kwon, W. H.** See Lee and Kwon
- Lederman, S. J., Klatzky, R. L. and Balakrishnan, J. D.** Task-driven extraction of object contour by human haptics: Part 2, 179–188
- Lederman, S. J.** See Klatzky, Lederman, and Balakrishnan
- Lee Bum-Hee.** See Kim, Lee and Ko
- Lee, D. G., Kim, K. S. and Kwak, Y. K.** Manufacturing of a scava type direct-drive robot with graphite fiber epoxy composite material, 219–229
- Lee, J. S. and Kwon, W. H.** A hybrid control algorithm for robotic manipulators, 307–318
- Leković, Dj.** See Kirćanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Li, C. J., Hemami, A. and Sankar, T. S.** An efficient computational method of the Jacobian for robot manipulators, 231–234
- Lin, C.-F. and Tsai, W.-H.** Motion planning for multiple robots with multi-mode operations via disjunctive graphs, 393–408
- Meghdari, A.** A variational approach for modeling flexibility effects in manipulator arms, 213–217
- Morris, A. S.** See Zalzal and Morris
- Morris, A. S.** See Zalzal and Morris

- Novaković, Z. R. and Žlajpah, L.** An algorithm for robust tracking control of robots, 53–62
- Oh, J. H.** See Kim, Cook and Oh
- Oh, S.-R.** See Bien, Hwang and Oh
- Oliveira, E., Camacho, R. and Ramos, C.** A multi-agent environment in robotics, 431–440
- Park, H. S. and Cho, H. S.** On the dynamic characteristics of a redesigned robot, 93–98
- Pedotti, A.** See Borghese, Di Rienzo, Ferrigno and Pedotti
- Perillard, D.** see Weisbin and Perillard
- Petrović, T.** See Kirčanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Phan-Thien, N.** See Dissanayake, Goh and Phan-Thien
- Pomeroy, S. C., Williams, H. R. and Blanchfield, P.** Evaluation of ultrasonic inspection and imaging systems for robotics using TLM modelling, 283–290
- Rabit, J.** See Blazevic, Delaplace, Fontaine and Rabit
- Ramos, C.** See Oliveira, Camacho and Ramos
- Redarce, T.** See Badano, Betemps, Redarce and Jutard
- Romerio, M. V. and Burckhardt, C. W.** Displacements by successive rotations for vehicles subject to given constraints, 409–415
- Sankar, T. S.** See Li, Hemami and Sankar
- Sezgin, O. S.** See Sun, Sezgin, Forrest and Davies
- Shoureshi, R., Swedes, D. and Evans R.** Learning control for autonomous machines, 165–170
- Simon, D. and Isik, C.** Optimal trigonometric robot joint trajectories, 379–386
- Stokić, D. M.** Constrained motion control of manipulation robots—A contribution, 157–163
- Sun, C.-M., Sezgin, O. S., Forrest, A. K. and Davies, B. L.** Use of vision in dispensing control and inspection of adhesives, 371–377
- Swedes, D.** See Shoureshi, Swedes, and Evans
- Todd, D. J.** An evaluation of mechanically co-ordinated legged locomotion (The Iron Mule Train revisited), 417–420
- Troch, I.** A new view of the decoupling problem for industrial robots, 196–197
- Tsai, W.-H.** See Lin and Tsai
- Unseren, M. A.** Rigid body dynamics and decoupled control architecture for two strongly interacting manipulators, 421–430
- Urosević, D.** See Kirčanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Vukobratović, M.** See Kirčanski, Leković, Borić, Vukobratović, Djurović, Djurović, Petrović, Karan and Urosević
- Vukobratović, M.** Djurović and Vukobratović
- Wang, D.** See Huissoon and Wang
- Wang, Q. and Broome, D. R.** A new simulation scheme for self-tuning adaptive control of robot manipulators, 335–339
- Weisbin, C. and Perillard, D.** Jet propulsion laboratory robotic facilities and associated research, 7–21
- Williams, H. R.** See Pomeroy, Williams and Blanchfield
- Yamakita, M. and Furuta, K.** Iterative generation of virtual reference for a manipulator, 71–80
- Yao, Y.** Accuracy improvement: Modeling of elastic deflections, 327–333
- Yeol Kwon, H.** See Bien, Yeol Kwon, Youn and Hong Suh
- Youn, J.** See Bien, Yeol Kwon, Youn and Hong Suh
- Zalzala, A. M. S. and Morris, A. S.** Structured motion planning in the local configuration space, 81–92

Zalzala, A. M. S. and Morris, A. S. A distributed on-line trajectory generator for intelligent sensory-based manipulators, 145–155

Zhuang, J. See Burdea and Zhuang

Zhuang, J. See Burdea and Zhuang

Žlajpah, Leon. See Novaković and Žlajpah

INDEX OF BOOKS REVIEWED IN VOLUME 9

The name of the reviewer of the book is given in parentheses

- Amouroux, M. and El Jai, A.** *Control of Distributed Parameter Systems*, (T. OWEN), 252
- Andrews, B.** *Successful Expert Systems*, (T. OWEN), 117
- Atkinson, P. E.** *Creating Culture Change: The Key to Successful Total Quality Management*, (T. OWEN), 117
- Bicheno, J.** *Implementing JIT*, (T. OWEN), 449
- Choppin, J.** *Quality Through People: A Blue-Print for Proactive Total Quality Management*, (T. OWEN), 448–449
- Chorafas, D. N.** *The New Technology*, (T. OWEN), 117–118
- Daniels, G. B. K.** *Safety of Computer Control Systems: Safety, Security and Reliability Related Computers for the 1990s*, (H. L. FOX), 448
- De Carli, A.** *Low Cost Automation: Techniques, Components and Instruments Application*, (H. L. FOX), 448
- Dooner, M., Meleka, J. and Corbett, J.** *Design for Manufacture: Strategies, Principles and Techniques*, (T. OWEN), 451
- Goodale, M. A.** *Vision and Action: The Control of Grasping*, (H. L. FOX), 225
- Hartley, T. F.** *Computerized Quality Control: Programs for the Analytical Laboratory (Second Edition)*, (I. CRAIG), 452
- Henrion, M., Shachter, R. D., Kanal, L. N. and Lemmer, J. F.** *Uncertainty in Artificial Intelligence*, 5, (A. M. ANDREW), 351
- Ho, C. Y. and Sriwattanathamma, J.** *Robot Kinematics: Symbolic Automation and Numerical Synthesis*, (T. OWEN), 450
- Hollier, R. H. and Cooke, C.** *Stock Reduction in Manufacturing: A Methodology for the Small/Medium Company*, (T. OWEN), 449
- Hollington, J.** *Expert Systems: Commercial Exploitation of Artificial Intelligence*, (T. OWEN), 251
- Hunt, K. H.** *Kinematic Geometry of Mechanisms*, (D J. SANGER), 119
- Isidori, A.** *Nonlinear Control System Design*, (T. OWEN), 252
- Johnson, K.** *Implementing Optimised Production Technology: (Implementing OPT)*, (T. OWEN), 253
- Johnson, M. A. et al.** *Adaptive Systems in Control and Signal Processing 1989*, (F. E. COLLIS), 254–255
- Jones, G. and Roberts, M.** *Optimised Production Technology: (OPT)*, (T. OWEN), 253
- Joshi, S. M., Silverberg, L. and Alberts, T. E.** *Dynamics and Control of Multibody/Robotic Systems with Space Applications*, (T. OWEN), 353–354
- Kasturi, R. and Trivedi, M. M.** *Image Analysis Applications*, (H. L. FOX), 255
- Kopacek, P. and Genser, R.** *Skill Based Automated Production* (H. L. FOX), 448
- Lengauer, T.** *Combinatorial Algorithms for Integrated Circuit Layout*, (P. J. ESROM), 118
- Levy, D. N. L. and Beal, D. F.** *Heuristic Programming in Artificial Intelligence 2 (The Second Computer Olympiad)*, (P. J. ESROM), 448
- Lototsky, V. A.** *Evaluation of Adaptive Control Strategies in Industrial Applications*, (T. OWEN), 252
- Lund, T.** *Proceedings of 21st International Symposium of Industrial Robots*, (T. OWEN), 253
- Macbeth, D. K., Ferguson, N., Baxter, F. and Neil, G. C.** *Customer–Supplier Relationship*, (T. OWEN), 251
- McCarthy, J. M.** *Introduction to Theoretical Kinematics*, (Prof. A. BRADSHAW), 119
- McKerrow, P. J.** *Introduction to Robotics*, (T. OWEN), 450

- McMillen, N.** *Statistical Process Control and Companywide Improvement*, (T. OWEN), 449
- Masani, P. R.** *Norbert Wiener*, (A. M. ANDREW), 120–121
- Miller III, W. T., Sutton, S. and Werbos, P. J.** *Neural Networks for Control*, (T. OWEN), 450
- Miura, H. and Armoto, S.** *Robotics Research*, (F. COLLIS), 253–254
- Murray, D. W. and Buxton, B. F.** *Experiments in the Machine Interpretation of Visual Motion*, (A. M. ANDREW), 451
- Nilsson, U. and Maluszynski, J.** *Logic, Programming and Prolog*, (A. M. ANDREW), 121
- Noor, A. K., Belytschko, T. and Simo, J. C.** *Analytical and Computational Models of Shells (CED-Vol. 3)*, (P. J. ESROM), 352
- Oakland, J. S.** *Total Quality Management 3*, (T. OWEN), 450
- Ohr, S. A.** *CAE—A Study of Standards, Trends and Tools*, (T. OWEN), 118
- Pau, L. F. and Gianotti, C.** *Economic and Financial Knowledge-Based Processing*, (T. OWEN), 352
- Peng, Y. and Reggia, J. A.** *Abductive Inference Models for Diagnostic Problem-Solving*, (P. J. ESROM), 118–119
- Peng, Y. and Reggia, J. A.** *Abductive Inference Models for Diagnostic Problem-Solving*, (H. L. FOX), 255
- Pfeiffer, G. and Wieland, B.** *Tele-Communications in Germany: An Economic Perspective*, (T. OWEN), 253
- Phillips, J.** *Freedom of Machinery—Volume 2: Screw Theory Exemplified*, (M. J. GILMARTIN), 256
- Puente, E. A. and Nemes, L.** *Information Control Problems in Manufacturing Technology*, (H. L. FOX), 448
- Ranky, P.** *Manufacturing Database Management and Knowledge Based Expert Systems*, (P. J. ESROM), 254
- Ranky, P. G.** *Total Quality Control and JIT Management in CIM*, (P. J. ESROM), 254
- Reid, B. J., Hancox, P. J. and Mills, W. J.** *Keyguide to Information Sources in Artificial Intelligence and Expert Systems*, (F. E. COLLIS), 256
- Reinisch, K. and Thoma, M.** *Large Scale Systems: Theory and Applications 1989*, (F. E. COLLIS), 254
- Reitsma, R. F.** *Functional Classification of Space: Aspects of Site Suitability Assessment in a Decision Support Environment*, (A. ANDREW), 351–352
- Robotic 14**, (T. OWEN), 353
- Rosenberg, J. J.** *Dictionary of Artificial Intelligence and Robotics*, (A. M. ANDREW), 354
- Samson, C., Borgne, M. Le and Espian, B.** *Robot Control (The Task Function Approach)*, (P. J. ESROM), 447–448
- Shachter, R. D., Levitt, T. S., Kanal, L. N. and Lemmer, J. F.** *Uncertainty in Artificial Intelligence 4*, (A. M. ANDREW), 351
- Shoureshi, R.** *Intelligent Control Systems*, (T. OWEN), 353–354
- Siguerdidjane, H. B. and Bernhard, P.** *Control Applications of Nonlinear Programming and Optimization*, (T. OWEN), 251–252
- Smeaton, A. F. and McDermott.** *AI and Cognitive Science 89*, (I. CRAIG), 447
- Stein, J. L., Ashton-Miller, J. A. and Pandey, M. G.** *Issues in the Modeling and Control of Biomechanical Systems*, (T. OWEN), 353–354
- Stoten, D. P.** *Model Reference Adaptive Control of Manipulators*, (F. E. COLLIS), 256
- Stein, J. L., Koren, Y. and Holmes, J.** *Control Issues in Manufacturing Process*, (T. OWEN), 353–354
- Taylor, P. M.** *Sensory Robotics for the Handling of Limp Materials*, (T. OWEN), 251
- Thalmann, D.** *Scientific Visualisation and Graphics Simulation*, (P. J. ESROM), 118
- Tranfield, D. and Smith, S.** *Managing Change: Creating Competitive Edge*, (T. OWEN), 449

- Tufte, E. R.** *Envisioning Information*, (A. M. ANDREW), 121
- Tyson, K. W. M.** *Competitor Intelligence Manual and Guide*, (V. M. OWEN), 121–122
- Villa, A. and Murari, G.** *Decisional Structures in Automated Manufacturing*, (T. OWEN), 252
- Yoshikawa, T.** *Foundations of Robotics: Analysis and Control*, (P. J. ESROM), 255-256
- Yoncef-Toumi, Y. and Kazerooni, H.** *Robotic Research—1989*, (T. OWEN), 353–354

Notes for Contributors

1. Manuscripts should preferably be written in English, but papers in French and German will also be accepted. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favourable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Deputy Editor or the Editor.

2. Typescripts should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, position and affiliations.

3. A short abstract of about 80 words should precede the main text. *List of symbols:* A typewritten list of any special symbols should be submitted with the manuscript. The list should not define the symbols mathematically, but should serve to identify them typographically. The list will not appear in print, but is essential to help the typesetter and to avoid costly correction in proof.

4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.

5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy. Figures should be numbered consecutively, with arabic numerals, have descriptive captions, and be mentioned in the text. The correct position for each figure should be indicated in the margin of the manuscript.

6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables. Number tables

consecutively with roman numerals. Each should have a brief heading. Exceptionally lengthy tables may be summarized for publication with a note that copies of details can be obtained from the authors.

7. Equations: Wherever possible, mathematical equations should be typewritten, with subscripts and superscripts clearly indicated. The printer will set all mathematical symbols in italics unless otherwise indicated; symbols or letters to be set in roman (upright) type should be encircled in pencil, while bold letters should be shown by a wavy underline.

8. References: In the text, references are indicated by superior arabic numbers (without brackets), and should be confined to publish work that is directly pertinent. References should be listed at the end of the paper in numerical order. Authors' initials should precede their names; cited article titles should be quoted in full, enclosed in quotation marks; and abbreviations of journal names should follow the style of *Chemical Abstracts* or *Physical Abstracts*, and be underlined for italics: P.W. Anderson, "More is different" *Science* **177**, 393 (1972) C.V. Negoita, *Fuzzy Systems* (Abacus Press, Tunbridge Wells, UK, 1980)

Citations such as 'personal communication', 'unpublished work', etc., are not acceptable as numbered references but can be included in parenthesis in the text. Do not use summaries as references.

9. Proofs: Page proofs will be sent to authors for correction, for return within 48 hours by airmail. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

10. Manuscripts, whether accepted or rejected, will not be returned to the authors.

11. Submission of an article will be taken to imply that it has not been previously published and that it is not on offer to any other publisher.

ROBOTICA

Volume 10 Part 1

January–February 1992

CONTENTS

Editorials	1
Reports and Surveys (Ant-Like Robot, Applying Robotic Grasping Techniques, Automation and Artificial Intelligence, Clean Technology, Hazard Simulation Using AI Techniques, Helmet-Mounted Display Interfaces, Reports in Brief, Robot Communications, Robots Worldwide, Tactile Simulation Glove, United Nations Automation Review), B. H. Rudall (UK)	5
An Interactive Robotic Device with Progress Monitoring, Neal S. Widmer, Shimon Y. Nof and George R. Karlan (USA)	11
Computer Automated Symbolic Modeling of Dynamics of Robotic Manipulators with Flexible Links, Sabri Cetinkunt and B. Irtop (USA)	19
Dynamic Characteristics of Balanced Robotic Manipulators with Joints Flexibility, S. B. Lee and H. S. Cho (Korea)	25
Six Degrees of Freedom Parallel Robots with C_5 Links, Y. Amirat, F. Artigue and J. Pontnau (France)	35
Automatic Simulation of a Robot Program for a Sequential Manufacturing Process, Witold Jacak (Poland) and Jerzy W. Rozenblit (USA)	45
A Gait Simulator for a Quadruped Walking Robot, John Stoner and Robert H. Davis (UK)	57
Using Short and Long Term Memory to Induce Environmental Information from Simple Events, John L. Gordon, David Williams and Alan Hobson (UK)	65
Automated Planning and Programming Environments for Robots, H. A. ElMaraghy and J. M. Rondeau (Canada)	75
Conference News	83
Book Reviews	85
Announcements	89
Obituary (Professor T. C. Helvey)	91
Index to Authors of Papers to Volume 9	93
Index of Books Reviewed in Volume 9	97

© CAMBRIDGE UNIVERSITY PRESS 1992

Cambridge University Press
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, UK
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Victoria 3166, Australia

Printed in Northern Ireland by The Universities Press (Belfast), Ltd.