

The Journal of Laryngology and Otology

EDITED BY
SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

Salivary gland tumours	CLIVE BUTLER	775
The aetiology of post-laryngectomy pharyngo- cutaneous fistulae	R. J. LAVELLE and A. RICHARD MAW	785
The management of post-operative pharyngo- cutaneous pharyngeal fistulae	A. RICHARD MAW and R. J. LAVELLE	795
Cilia in the lateral membranous canal (An unex- pected election microscope finding)	I. FRIEDMANN, J. ANGELL JAMES and E. S. BIRD	807
The bifid uvula	A. G. BEEDEN	815
Cryosurgery in E.N.T. practice	H. B. HOLDEN	821
The three flaps dacryocystorhinostomy	HASSAN M. MOSTAFA and SALEM M. ABDEL-LATIF	829
The effect of acetylsalicylic acid on thrombosis at microvenous anastomotic sites	H. W. ELCOCK and J. M. FREDRICKSON	839
Clinical records—		
Congenital subglottic atresia—a case report	A. PUVEENDRAN	847
Extensive carcinoma of larynx in girl aged 19 at diagnosis	J. P. DONNELLY	853
Neuroblastoma of the maxilla	P. K. KAKAR, A. K. LAHIRI and V. P. SOOD	857
Foreign body in the submandibular salivary gland	BRIAN L. WOLFOWITZ	861
Ossification of the stapedius tendon	K. N. PATEL	863
General notes		867

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £8 net, U.S.A. \$23

Monthly, £1 net, post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORRELL MACKENZIE and NORRIS WOLFPENDEN)

EDITED BY
SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951), *Journal of Laryngology and Otology*, 65, 53. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.

9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.


HEADLEY BROTHERS LTD.

The Invicta Press, ASHFORD, Kent.

© *Journal of Laryngology and Otology Ltd.*, 1972

AMPLIVOX 84

The successor to
the world's most widely used
clinical Audiometer.



Take a look at all the advantages you get
with this superb audiometer.

- Pure tone at eleven frequencies—now including 750 Hz
- Bone conduction at eight frequencies
- Narrow band masking via insert and headphones
Automatic presentation
- ISO specification
- Trimpot calibration
- Continuously variable second channel for ABLB
(Fowler) recruitment test
- Tone decay test
- Illuminated patient's signal

PLUS Calibrated speech audiometry via microphone or tape.

Write now for illustrated brochure to :

AMPLIVOX HEARING CONSERVATION LTD

Beresford Avenue, Wembley, Middx. HAO 1RU. Phone: 01-902 8991

SUDAFED

nasal decongestant

The efficacy of SUDAFED as a decongestant has recently been demonstrated:

“In a double blind trial, oral pseudoephedrine (60 mg) was shown to produce a significant increase in maximal nasal flow...”

Europ J clin Pharmacol, (1971) 3, 182

Unlike many decongestants SUDAFED* does not cause drowsiness because it contains no antihistamine. SUDAFED leaves your patient breathing clearly and thinking clearly.

Each SUDAFED tablet contains 60 mg of pseudoephedrine hydrochloride.

Also available: SUDAFED Elixir containing 30 mg pseudoephedrine hydrochloride in each 5 ml.



*Trade Mark

Full information is available on request.

Calmic Limited, Medical Sales Division

(The Wellcome Foundation Ltd.) **Dartford, Kent, DA1 5AH**

calgitex E.N.T. Ribbon Gauze has significant advantages for the E.N.T. Surgeon




Calgitex Alginate Gauze, is already being used with successful results by ENT Surgeons throughout the world. Calgitex is highly suitable for packing procedures due to its soft texture and slow absorption rate.

- * Extensive compatibility with anti-biotics.
- * Non adherent.
- * Easy and painless removal.
- * Specially made for the ENT Surgeon.

calgitex
is a registered trade mark.

Medical Alginates Ltd., Wadsworth Road, Perivale, Middlesex.
Tel: 01-997 4441. A member of the Optrex Group.
Please send me samples & literature of Calgitex ENT Ribbon Gauze.
NAME _____
ADDRESS _____



CRYOSURGERY

for ear nose and throat work




The Keeler Amois Cryosurgery System has been established as an effective surgical aid for differing purposes in Ophthalmology, Otolaryngology and Neurology. It is now demonstrated to have certain advantages in Oral surgery. It has been shown that cryosurgery is easily applied, needs little or no anaesthetic, controls pain and is able to destroy lesions where all other methods have failed.

KEELER INSTRUMENTS LTD., 21-27 MARYLEBONE LANE, LONDON W1M 6DS

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

MIDDLE EAR PROSTHESES



1 SHEA'S TEFLON PISTONS

2 ARMSTRONG'S DRAIN TUBES

3 MCGEE STAINLESS STEEL PISTONS

4 SHEPARD'S TEFLON GROMMET DRAIN TUBE

5 TEFLON DRAIN TUBE

6 SCHUKNECHT TEFLON WIRE PISTONS

Details of complete range on application

DOWN BROS AND MAYER & PHELPS LIMITED
CHURCH PATH MITCHAM SURREY ENGLAND



DOWN'S SURGICAL GROUP

THE CANADIAN JOURNAL OF OTOLARYNGOLOGY

Quarterly — Bilingual

Annual subscription: Canada and U.S.A. \$16.00 (trainees
\$10.00), elsewhere \$17.00.

Subscription requests to Dr. P. W. Alberti, Editor,
New Mt. Sinai Hospital, 550 University Avenue,
Toronto 2, Ontario, Canada.

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$25.00 per year Canada \$27.00 per year
Foreign \$27.00 per year

ESTABLISHED 1896


JOSEPH H. OGURA, M.D.
EDITOR

222 PINE LAKE ROAD, COLLINSVILLE,
ILLINOIS 62234

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Parenteral nutrition in thoracic surgery

When diseases such as oesophageal carcinoma or cancer of the lungs or bronchi require surgical intervention the patient may often be severely debilitated. Inability or unwillingness to accept oral feeding means that parenteral nutrition must be used both before and after surgery. By this technique metabolic equilibrium is restored, the more rapid healing of wounds ensured, and resistance to secondary infection increased. All is made more certain by the use of **SERVIER** parenteral nutritional solutions.



Trophysan*
For the adequate provision of nitrogen into the system.

Sorbitol (Egic) 30%
To ensure the necessary supply of carbohydrate calories.

Lipiphysan*
For the rapid resuscitation of the depleted patient.

Where nutritional deficiency is the problem Servier has the solution




For full information and literature write to:

Servier Laboratories Limited
Percival House, Pinner Road, Harrow, Middlesex HA1 4HQ.


S.558.2

*Trade Mark


for old ears ...



for cold ears ...




for musical ears ...



for mysterious ears ...



for medical ears ...




for patient ears ...

Anti-infective/anti-inflammatory, OTOSPORIN*
Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone.
Supplied in dropper bottles of 5 ml.

*Trade Mark

Full information is available on request.



OTOSPORIN clears infected ear



Wellcome Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Dartford, Kent

