

THE  
**JOURNAL OF LARYNGOLOGY,  
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE

RELATING TO


**THE THROAT, NOSE, AND EAR.**

*Printed and Published Monthly by*

*ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.*

**A SAFE JUNKER'S INHALER**

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,  
 Anæsthetist, Sussex County Hospital, and 2nd Eastern  
 General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

<b>Rigby's Chloroform Inhaler complete in case</b>	<b>£3 8s. 3d.</b>
<b>Rigby's Chloroform Bottle only</b>	<b>£1 5s. 0d.</b>

**GRANDS PRIX:**

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

**Manufactured by  
 DOWN BROS., LTD.,**

Surgical Instrument Makers,

**21 & 23, ST. THOMAS'S ST., LONDON, S.E.**

(opposite Guy's Hospital.)

Telegrams:  
 "DOWN, LONDON."

Telephone:  
 Hop. 4400 (4 Lines).

Prepaid Annual Subscription, 30s. (8 dollars) post free.

Single Copies, Three Shillings.

ENTERED AT STATIONERS' HALL.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

# LISTERINE

*A safe, non-poisonous, unirritating  
antiseptic solution*

**LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

**LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

**LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

**LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

**LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa occurring in infants and adults.

**LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

**LAMBERT PHARMACAL COMPANY**

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

*Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.*

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D., Col. C.A.M.C. (Montreal).	J. MACINTYRE, M.B., C.M. (Glasgow).
A. BROWN-KELLY, D.Sc., M.D. (Glasgow).	Sir W. MILLIGAN, M.D., M.Ch. (Manchester).
A. CHEATLE, F.R.C.S. (Pres. Otol. Sect. Internat. Cong.).	Sir StCLAIR THOMSON, M.D., F.R.C.S. (London). (Pres. Laryng. Sect. Internat. Cong.).
J. DONELAN, M.B. (London). (Pres. Laryng. Sect. R.S.M.)	HERBERT TILLEY, M.D., F.R.C.S. (London).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).	LOGAN TURNER, M.D. (Edinburgh).
WILLIAM HILL, M.D. (London).	P. WATSON-WILLIAMS, M.D. (Bristol).
HUGH E. JONES, M.R.C.S. (Liverpool). (Pres. Otol. Sect. R.S.M.)	MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C.(Cantab.), M.B., F.R.C.S.(London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (*Glasgow*), BRADY (*Sydney, N.S.W.*),  
JOHN DARLING (*Edinburgh*), J. K. MILNE DICKIE (*Edinburgh*),  
DONELAN (*London*), CLAYTON FOX (*London*), J. S. FRASER (*Edinburgh*),  
PERRY GOLDSMITH (*Toronto*), THOS. GUTHRIE (*Liverpool*), A. HUTCHISON (*Brighton*),  
J. D. LITHGOW (*Edinburgh*), A. MCCALL (*Bournemouth*),  
CHICHELE NOURSE (*London*),  
KNOWLES RENSHAW (*Manchester*), ARCHER RYLAND (*London*),  
LINDLEY SEWELL (*Manchester*), ALEX. R. TWEEDIE (*Nottingham*),  
C. E. WEST (*London*), G. HAROLD L. WHALE (*London*),  
WRIGHT (*Bristol*), and WYLIE (*London*).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (*London*), DRs. J. BARR (*Glasgow*),  
GRAZZI (*Florence*), A. BROWN KELLY (*Glasgow*),  
E. LAW (*London*), MASSEI (*Naples*), D. PATERSON (*Cardiff*),  
URBAN PRITCHARD (*London*), F. A. ROSE (*London*), A. SANDFORD (*Cork*),  
SENDZIAK (*Warsaw*), H. TILLEY (*London*), RAYMOND VEREL (*Aberdeen*),  
E. WAGGETT (*London*), SIR R. WOODS (*Dublin*).

## CONTRIBUTORS TO THIS NUMBER.

DR. IRWIN MOORE.	DR. D. R. PATERSON.	MR. MACLEOD YEARSLEY.
DR. A. BROWN KELLY.	CAPT. J. K. MILNE-DICKIE.	MAJOR ARCHER RYLAND.
	DR. J. S. FRASER.	

# CONTENTS.

Editorial—	PAGE
The Morell Mackenzie Relics ... .. .	277
 <b>Special Articles—</b>	
Scientific Relics of Morell Mackenzie, Exhibited at the First Summer Congress of the Section of Laryngology at the Royal Society of Medicine on May 2 and 3, 1919.—Manuscripts compiled by Dr. IRWIN MOORE ... .. .	278
Spasm at the Entrance to the Œsophagus.—A. BROWN KELLY ... .. .	285
A Clinical Type of Dysphagia.—D. R. PATERSON ... .. .	289
The Aqueduct of Fallopius and Facial Paralysis ( <i>Continued from p. 247</i> ).—DAN MCKENZIE ... .. .	291
 <b>Societies' Proceedings—</b>	
ROYAL SOCIETY OF MEDICINE—	
LARYNGOLOGICAL SECTION ( <i>concluded from p. 256</i> ).—Communications by J. DUNDAS GRANT, HERBERT TILLEY, HUNTER TOD, SIR STCLAIR THOMSON, W. JOBSON HORNE, W. H. KELSON, NORMAN PATTERSON, W. H. JEWELL, IRWIN MOORE, G. C. CATHCART ... .. .	301
 <b>Abstracts—</b>	
PHARYNX.—Tonsillectomy in Myositis and Arthritis.—Acute Retro-pharyngeal Abscesses in Children.—The Surgical Treatment of Peritonsillar Abscess.—Trichloracetic Acid in Vincent's Angina ... .. .	310
NOSE.—Benign Neoplasms of the Nasal Septum.—Report of a Case of Osteoma of the Frontal Sinus of Large Size; Operation and Recovery.—Adeno-carcinoma of the Nose.—Multiple Osteoma of the Nasal Accessory Sinuses; Report on a Case Complicated by Syphilis; Operation; Autopsy.—Fatal Epistaxis following Varicella ... .. .	312
LARYNX.—Some Original Methods of Treatment of Laryngeal Stenosis.—Intubation for Angioma of the Larynx.—Treatment of Laryngeal Stenosis by Corking the Tracheotomic Cannula.—The Training of the Speech Instructor.—Report of a Case of Steel in the Larynx ... .. .	314
MISCELLANEOUS.—Surgical Diathermy.—The Pathogenesis of Bronchial Asthma.—Asthma from a Wider Aspect.—Effects of New Toxic Gases, etc.—Absolute Repose of the Jaws as a Treatment for Traumatic Parotid Salivary Fistulæ ... .. .	315
EAR.—The Value of Ear Examination to the Neurologist.—Spontaneous Recovery from Lateral Sinus Thrombosis.—Bilateral Acute Suppurative Otitis Media with Symptoms of Sinus Thrombosis.—Tubal Function and Aviation.—The "Feel of the Airship" ... .. .	318
BRONCHI AND ŒSOPHAGUS.—Observations on the Pathology of Foreign Bodies in the Air and Food Passages; Based on the Analysis of 628 Cases ... .. .	321
Lists of Original Papers ... .. .	323
Notes and Queries ... .. .	324
Book Received ... .. .	324

# HEMOPLASTIN

(HÆMOSTATIC SERUM)

*Remarkably efficacious in all forms of hæmorrhage.*

HEMOPLASTIN is a sterile fluid derived from equine and bovine sera. It is composed principally of prothrombin and anti-antithrombin (thrombokinase) in physiologically balanced solution ready for immediate use. It keeps well.

HEMOPLASTIN is indicated in the treatment of all types of hæmorrhage, particularly those depending upon imperfect coagulation of the blood. It has proved of great value in pulmonary hæmorrhage, purpura hæmorrhagica, and in operative hæmorrhage such as occurs in tonsillectomy, nasal and intracranial surgery. Its administration to hæmophiliac subjects about to undergo surgical operations is a valuable precaution against excessive post-operative hæmorrhage.

HEMOPLASTIN may be administered intravenously or subcutaneously. The dose, both for children and adults, is 1 to 2 c.c. every 4 to 6 hours until the hæmorrhage is controlled. Hemoplastin is also effective when applied on sterile gauze to bleeding surfaces.

*Hemoplastin (P., D. & Co.) is supplied in bulbs containing 2 c.c.*

**PARKE, DAVIS & Co.,** 50, Beak St.,  
Regent St., **LONDON, W. 1.**

# SCHOOL HYGIENE.

Published under the auspices of

The Medical Officers of Schools Association.

**QUARTERLY. ANN. SUB. 4/6 post free.**

**ADLARD & SON & WEST NEWMAN, Ltd., 23, Bartholomew Close, London, E.C. 1.**

**Lancet.**—"We have nothing but praise for this Annual."

*THIRTY-SIXTH YEAR. NOW READY.*

*Fully Illustrated in Colours and Black and White. Price 10/- net.*

# THE MEDICAL ANNUAL, 1918.

A YEAR BOOK OF TREATMENT,  
AND PRACTITIONER'S INDEX:

*Being a Review of the World's Progress in Medicine and Surgery,  
arranged in Alphabetical order for Easy Consultation.*

## Contributors:

E. WYLLYS ANDREWS, A.M., M.D., Chicago.  
JOSEPH G. BLOMFIELD, B.A., M.D.  
FRANCIS D. BOYD, C.M.G., M.D., F.R.C.P.  
FRANCIS J. CHARTERIS, M.D., B.CH.  
JOHN D. COMRIE, M.A., M.D., F.R.C.P.  
LEWIS A. CONNER, PH.B., M.D., New York.  
CAREY F. COOMBS, M.D., F.R.C.P.  
W. H. DOLAMORE, M.R.C.S., L.R.C.P., L.D.S.R.C.S.  
JOHN S. FRASER, M.B., CH.B., F.R.C.  
W. E. FOTHERGILL, M.A., M.D.  
DAVID McV. FLECK, M.B., CH.B.  
HERBERT FRENCH, M.A., M.D., F.R.C.P.  
EDWARD W. GOODALL, M.D., B.S.  
C. THURSTAN HOLLAND, M.R.C.S., L.R.C.P.

J. RAMSAY HUNT, M.D., New York.  
ROBERT HUTCHISON, M.D., F.R.C.P.  
FREDERICK LANGMEAD, M.D., F.R.C.P.  
E. G. GRAHAM LITTLE, M.D., F.R.C.P.  
CHARLES FRED. MARSHALL, M.D., F.R.C.  
BEDFORD PIERCE, M.D., F.R.C.P.  
JOSEPH PRIESTLEY, B.A., M.D., D.P.H.  
SIR LEONARD ROGERS, Lt.-Col. I.M.S. M.D.,  
F.R.C.S., F.R.C.P., Calcutta.  
A. HUGH THOMPSON, M.A., M.D.  
J. W. THOMPSON WALKER, F.R.C.S.  
W. I. DE COURCY WHEELER, B.A., M.D., F.R.C.S.  
A. GASCOIGNE WILDEY, Dep. Surg.-Gen., R.N.  
MARGUERITE WILSON, M.B., CH.B., Glasgow.

**T**HIS year's volume aims, like its predecessors, to be a faithful reflex of current Medical and Surgical thought. It is, therefore, of necessity coloured by the consideration of the many new problems which are thrust upon us by the War. These problems will confront the general Practitioner on every hand, and he must be prepared to deal with them.

Hence the current volume has a unique value, in that it furnishes the reader with a careful review of the latest achievements in War Surgery and Medicine, which will be of value now and in the years to come, and which cannot be obtained from any other source.

The civil side of the Practitioner's work has, of course, not been neglected.

The new "Annual" continues to be, as in the past, a digest of the best modern teaching, culled by experts from the medical literature of the world.

**BRISTOL, ENG.: JOHN WRIGHT & SONS LTD.**  
**LONDON: SIMPKIN, MARSHALL, HAMILTON, KENT & CO. LTD.**