

VOL. IV.—1890.

c

THE JOURNAL
OF
LARYNGOLOGY
AND
RHINOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT AND NOSE.*

EDITED BY

SIR MORELL MACKENZIE, M.D. Lond.,

AND

R. NORRIS WOLFENDEN, M.D. Cantab.,

WITH THE CO-OPERATION OF

DR. JOHN N. MACKENZIE (BALTIMORE)
DR. BRYSON DELAVAN (NEW YORK)
DR. W. PORTER (ST. LOUIS)
DR. JOAL (MONT DORE)
PROF. MASSEI (NAPLES)
PROF. GUYE (AMSTERDAM)
DR. CAPART (BRUSSELS)
DR. CONSTANTIN KARWOWSKI (WARSAW)
DR. BARCLAY J. BARON (BRISTOL)

DR. VALERIUS IDELSON (BERNE)
DR. MICHAEL (HAMBURG)
PROF. RAMON DE LA SOTA Y LASTRA
(SEVILLE)
DR. HOLGER MYGIND (COPENHAGEN)
DR. SMYLY (DUBLIN)
DR. DAVID COLLINGWOOD (SYDNEY)
DR. G. W. MAJOR (MONTREAL)
DR. MAXWELL ROSS (EDINBURGH)

AND

Dr. G. HUNTER MACKENZIE (Edinburgh).

Published Monthly.

F. A. DAVIS,

LONDON:
40, BERNERS STREET, W.

PHILADELPHIA:
1231, FILBERT STREET.

c.

CONTENTS.

Original Articles—

1.—ON DEVIATIONS AND SPURS OF THE NASAL SEPTUM. By
Drs. MOURE and BERGONIÉ (Bordeaux), p. 495.

2.—ON THE NATURE OF THE TONSILS AND LYMPHOID TISSUE
OF THE PHARYNX. By Mr. MAYO COLLIER, p. 502.

Abstracts—

THERAPEUTICS AND DIPHTHERIA, p. 504.

MOUTH, TONGUE, PHARYNX, &C., p. 508.

NOSE AND NASO-PHARYNX, p. 514.

LARYNX, p. 522.

NECK, &C., p. 526.

REPORT OF THE INTERNATIONAL CONGRESS OF BERLIN, p. 528.

REPORT OF THE AMERICAN LARYNGOLOGICAL ASSOCIATION, p. 535.

THE BRITISH LARYNGOLOGICAL AND RHINOLOGICAL ASSOCIATION, p. 545.

NEW INSTRUMENTS, p. 546.

A DELICIOUS FOOD.

LONDON.]

DECEMBER.

[1890.

KEPLER MALT EXTRACT.

THIS preparation is rich in nutritive properties, and contains a large amount of diastase or vegetable ptyalin, which converts farinaceous foods into the assimilable forms of maltose, dextrins, and natural phosphates, the force-producing and vitalising properties of barley.

Maltose.—This is formed when farinaceous foods are acted upon by ptyalin or the pancreatic ferment; it is very diffusible, is perfectly absorbed by the lacteals, and is of the first importance as a nutrient in wasting disease.

Dextrin.—An intermediate stage between starch and maltose, an easily assimilated form of proteids, possessing eminently useful nutritive properties.

Natural Vitalising Phosphates.—These are utilised by the economy as nerve and brain tonics.

The Kepler Malt Extract may be used with advantage to sweeten porridge, rice, hominy, &c. Upon the addition of the Extract to peptonised milk and starchy foods, the diastase contained in the Extract of Malt digests the starch, and renders it easy of assimilation. Children like it when spread upon bread and butter. It forms a very pleasant food, and is eminently adapted for employment in cases of failing nutrition. Puddings made with the Kepler Malt Extract are easily borne by the most delicate stomach. Its chief triumph has been as a menstruum for administering Cod Liver Oil in the form of solution. This preparation is widely known as the Kepler Solution of Cod Liver Oil in Malt Extract.

The *Lancet* says of Kepler Extract of Malt: "The best known, and in this country the largest used Extract of Malt."

The *Medical Record* (London) says: "The Kepler Extract of Malt is the best, the richest in diastase."

The Kepler Extract of Malt and the Kepler Extract of Malt with Cod Liver Oil (Kepler Solution) supplied to the Medical Profession in bottles containing $\frac{3}{4}$ lb. and $1\frac{1}{2}$ lb. at 1s. 10d. and 3s. 2d. Retail prices, 2s. 6d. and 4s. Special terms to Hospitals. Supplied by all Chemists throughout the World.

Burroughs, Wellcome & Co., Snow Hill Buildings, London, E.C.,

Will be happy to supply trial Specimens to medical men free on request.