# PROCEEDINGS

OF THE

# EDINBURGH MATHEMATICAL SOCIETY.

VOLUME IX.

SESSION 1890–91.

Reprinted with permission of
Edinburgh Mathematical Society
by
KRAUS REPRINT LTD
Vaduz
1964

https://doi.org/10.1017/S0013091500030649 Published online by Cambridge University Press

# PROCEEDINGS

OF THE

# EDINBURGH MATHEMATICAL SOCIETY.

VOLUME IX.

SESSION 1890–91.

Reprinted with permission of
Edinburgh Mathematical Society
by
KRAUS REPRINT LTD
Vaduz
1964

https://doi.org/10.1017/S0013091500030649 Published online by Cambridge University Press

Printed in Germany

https://doi.org/10.1017/S0013091500030649 Published online by Cambridge University Press

# INDEX.


PAGE

ALLARDICE, R. E.

Some geometrical theorems, - - - - 11

On some properties of a triangle of given shape inscribed in a given triangle, - - - 39

ANGLIN, PROFESSOR A. H.

On some applications of the pedal line of a triangle, - 49

AUBERT, PAUL

Sur un lieu géométrique, - - - - 25

DICKSON, J. D. HAMILTON

The solution of the equation $\sqrt{\{(x-a)(x-b)\}} + \sqrt{\{(x-c)(x-d)\}} = e$, - - - - 13

GIBSON, GEORGE A.

The pedal line of a triangle, and theorems connected with it, - - - - - - 50

MACKAY, J. S.

Some new properties of the triangle, - - - 2

The Wallace line and the Wallace point, - - 83

M'COWAN, JOHN

On the heating of conductors by electric currents, and the electric distribution in conductors so heated, [Title]* - - - - - - 13

On the solitary wave, - - - - - 49

On a representation of elliptic integrals by curvilinear arcs, - - - - - - 55

MILLER, T. H.

A problem in the theory of numbers, - - 23

On the numerical values of the roots of the equation $\cos x = x$, - - - - - - 80


* This paper is printed in the *Philosophical Magazine* for March 1891.

https://doi.org/10.1017/S0013091500030649 Published online by Cambridge University Press

PAGE

OFFICE-BEARERS, - - - - - - - 1

PEDDIE, WILLIAM

Proofs of some optical theorems, - - - 2

On the use of dimensional equations in physics, - 30

PINKERTON, R. H.

On the condition that the straight line $lx + my + nz = 0$ should be a normal to the conic $(a, b, c, f, g, h)$ $(x, y, z)^2 = 0$, the co-ordinates being trilinear, - 2

PRESSLAND, A. J.

The triangle and its escribed parabolas, - - 4, 28

Note on a preceding paper, - - - - 28

Some relations between the orthic and the median triangles, - - - - - - 36

Note on an equation of motion, - - - 91

SPRAGUE, T. B.

On the transformation and classification of permutations, - - - - - 59

https://doi.org/10.1017/S0013091500030649 Published online by Cambridge University Press