

The Journal of Laryngology and Otology

EDITED BY
A. LOGAN TURNER AND J. S. FRASER

Contents

CARTILAGINOUS TUMOURS OF THE LARYNX— <i>concluded</i>	IRWIN MOORE
SOME OSSEOUS GROWTHS OF THE NASAL AND ADJACENT BONES	W. H. KELSON
IS CHRONIC MAXILLARY SINUSITIS A CAUSE OF BRONCHIECTASIS?	JAMES ADAM
OBLITERATION OF THE TYMPANIC ANTRUM IN THE RADICAL OPERATION	ERIC W. GUTTERIDGE
OBSERVATIONS ON INTRA-LABYRINTHINE PRESSURE-BALANCE, WITH SPECIAL REFERENCE TO THE SIGNIFICANCE OF SIGNS OF LABYRINTH DEAFNESS IN CASES OF MIDDLE EAR DISEASE IN CHILDREN	F. PEARCE STURM
SOCIETIES' PROCEEDINGS:—	
ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY.	
ABSTRACTS:—	
MISCELLANEOUS.	
"CONTRIBUTIONS TO THE PHYSIOLOGY OF THE HUMAN VESTIBULAR APPARATUS."	

REVIEW OF BOOK.

GENERAL NOTES.

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea, occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."


7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.

UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STECHERT & CO., 31-33 East 10th Street, New York.



CHEVALIER JACKSON'S INSTRUMENTS FOR ŒSOPHAGOSCOPY, LARYNGOSCOPY, AND BRONCHOSCOPY

New Models as made for Walter G. Howarth, F.R.C.S.

Each Instrument is made in accordance with the details of Chevalier Jackson's most recent models, and each is supplied with a *spare light carrier*, i.e., 2 light carriers and 2 lamps. All the models have been redesigned with a view to rendering them more easily cleansed; all the crevices and corners for the dirt have been taken away.

To ensure better visibility the tips of the forceps are *black*.

The Howarth-Jackson's Instruments are **less expensive than other American or English models**, and a further economy has been effected by rendering the instrument tips interchangeable, thus reducing the number of forceps handles and tips required.

The lamps are 2.5 volt and more durable than the usual models.

Manufactured only by

DOWN BROS., L^TD.

SURGICAL INSTRUMENT MAKER

21 and 23 ST THOMAS'S STREET, LONDON, S.E.1

Telegrams
"DOWN, LONDON."

(Opposite Guy's Hospital)

Telephone
HOP 4400 (4 lines).

NOW READY. Demy 8vo, 424 pp. With 222 Text Illustrations and 12 Plates, of which 8 are in Colour. 20s. net, Postage 9d.

DISEASES OF THE NOSE, THROAT, AND EAR

FOR PRACTITIONERS AND STUDENTS

Edited by

A. LOGAN TURNER, M.D., F.R.C.S. (Ed.)

Senior Lecturer on Diseases of the Ear, Nose, and Throat, University of Edinburgh

With the collaboration of

J. S. FRASER, M.B., F.R.C.S. (Ed.)

J. D. LITHGOW, M.B., F.R.C.S. (Ed.)

W. T. GARDINER, M.C., M.B., F.R.C.S. (Ed.)

G. EWART MARTIN, M.B., F.R.C.S. (Ed.)

Lecturers on Diseases of the Ear, Nose, and Throat, University of Edinburgh

and

DOUGLAS GUTHRIE, M.D., F.R.C.S. (Ed.)

Lecturer on Diseases of the Ear, Nose, and Throat, School of Medicine of the Royal Colleges, Edinburgh

PRESS NOTICES

“The illustrations are many and good, the book is well balanced and clearly written, and may confidently be recommended for the use of students and practitioners.”—*Lancet*.

“The high standard of efficiency of the work of those engaged in the specialty in the Edinburgh School of Medicine is highly reflected in this book, and the editor and his collaborators are to be very warmly congratulated on producing a work of the highest merit.”—*Edinburgh Medical Journal*.

“Will prove of the greatest value to students and indeed to those devoting themselves to the specialty.”—*Journal of Laryngology and Otology*.

BRISTOL: JOHN WRIGHT & SONS LTD. LONDON: SIMPKIN & CO. LTD.

Central London Throat, Nose, and Ear Hospital GRAY'S INN ROAD

(Near King's Cross Stations)

DAILY CLINICS. Lectures on Fridays, 4 p.m.

OVER 11,000 NEW PATIENTS LAST YEAR. 50,000 ATTENDANCES.

IN-PATIENT DEPARTMENT, 43 BEDS.

SPECIAL INTENSIVE COURSE OF LECTURES AND DEMONSTRATIONS

(including Operative Surgery Course) in co-operation with the
Fellowship of Medicine is held twice yearly, in May and October

CLINICAL ASSISTANTS

Are appointed from among those duly qualified gentlemen who have been enrolled
as Post-Graduate Students of the Hospital.

ATTENDANCE OF STAFF

	O.-P. CLINIC.	I.-P. OPERATIONS.
Dr ABERCROMBIE	Thursday, 2 P.M.	Wednesday, 2 P.M.
Dr WYLIE	Wednesday, 2 P.M.	Thursday, 2.30 P.M.
Dr DAN MCKENZIE	Monday, 2 P.M.	Tuesday, 2.30 P.M.
Mr HAROLD KISCH	Friday, 2 P.M.	Monday, 2 P.M.
Mr NICOL RANKIN	Tuesday, 5 P.M.	Wednesday, 2 P.M.
Mr ARCHER RYLAND	Saturday, 2 P.M.	Friday, 2 P.M.
Mr WATKYN-THOMAS	Thursday, 2 P.M.	..
Mr GILL-CAREY	Wednesday, 2 P.M.	..
Mr ARMOUR BROWN	Monday, 2 P.M.	..

FEES

For attendance on the practice of the Hospital—

Three months 5 guineas | Six months 8 guineas
Special Course, 10 guineas, or without Operative Surgery, 5 guineas.

Further particulars on application to

ARCHER RYLAND, F.R.C.S.Ed.,
Dean.

RICHARD KERSHAW,
Secretary-Superintendent.

HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W. 1

HONORARY MEDICAL STAFF

Surgeons

Mr T. JEFFERSON FAULDER	Mr G. A. DAWSON
Mr GEORGE W. BADGEROW	Mr GILBERT CHUBB
Mr LIONEL COLLEDGE	Mr THEODORE JUST

Assistant Surgeons

Mr ORMEROD	Mr DINGLEY
Mr BEDFORD RUSSEL	Mr SANDIFORD

The Hospital, which has for some considerable time been undergoing very extensive reconstruction and extension, has nearly 80 beds for In-patients and an annual Out-patient attendance of over 60,000.


CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Diseases of the Ear, Nose and Throat is daily given in the Out-patient Department from 2 to 5 p.m. On Tuesdays and Fridays from 6.30 to 9 p.m. also. Major operations are performed daily, except Mondays and Saturdays, in the In-patient Operating Theatres. Minor operations are performed in the Out-patient Department by the Assistant Surgeons on four mornings a week.

Practitioners and Medical Students are admitted to the practice of the hospital and Clinical Assistants, whose duty it is to assist the staff, are appointed from time to time among them. For further information apply to the Dean, GILBERT CHUBB.

**NEW CATALOGUE OF PILLING - MADE
INSTRUMENTS USED BY THE STAFF
OF THE CHEVALIER JACKSON CLINICS
READY APRIL FIRST 1925**

Exact reproduction of the latest instrument
used by Dr Chevalier Jackson and his associates
in the Bronchoscopic Clinics at the Jefferson
and the University Hospitals, Philadelphia.



*For Laryngoscopy, Bronchoscopy, Esophagoscopy,
Gastrosocopy, Pyloroscopy, Duodenoscopy, Retro-
grade Esophagoscopy, Pleuroscopy, etc. And also
for the Diagnosis and Treatment of Diseases of
the Lungs, including Trachea and Larynx.*

The George P. Pilling & Son Co., N.E. Cor. Arch and 23rd Streets, Philadelphia, Pa., U.S.A.

CABLE ADDRESS—"SURGICAL, PHILADELPHIA"

**INSTRUMENTS AND EQUIPMENT FOR
Examination of Ear, Nose and Throat, Operation
on Tonsils, Adenoids, Mastoid, Nasal Septum**

As supplied to and used in

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ALSO THE CHEVALIER JACKSON INSTRUMENTS

ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh

Phone: Central 669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

CONTENTS

	PAGE
CARTILAGINOUS TUMOURS OF THE LARYNX— <i>concluded</i> . Irwin Moore, M.B., C.M. Edin.	145
SOME OSSEOUS GROWTHS OF THE NASAL AND ADJACENT BONES. By W. H. Kelson, M.D., F.R.C.S.	165
IS CHRONIC MAXILLARY SINUSITIS A CAUSE OF BRONCHIECTASIS? By James Adam, M.D.	172
OBLITERATION OF THE TYMPANIC ANTRUM IN THE RADICAL OPERATION. By Eric W. Gutteridge, M.D., B.S. Melb., Melbourne, Australia	174
OBSERVATIONS ON INTRA-LABYRINTHINE PRESSURE-BALANCE, WITH SPECIAL REFERENCE TO THE SIGNIFICANCE OF SIGNS OF LABYRINTH DEAFNESS IN CASES OF MIDDLE EAR DISEASE IN CHILDREN. By F. Pearce Sturm, Ch.M. Aber.	178
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Section of Laryngology	186
ABSTRACTS—	
Miscellaneous	193
"Contributions to the Physiology of the Human Vestibular Apparatus" . .	201
REVIEW OF BOOK	208
GENERAL NOTES	209

AN EFFECTIVE MEANS OF ALLEVIATING COUGH

SYRUP COCILLANA COMPOUND (P., D. & Co.) possesses therapeutic properties distinct from those of any preparation hitherto available for the relief of bronchial affections.

EACH FLUID DRACHM CONTAINS:	
Tincture of Cocillana	5 minims.
Tincture of Euphorbia Pululifera	15 minims.
Syrup of Wild Lettuce	15 minims.
Compound Syrup of Squill, U.S.P.	3 minims.
Cascarin (P., D. & Co.)	1 grain.
Diamorphine Hydro- chloride, B.P.	1/24 grain.
Menthol	1/100 grain.
Dose: One-half to one fluid drachm.	

SYRUP COCILLANA COMPOUND (P., D. & Co.) renders most efficient service in cases of hard dry cough with scanty expectoration. It soothes the inflamed mucous membrane, promotes dislodgment of indurated mucus, restores tone to the bronchi, and relieves dyspnoea.

The small dose of cascarin (the tonic-laxative principle of cascara sagrada) promotes the regular action of the bowels which is particularly desirable in catarrhal conditions of the respiratory tract.

SYRUP COCILLANA COMPOUND (P., D. & Co.) is specially prepared for Prescribing by Physicians. Its precise formula is published. It is not advertised to the public. Its name on the prescription does not convey any meaning to the patient.

Syrup Cocillana Compound is supplied in bottles of 4, 8, and 16 fluid ounces. Please specify "P., D. & Co."

PARKE, DAVIS & Co., 50 Beak St., **LONDON, W.1**
Regent St.,