


THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY:

A RECORD OF CURRENT LITERATURE
RELATING TO
THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by
ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,
Anæsthetist, Sussex County Hospital, and 2nd Eastern
General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case £3 8s. 3d.
Rigby's Chloroform Bottle only £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

Manufactured by
DOWN BROS., LTD.,
Surgical Instrument Makers,
21 & 23, ST. THOMAS'S ST., LONDON, S.E.
(opposite Guy's Hospital.)

Telegrams:
"DOWN, LONDON."

Telephone:
Hop. 4400 (4 Lines)

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D., Col. C.A.M.C. (Montreal).	J. MACINTYRE, M.B., C.M. (Glasgow).
A. CHEATLE, F.R.C.S. (Pres. Otol. Sect. Internat. Cong.).	Sir W. MILLIGAN, M.D., M.Ch. (Manchester).
H. J. BANKS DAYIS, M.D., F.R.C.P. (London). (Pres. Otol. Sect. R.S.M.)	Sir StCLAIR THOMSON, M.D., F.R.C.S. (London). (Pres. Laryng. Sect. Internat. Cong.)
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).	HERBERT TILLBY, M.D., F.R.C.S. (London).
WILLIAM HILL, M.D. (London).	LOGAN TURNER, M.D. (Edinburgh).
A. BROWN KELLY, M.D. (Glasgow). (Pres. Laryng. Sect. R.S.M.)	P. WATSON-WILLIAMS, M.D. (Bristol).
	MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),
To whom all communications should be addressed.

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), DONEGAN (London), CLAYTON FOX (London),
J. S. FRASER (Edinburgh), PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool),
A. HUTCHISON (Brighton), J. D. LITHGOW (Edinburgh), A. MCCALL (Bournemouth),
CHICHELE NOURSE (London),
KNOWLES RENSHAW (Manchester), ARCHER RYLAND (London),
LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham),
C. E. WEST (London), G. HAROLD L. WHALE (London),
WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRs. J. BARR (Glasgow),
GRAZZI (Florence), A. BROWN KELLY (Glasgow),
E. LAW (London), MASSEI (Naples), D. PATERSON (Cardiff),
URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork),
SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen),
E. WAGGETT (London), R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. FRANK E. TAYLOR.	CAPT. B. SEYMOUR JONES.	MR. MACLEOD YEARSLEY.
DR. W. H. MCKINSTRY.	DR. DOUGLAS GUTHRIE.	DR. J. A. M. HEMMEON.
DR. IRWIN MOORE.	CAPT. J. K. MILNE DICKIE.	DR. DUNDAS GRANT.
	DR. J. S. FRASER.	

CONTENTS.

Special Articles—	PAGE
A Serological Investigation of Vincent's Angina.—FRANK E. TAYLOR and W. H. MCKINSTRY	289
Intrinsic Cancer of the Larynx and the Operation of Laryngo-Fissure, with a Description of some New Instruments specially designed for improving the Technique.—IRWIN MOORE (<i>continued</i>)	294
Rapid Lateral Version of the Patient in Tonsil and Adenoid Operations. —B. SEYMOUR JONES	308
Sarcoma of the Tonsil.—DOUGLAS GUTHRIE	310
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE.—LARYNGOLOGICAL SECTION.—Communica- tions by IRWIN MOORE, L. H. PEGLER, G. C. CATHCART	313
Abstracts—	
PHARYNX.—On the Lymphatic Relations between the Nasal Fossæ and the Tonsils	316
NOSE.—Atrophic Rhinitis treated with Ichthyol Ointment.—A Wax Model of the Nasal Cavity and Paranasal Sinuses	316
LARYNX.—Abscess of the Thyro-glosso-epiglottic Space	316
EAR.—The Static Labyrinth in Syphilis.—Complete Unilateral Deafness, resulting from Acute Parotitis	317
Review—	
Operative Surgery of the Nose, Throat and Ear, for Laryngologists, Rhinologists, Otolologists, and Surgeons.—By HANAU W. LOEB, in collaboration with others	318
Notes and Queries	320
Books Received	320

ANTI-CATARRH VACCINE (Prophylactic).

Prepared in the Inoculation Department of St. Mary's Hospital, London—(Founder: Sir A. E. Wright, M.D., etc.), and supplied to the Medical Profession through the agency of **PARKE, DAVIS & CO.**

This vaccine is adapted for the preventive inoculation of individuals who suffer from recurring "colds," in cases in which a bacteriological investigation is not convenient, and in cases where there is some general diminution in resistance, indicated by the patient becoming infected by any one of the several microbes which may cause these catarrhs. It is not intended to replace an autogenous vaccine in the case of patients who are subject to the periodic lighting up of a chronic infection by some one microbe.

Each c.c. of the vaccine contains:—

Micrococcus catarrhalis ...	100 millions	Staphylococcus ...	500 millions
B. pneumoniae (Friedlander) ...	100 millions	Bacillus septus (diphtheroid) ...	50 millions
Pneumococcus ...	50 millions	Bacillus influenzae ...	300 millions
	Parodontal Streptococcus ...	12 millions	

Dose.—0.5 c.c. for the initial dose; 1 c.c. to be given fourteen days after the first dose, and subsequently at monthly intervals during the winter. This vaccine may produce a marked local reaction if injected into muscular tissue; it should be administered subcutaneously.

The vaccine is supplied in bulbs of about 1 c.c., also in bottles of 10 and 25 c.c.

Particulars of other vaccines (including a MIXED VACCINE FOR TREATMENT OF COLDS) issued by the St. Mary's Hospital Inoculation Department will be sent to any Medical Man, on request, by the Sole Agents—

PARKE, DAVIS & CO., 50-54, Beak St., **LONDON, W. 1.**
Regent St.,

SCHOOL HYGIENE.

Published under the auspices of

The Medical Officers of Schools Association.

QUARTERLY. ANN. SUB. 4/6 post free.

ADLARD & SON & WEST NEWMAN, Ltd., 23, Bartholomew Close, London, E.C. 1.

Lancet.—"We have nothing but praise for this Annual."

THIRTY-SIXTH YEAR. NOW READY.

Fully Illustrated in Colours and Black and White. Price 10/- net.

THE MEDICAL ANNUAL, 1918.

A YEAR BOOK OF TREATMENT,
AND PRACTITIONER'S INDEX:

*Being a Review of the World's Progress in Medicine and Surgery,
arranged in Alphabetical order for Easy Consultation.*

Contributors:

E. WYLLYS ANDREWS, A.M., M.D., Chicago.
JOSEPH G. BLOMFIELD, B.A., M.D.
FRANCIS D. BOYD, C.M.G., M.D., F.R.C.P.
FRANCIS J. CHARTERIS, M.D., B.CH.
JOHN D. COMRIE, M.A., M.D., F.R.C.P.
LEWIS A. CONNER, Ph.B., M.D., New York.
CAREY F. COOMBS, M.D., F.R.C.P.
W. H. DOLAMORE, M.R.C.S., L.R.C.P., I.D.S.R.C.S.
JOHN S. FRASER, M.B., Ch.B., F.R.C.
W. E. FOTHERGILL, M.A., M.D.
DAVID McV. FLECK, M.B., Ch.B.
HERBERT FRENCH, M.A., M.D., F.R.C.P.
EDWARD W. GOODALI, M.D., B.S.
C. THURSTAN HOLLAND, M.R.C.S., L.R.C.P.

J. RAMSAY HUNT, M.D., New York.
ROBERT HUTCHISON, M.D., F.R.C.P.
FREDERICK LANGMEAD, M.D., F.R.C.P.
E. G. GRAHAM LITTLE, M.D., F.R.C.P.
CHARLES FRED. MARSHALL, M.D., F.R.C.
BEDFORD PIERCE, M.D., F.R.C.P.
JOSEPH PRIESTLEY, B.A., M.D., D.P.H.
SIR LEONARD ROGERS, Lt.-Col. I.M.S., M.D.,
F.R.C.S., F.R.C.P., Calcutta.
A. HUGH THOMPSON, M.A., M.D.
J. W. THOMSON WALKER, F.R.C.S.
W. I. DE COURCY WHEELER, B.A., M.D., F.R.C.S.
A. GASCOIGNE WILDEY, Dep. Surg.-Gen., R.N.
MARGUERITE WILSON, M.B., Ch.B., Glasgow.

THIS year's volume aims, like its predecessors, to be a faithful reflex of current Medical and Surgical thought. It is, therefore, of necessity coloured by the consideration of the many new problems which are thrust upon us by the War. These problems will confront the general Practitioner on every hand, and he must be prepared to deal with them.

Hence the current volume has a unique value, in that it furnishes the reader with a careful review of the latest achievements in War Surgery and Medicine, which will be of value now and in the years to come, and which cannot be obtained from any other source.

The civil side of the Practitioner's work has, of course, not been neglected.

The new "Annual" continues to be, as in the past, a digest of the best modern teaching culled by experts from the medical literature of the world.

BRISTOL, ENG.: JOHN WRIGHT & SONS LTD.
LONDON: SIMPKIN, MARSHALL, HAMILTON, KENT & CO. LTD.