#### THE PREPARATION OF MANUSCRIPTS

## The attention of authors is particularly directed to the following requests.

 Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which

mail is to be sent.

The title, while brief, must be informative (e.g. A new proof of the prime-number theorem, whereas Some applications of a theorem of G. H. Hardy would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing

an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance  $n_k$  (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\left\{z^2\sin\theta/(1+y^2)\right\}$$

should be shown in this and no other way.

In the manuscript, italies, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order

on the right of their line. They can then be referred to by, for example, 'from (7)

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o, O o, O, O; x, X,  $\times$ ;  $\phi$ ,  $\Phi$ ,  $\emptyset$ ; I, I;  $\epsilon$ ,  $\epsilon$ ;  $\kappa$ , k.

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign I may be used.

Footnotes should be avoided.

#### 3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or greenlined graph paper, or tracing cloth or paper. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

# Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands

it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

#### 4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

#### Table 3 here

### 5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in Mathematical Reviews. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

[1] J. F. Adams. On the non-existence of elements of Hopf invariant one. Ann. of Math. (2) 72 (1960), 20-104.

[2] M. P. FOURMAN and D. S. Scott. Sheaves and logic. In Applications of Sheaves, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.

[3] P. T. JOHNSTONE. Stone Spaces. Cambridge Studies in Advanced Math. no. 3 (Cambridge

University Press, 1982).

[4] F. W. Lawvere. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

# Mathematical Proceedings of the Cambridge Philosophical Society

MPCPCO 110 (Pt 1) 1-224 (1991) 0305-0041 July 1991

# CONTENTS

	PAGE
Heath-Brown, D. R. Square-full numbers in short intervals	1
BYOTT, N. P. Some self-dual local rings of integers not free over their associated orders .	5
HOWIE, J. Nonsingular systems of two length three equations over a group	11
LEARY, I. J. The integral cohomology rings of some p-groups	25
POWER, J. & ROBINSON, E. A characterization of pie limits	33
ULBRICH, KH. On cocycle bitorsors and gerbes over a Grothendieck topos	49
SCHLITT, G. The Lindelöf Tychonoff Theorem and choice principles	57
PAVONE, M. On the geodesic distance and group actions on trees	67
TARNAI, T. & GÁSPÁR, Zs. Covering a sphere by equal circles, and the rigidity of its graph	71
MARUTA, T. & KANETA, H. On the uniqueness of $(q+1)$ -arcs of $PG(5,q)$ , $q=2^h$ , $h \ge 4$ .	91
Brown, R. & Higgins, P. J. The classifying space of a crossed complex	95
ARKOWITZ, M. & LUPTON, G. Loop-theoretic properties of H-spaces	121
Bekka, M. B. On a question of R. Godement about the spectrum of positive, positive	
definite functions	137
Wassermann, S. A separable quasidiagonal C*-algebra with a non-quasidiagonal quotient	
by the compact operators	143
Somerset, D. W. B. Discontinuous homomorphisms from C*-algebras	147
DRURY, S. W. & Guo, K. Convolution estimates related to surfaces of half the ambient	
dimension	151
WHITE, M. C. The representation of analytic multivalued functions by compact operators	161
Dodds, P. G., Dodds, T. K. & de Pagter, B. Weakly compact subsets of symmetric	-
operator spaces	169
ROBERTSON, A. G. Injective matricial Hilbert spaces	183
Ogi, H. On KMS states for self-dual CCR algebras and Bogoliubov automorphism groups	191
Kennedy, J. E. Noisy fluctuating clocks for Markov chains	199
Kossowski, M. & Thompson, G. Submersive second order ordinary differential equations	207
110850 WSK1, M. & Thomrson, G. Submersive second order ordinary differential equations	201

© The Cambridge Philosophical Society 1991

### CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
40 WEST 20TH STREET, NEW YORK, NY 10011-4211, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £25.00 net (USA and Canada US \$58.00)
Subscription price £72.00 per volume (£144.00 per annum) net post free
(US \$149.50 per volume (US \$299 per annum) in USA and Canada)

Printed in Great Britain by the University Press, Cambridge