

COMPREHENSIVE SUBJECT, AUTHOR, TITLE INDEX<sup>1</sup>  
VOLUME 35, 1987

V. A. COLTEN-BRADLEY AND F. A. MUMPTON

A

Acid

- oxalic, effect of, on dissolution of goethite 347
- sites on hydroxy-Al pillared beidellite 251

Adsorption (see also Sorption)

- alcohols on Al-, Cr-, Fe<sup>3+</sup>-exchanged montmorillonite, kinetics 336
- alcohols on Al-, Cr-, Fe<sup>3+</sup>-exchanged montmorillonite, diffusion coefficients, basal spacings kinetics 336
- amino acids on montmorillonite-Cu-1-lysine complex 391
- cyclic ethers on montmorillonite, kinetics, diffusion coefficients 343
- EGME on montmorillonite, ATR, surface area, molecular configuration, diffuse-reflectance IR-Fourier transform spectroscopy 60
- 1,4-dioxan on Al-, Cr-exchanged montmorillonite 343
- quinoline on montmorillonite 121
- tetrahydrofuran on Al-, Cr-exchanged montmorillonite 343
- tetrahydropan on Al-, Cr-exchanged montmorillonite 343
- thiophenes on Cu<sup>2+</sup>-, Fe<sup>3+</sup>-montmorillonite, Raman spectroscopy, IR 53
- thiophenes on Cu<sup>2+</sup>-, Fe<sup>3+</sup>-montmorillonite, polymerization in interlayer 53

AEM (see Analytical electron microscopy)

Aggregation (see Flocculation)

- AINSWORTH, C. C. (with J. M. ZACHARA and R. L. SCHMIDT), Quinoline Sorption on Na-Montmorillonite: Contributions of the Protonated and Neutral Species 121

Alcohol

- adsorption on montmorillonite, kinetics, diffusion coefficients 336
- basal spacings of Al-, Cr-, Fe<sup>3+</sup>-montmorillonite in presence of 336
- vapor-phase adsorption on montmorillonite, kinetics 336

Alkylammonium

- beidellite, basal spacings 232, 440

- hectorite, basal spacings 440
- montmorillonite, basal spacings 232, 440
- nontronite, basal spacings 232, 440
- saponite, basal spacings 440
- vermiculite, basal spacings 440

Allophane

- chemical analysis, TEM, morphology 29

- ALPEROVITCH, N. (with I. SHAINBERG and R. KEREN), Charge Density and Na-K-Ca Exchange on Smectites 68

- ALPEROVITCH, N. (with I. SHAINBERG, R. KEREN, and D. GOLDSTEIN), Effect of Exchangeable Potassium on the Hydraulic Conductivity of Smectite-Sand Mixtures 305

Alteration (see also Hydrothermal, Diagenesis)

- hydrothermal, smectite-to-illite conversion 111
- of tuffs, zeolites formation by 89
- silicic ash, diagenesis in saline lake, zeolite formation 449

- Alteration of Phlogopite to Corrensite at Sharbot Lake, Ontario**, by C. R. De Kimpe, N. Miles, H. Kodama, and J. Dejoux 150

Aluminum

- hydroxide, noncrystalline, reaction with phosphates, effect of RH 228
- hydroxy-Al-pillared montmorillonite, NMR, XRD, CEC, basal spacings, surface area, IR 251
- hydroxy-Al pillaring in beidellite 251
- montmorillonite, alcohol adsorption rates, basal spacings 336
- montmorillonite, cyclic ether adsorption rates, basal spacings 343
- oxide, effect of flocculation of kaolinite, montmorillonite 220
- oxyhydroxides, synthesis 220, 228
- polyhydroxypolymers, pillaring of, with smectites 81
- substituted tobermorite, CEC, basal spacings, morphology 385
- substitution in goethite, effect of photochemical dissolution kinetics 347
- substitution in goethite, effect on unit-cell volume 297

Alunite

- structural formula 196
- traces in hydrothermal Sasso kaolin deposit 321
- unit-cell dimensions 196

<sup>1</sup> Items are indexed to the first page of the journal article in which they appear.

- Amino acid  
 -Cu-l-lysine complex, structure 391  
 optical isomers, resolution by adsorption on montmorillonite-Cu-l-lysine complex using HPLC 391
- Ammonium  
 -Na exchange for clinoptilolite determination in soils 463  
 -Na exchange on clinoptilolite, selectivity coefficient 463  
 -tert-butyl exchange, for quantitative determination of clinoptilolite in soils 463
- Analcime  
 chemical composition, electron microprobe analysis 89  
 in altered tuffs 89  
 -rich tuff, alteration of, petrography 449
- Analytical electron microscope (AEM)  
 goethite in weathered olivine 418  
 halloysite in weathered olivine 418  
 iddingsite 418  
 illite/smectite, hydrothermal 111  
 olivine, weathered 418  
 smectite in weathered olivine 418
- Anilinium  
 intercalate with vermiculite, crystal structure, electron microprobe analysis, unit-cell parameters 177  
 intercalation with vermiculite 177
- Anions  
 carbonate-sulfate, in interlayer of hydrotalcite-manasseite group 401  
 effect on synthesis of magadiite, kenyaite 318  
 oxalate, effect on dissolution kinetics of goethite 347
- Announcement  
 Euroclay '87 meeting 239  
*Proceedings of the International Clay Conference, Denver, 1985*, publication of 160  
 24th annual meeting, The Clay Minerals Society 240
- Apatite  
 fluor-, mineralogy in Excello black shale 262
- Asbestos  
 chrysotile formation in debris flow by replacement of lizardite 43
- Atomic coordinates  
 clinochlore, ferroan 129  
 hydrogen in kaolinite 237  
 nontronite 363
- ATR (see Attenuated total reflectance spectroscopy)
- Attapulgite (see Palygorskite)
- Attenuated total reflectance spectroscopy (ATR) (see also Infrared spectroscopy) EGME-montmorillonite complex 60
- Authigenesis  
 chlorite, replacement of kaolinite 291  
 chrysotile, replacement of lizardite in debris flows 43  
 illite/smectite, source of iron for chlorite 291  
 kaolinite formation, Gulf Coast sediments 291  
 pseudoboehmite, with chrysotile in debris flow 43
- Authigenesis of Kaolinite and Chlorite in Texas Gulf Coast Sediments**, by J. H. Burton, D. H. Kinsley, and K. Pye 291
- Authigenic Chrysotile Formation in the Matrix of Quaternary Debris Flows, Northern Southland, New Zealand**, by D. Craw, C. A. Landis, and P. I. Kelsey 43
- B**
- Back-scattered electron imaging (see Scanning electron microscopy)
- BAILEY, S. W. (with A. C. RULE), Refinement of the Crystal Structure of a Monoclinic Ferroan Clinochlore 129
- BARRON, P. F. (with J. G. THOMPSON), Further Consideration of the <sup>29</sup>Si Nuclear Magnetic Resonance Spectrum of Kaolinite 38
- BARRON, P. F. (with M. RAUPACH and J. G. THOMPSON), Nuclear Magnetic Resonance, Infrared, and X-ray Powder Diffraction Study of Dimethylsulfoxide and Dimethylselenoxide Intercalates with Kaolinite 208
- Basal spacings  
 beidellite, exchanged with alkylammonium 232  
 beidellite, K-, Li-, Mg-saturated 232  
 beidellite, hydroxy-Al pillared 81, 251  
 CO<sub>3</sub>-hydrotalcite 401  
 CO<sub>3</sub>-manasseite 401  
 CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite 401  
 corrensite 150  
 fluorhectorite, hydroxy-SiAl pillared 429  
 hectorite, alkylammonium exchanged 440  
 montmorillonite 81, 232, 251, 336, 343, 440, 429  
 montmorillonite, Al-, exposed to cyclic ether vapors 343  
 montmorillonite, Al-, exposed to water, alcohol vapors 336  
 montmorillonite, alkylammonium exchanged 232, 440  
 montmorillonite-Cu-l-lysine complex 391  
 montmorillonite, Cr-, exposed to cyclic ether vapors 343  
 montmorillonite, Cr-, exposed to water, alcohol vapors 336  
 montmorillonite, exchanged with alkyl-, hexyl-, dodecylammonium 232  
 montmorillonite, Fe-, exposed to water, alcohol vapors 336  
 montmorillonite, hydroxy-Al pillared 81  
 montmorillonite, hydroxy-SiAl pillared 429  
 montmorillonite, Li-, K-, Mg-saturated 232

- montmorillonite, Na-, in water 336  
 nontronite, alkylammonium exchanged 232, 440  
 nontronite, Li-, Mg, K-saturated 232  
 saponite, alkylammonium exchanged 440  
 saponite, effect of interlayer cation, RH 353  
 smectite 429, 440  
 smectite, cross-linked, effect of heat on 429  
 SO<sub>4</sub>-hydrotalcite 401  
 SO<sub>4</sub>-manasseite 401  
 tobermorite, synthetic 385  
 vermiculite 353, 440  
 vermiculite, alkylammonium exchanged 440  
 vermiculite, effect of interlayer cation, RH, layer charge 353
- Basalt**  
 chemical composition, electron microprobe analysis 161  
 core-stone, composition of smectite in 161  
 hydrothermal alteration to illite/smectite, illite/chlorite 241  
 hydrothermal alteration to wairakite 241  
 immiscible glass, TEM 241  
 mineralogy 161  
 natroalunite in laterite profile over 196  
 olivine in, replacement by goethite, saponite, halloysite, iddingsite 418  
 weathered, laterite profile on 196  
 weathered, smectite, halloysite, goethite in 161  
 weathering of 161, 196, 418
- Beidellite** (see also Smectite, Montmorillonite)  
 Al, Fe overgrowths on illite, smectite 189  
 alkylammonium exchange 232  
 Cr-, chemical composition 139  
 differentiation from montmorillonite, problems 232  
 H<sup>+</sup>-, NMR 251  
 hydroxy-Al pillared, XRD, CEC, basal spacings, IR, surface area, porosity, acid sites 81, 251  
 identification, problems of, Greene-Kelly test, 232  
 iron-rich, in vertisols, structural formula, sediment volume, optical density, UV adsorption 311  
 layer charge 232  
 Li-saturated, exchanged with alkyl-, hexyl-, dodecylammonium ions, basal spacings 232  
 pillared with Al-polyhydroxypolymer 81  
 synthesis 81, 251
- BEN-DOR, EYAL** (with ARIEH SINGER), Optical Density of Vertisol Clay Suspensions in Relation to Sediment Volumes and Dithionite-Citrate-Bicarbonate-Extractable Iron 311
- Bentonite** (see also Montmorillonite, Smectite)  
 analcime, clinoptilolite replacement of 449  
 hydrothermal alteration to wairakite 241  
 smectite in, SEM, EXD, TEM, XRD 241  
 stability under hydrothermal conditions 241
- Benzidinium**  
 -vermiculite intercalate, Mössbauer spectroscopy 203
- Berthierine**  
 /illite, EDX, TEM 241  
 /illite, formation by hydrothermal alteration of illite 241
- BIBBY, D. M.** (with R. A. FLETCHER), Synthesis of Kenyaite and Magadiite in the Presence of Various Anions 318
- BIGHAM, J. M.** (with W. F. JAYNES), Charge Reduction, Octahedral Charge, and Lithium Retention in Heated, Li-Saturated Smectites 440
- Birnessite**  
 hydrothermal transformation to busserite, manganite, todorokite 271  
 saturated with various cations, XRD, TEM, IR, electron diffraction pattern 271  
 (7-Å manganite), space group, unit-cell parameters, structural formula 271  
 synthetic, SEM, TEM, chemical analysis 271  
 transformation to busserite, cryptomelane, hollandite, todorokite 271  
 unit-cell dimensions, 7-Å manganite, synthetic 271
- BISH, D. L.** (with D. E. BROXTON and R. G. WARREN), Distribution and Chemistry of Diagenetic Minerals at Yucca Mountain, Nye County, Nevada 89
- Black shale**  
 Excello, petrology, mineralogy, stratigraphy, XRD 262  
 limestone concretions in, formation of 262  
 organic carbon content 262  
 phosphate nodules in, diagenetic formation of 262
- Boehmite**  
 pseudo-, authigenic, in debris flows with chrysotile 43  
 pseudo-, authigenic, IR, DTA, electron microprobe analysis 43
- Bond lengths** (see also Interatomic distances)  
 in kaolinite: DMSeO intercalate 208  
 in kaolinite: DMSO intercalate 208  
 interlayer atoms and surface oxygens in the vermiculite-anilinium intercalate 179  
 Si...H distances in kaolinite 38  
 Si-O in kaolinite 38
- Book review**  
*Clay in Engineering Geology*, 2nd ed., by J. E. Gillott 477  
*Clay Microstructure*, by R. H. Bennett and M. H. Hulbert 400  
*The Chemistry of Weathering*, edited by J. I. Drever 80  
*Thermodynamic Values at Low Temperature for Natural Inorganic Materials*, by T. L. Woods and R. M. Garrels 159

- BREEN, C. (with A. T. DEANE and J. J. FLYNN), Vapor-Phase Sorption Kinetics for Tetrahydrofuran, Tetrahydropan, and 1,4-Dioxan by  $Al^{3+}$ - and  $Cr^{3+}$ -Exchanged Montmorillonite 343
- BREEN, C. (with A. T. DEANE, J. J. FLYNN, and D. REYNOLDS), Vapor-Phase Sorption Kinetics for Methanol, Propan-2-ol, and 2-Methylpropan-2-ol on  $Al^{3+}$ -,  $Cr^{3+}$ -, and  $Fe^{3+}$ -Exchanged Montmorillonite 336
- BREVAL, ELSE (with SRIDHAR KOMARNENI, MICHIIRO MIYAKE, and RUSTUM ROY), Cation-Exchange Properties of (Al + Na)-Substituted Synthetic Tobermorites 385
- BROXTON, D. E. (with D. L. BISH and R. G. WARREN), Distribution and Chemistry of Diagenetic Minerals at Yucca Mountain, Nye County, Nevada 89
- BURTON, J. H. (with D. H. KRINSLEY and K. PYE), Authigenesis of Kaolinite and Chlorite in Texas Gulf Coast Sediments 291
- Buserite  
transformation of birnessite to 271
- C
- Calcium  
- $Na^+$  exchange on clinoptilolite, selectivity coefficient 458
- Carbonate  
anion, effect of, on synthesis of kenyaite, magadiite 318  
-hydrotalcite, XRD, structural formula, unit-cell parameters, density, nomenclature 401  
-manasseite, XRD, unit-cell parameters, chemical composition, structure 401  
- $SO_4$ -hydrotalcite, XRD, structural formula, unit-cell parameters, structure, nomenclature 401  
systems, magadiite, kenyaite synthesis in 318
- CARDILE, C. M. (with J. H. JOHNSTON), Iron Substitution in Montmorillonite, Illite, and Glauconite by  $^{57}Fe$  Mössbauer Spectroscopy 170
- CARDILE, C. M. (with P. G. SLADE), Structural Study of a Benzidine-Vermiculite Intercalate having a High Tetrahedral-Iron Content by  $^{57}Fe$  Mössbauer Spectroscopy 203
- CARLSON, L. (with U. SCHWERTMANN and E. MURAD), Properties of Iron Oxides in Two Finnish Lakes in Relation to the Environment of their Formation 297
- Cation exchange  
Ca-Na,  $Na-NH_4$ , on clinoptilolite, selectivity coefficient 458  
K-Ca on smectite, effect of layer charge density, selectivity coefficients 68  
K-Na on smectite, effect of layer charge density, selectivity coefficients 68  
Na, on smectite, Gapon's constant 305  
Na-Ca on smectite, effect of layer charge density, selectivity coefficients 68  
Na-Cs on Al-, Na-substituted tobermorite 379  
quinoline-Na exchange on montmorillonite 121  
selectivity coefficient, Gapon's constant, Na, K on smectites 305
- Cation-exchange capacity (CEC)  
clinoptilolite 469  
clinoptilolite, quantitative mineralogy of, in soils 463  
hydroxy-Al beidellite 251  
reduction of, Li-retention in smectites, Hofmann-Klemen effect, octahedral layer charge 440  
smectites 68, 305  
tobermorite, synthetic Al-, Na-substituted tobermorite 385  
vertisols 311
- Cation Properties of (Al + Na)-Substituted Synthetic Tobermorites**, by Sridhar Komarneni, Else Breval, Michihiro Miyake, and Rustum Roy 385
- CEC (see Cation-exchange capacity)
- Celadonite  
IR spectroscopy 363  
iron octahedral distribution 363  
Mössbauer spectroscopy, computer simulation of, electric field gradient calculations 363  
structural formula 363
- Cesium  
-Na exchange on tobermorite, selectivity coefficient 385
- Characterization of Overgrowth Structures Formed around Individual Clay Particles during Early Diagenesis**, by Michel Steinberg, Thierry Holtzapffel, and Michel Rautureau 189
- Charge balance  
tetrahedral substitution in ferroan clinocllore, order-disorder 129
- Charge density  
effects on Na-K-Ca exchange on smectites, swelling 68  
smectites, effect on exchangeable K, hydraulic conductivity 305
- Charge Density and Na-K-Ca Exchange on Smectites**, by I. Shainberg, N. I. Alperovitch, and R. Keren 68
- Charge Reduction, Octahedral Charge, and Lithium Retention in Heated, Li-Saturated Smectites**, by W. F. Jaynes and J. M. Bigham 440
- Chemical analysis (see also Chemical composition)  
allophane 29  
basalt core-stones 161  
birnessite, percent Mn, Mn oxidation state 271  
chrysotile, electron microprobe, Al-Fe-Mg composition 43  
cordierite, weathered 29  
corrensite, from hydrothermally altered phlogopite 150  
ferrihydrite 29  
hisingerite 29

- lateritic pisolite 29  
 limburgite glass 29  
 lizardite, electron microprobe analysis, Al-Fe-Mg composition 43  
 noncrystalline Fe-Si-Al oxyhydroxide gels 29  
 phlogopite, electron microprobe analysis 150  
 pseudoboehmite, electron microprobe analysis 43  
 todorokite, percent Mn, Mn oxidation state 271
- Chemical and Morphological Evidence for the Conversion of Smectite to Illite**, by Atsuyuki Inoue, Norihiko Kohyama, Ryuji Kitawaga, and Takashi Watanabe 111
- Chemical composition**  
 analcime in altered tuff, electron microprobe analysis 89  
 basalt, weathered 161  
 beidellite, chromian 139  
 chrysotile, lizardite in debris flow, Al, Fe, Mg 43  
 clinochlore, ferroan, electron microprobe analysis 129  
 clinoptilolite in altered tuff, electron microprobe analysis 89  
 CO<sub>3</sub>-hydrotalcite 401  
 CO<sub>3</sub>-manasseite 401  
 feldspar in altered tuff, electron microprobe analysis 89  
 hydroxy-SiAl cross-linked montmorillonite 429  
 illite, Muloorine, Australia 170  
 illite/smectite from hydrothermally altered volcanic glass, electron microprobe analysis 111  
 iron oxide lake sediments 297  
 kaolinite, Georgia 38  
 kaolinite, St. Austell 38  
 kenyaite 318  
 limburgite 29  
 magadiite 318  
 manasseite 401  
 montmorillonite, chromian 139  
 montmorillonite, Drayton, Australia 170  
 natroalunite 196  
 nontronite, chromian 139  
 olivine, weathered, Al-Mg-Fe by electron microprobe, EXD, AEM 418  
 overgrowth on illite and smectite 189  
 pisolite, laterite 29  
 smectite, iron-rich beidellite in vertisols, structural formula 311  
 smectitic clay, from weathered pyroxenite, electron microprobe analysis 1  
 SO<sub>4</sub>-hydrotalcite 401  
 tuff, bulk-rock 89  
 vertisol clay 311  
 volkonskoite 139
- CHEN, C. C. (with D. C. GOLDEN and J. B. DIXON), Transformation of Birnessite to Buserite, Todorokite, and Manganite under Mild Hydrothermal Treatment 271
- CHERKASHIN, V. I. (with V. A. DRITS, T. N. SOKOLOVA, and G. V. SOKOLOVA), New Members of the Hydrotalcite-Manasseite Group 401
- CHITALE, D. V. (with NECIP GÜVEN), Natroalunite in a Laterite Profile over Deccan Trap Basalts at Matanumad, Kutch, India 196
- Chlorite**  
 berthierine, distribution in Excello black shale 262  
 berthierine, hydrothermal alteration of illite, TEM, EDX 262  
 clinochlore, ferroan, crystal structure, atomic positions, interatomic distances, interlayer octahedra, chemical composition, space group 129  
 corrensite, XRD, DTA, DTG, electron microprobe analysis, IR, structural formula 150  
 Cr-bearing, as distinguished from volkonskoite 139  
 /illite, hydrothermal alteration of basalt and bentonite, TEM, EDX, XRD 241  
 iron-rich, authigenic, Gulf Coast sediments, TEM, EDX, SAD, back-scattered electron image 291  
 morphology, TEM 291  
 pseudomorphous after kaolinite, SEM 291  
 /smectite, alteration of phlogopite to 150  
 structure, I1b2 polytype 129
- Chromium**  
 chlorite, montmorillonite, volkonskoite nomenclature problem 139  
 -exchanged montmorillonite, 1,4-dioxane, tetrahydrofuran, tetrahydropyran adsorption on 343  
 -exchanged montmorillonite, vapor-phase adsorption of alcohols on 336  
 -montmorillonite, alcohol, cyclic ether adsorption rates 336  
 -montmorillonite, basal spacings 336  
 -smectite, volkonskoite, chemical composition, TGA, XRD, Mössbauer spectroscopy, nomenclature 139
- Chrysotile**  
 asbestos fiber formation in debris flows 43  
 authigenic, chemical analysis 43  
 authigenic, petrography, XRD, electron microprobe analysis, DTA, IR, TEM 43  
 authigenic, replacement of lizardite, petrography 43
- Clay Minerals Society, The  
 annual meeting, 24th, announcement 240
- Clinochlore**  
 ferroan, crystal structure, atomic coordinates, chemical composition, space group 129
- Clinoptilolite**  
 CEC 463, 469

- chemical composition 89  
 electron microprobe analysis 89, 281  
 formation by replacement of volcanic glass 281  
 in fossilized root, in altered tuff interbedded with lignite 281  
 Na-NH<sub>4</sub> exchange, Na-tertbutylammonium exchange 463  
 Na-Ca, Na-NH<sub>4</sub> exchange, selectivity coefficient 458  
 quantitative determination in soils 463  
 -rich altered tuff, petrography 89, 449  
 SEM 281, 458  
 SEM, EDX, XRD, petrography, morphology 281  
 separation from soils, specific gravity 469  
 structural formula 469  
 XRD 281, 469
- COLIN, F. (with A. DECARREAU, A. HERBILLON, A. MANCEAU, D. NAHON, H. PAQUET, D. TRAUTH-BADAUD, and J. J. TRESCASES), Domain Segregation in Ni-Fe-Mg-Smectites 1
- Collophane  
 diagenetic, Excello black shale 262
- Composition and Structural Variations in the Size Fractions of a Sedimentary and a Hydrothermal Kaolin**, by Gianni Lombardi, J. D. Russell, and W. D. Keller 321
- Computer simulation  
 Mössbauer spectra, nontronite, celadonite, Fe-oc-tahedron orientation, electric field gradient calculations 363
- Concretions  
 limestone, formation, Excello black shale 262
- Conditional equilibrium constant (see Vaneslow selectivity)
- Copper  
 Cu-l-lysine-montmorillonite complex, amino acid adsorption on 391  
 -montmorillonite, polymerization of thiophene in interlayer region, Raman spectroscopy, IR 53
- Cordierite  
 alteration to halloysite, TEM 29  
 weathered, noncrystalline Fe-Si-Al oxyhydroxides, chemical analysis 29
- Core-stone  
 basalt, chemical composition of smectite in 161
- CORNELL, R. M. (with R. GIOVANOLI), Effect of Manganese on the Transformation of Ferrihydrite into Goethite and Jacobsite in Alkaline Media 11
- CORNELL, R. M. (with R. GIOVANOLI and P. W. SCHINDLER), Effect of Silicate Species on the Transformation of Ferrihydrite into Goethite and Hematite in Alkaline Media 21
- CORNELL, R. M. (with P. W. SCHINDLER), Photochemical Dissolution of Goethite in Acid/Oxalate Solution 347
- Corrensite  
 hydrothermal alteration of phlogopite 150  
 smectite/chlorite, XRD, TGA, IR, DTA, SEM, electron microprobe analysis, structural formula 150
- COSCA, M. A. (with Y.-C. YAU, D. R. PEACOR, E. J. ESSENE, J. H. LEE, and L.-C. KUO), Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals 241
- CRAW, D. (with C. A. LANDIS and P. I. KELSEY), Authigenic Chrysotile Formation in the Matrix of Quaternary Debris Flows, Northern Southland, New Zealand 43
- Critical coagulation concentration (CCC)  
 determination by percent transmittance 220  
 flocculation value 220  
 for kaolinite 220  
 for montmorillonite 220
- Cross-linked smectite (CLS) (see also Pillared interlayer complex)  
 fluorhectorite, basal spacings, surface area, structure, thermal stability 429  
 montmorillonite, basal spacings, surface area, chemical composition, structural formula, thermal stability 429  
 synthesis, hydroxy-SiAl exchange 429
- Cross-linked Smectites. V. Synthesis and Properties of Hydroxy-Silicoaluminum Montmorillonites and Fluorhectorites**, by Johan Sterte and Joseph Shabtai 429
- Cryptomelane  
 space group, structural formula, unit-cell parameters 271
- Crystal growth  
 overgrowth structures on illite, smectite during early diagenesis 189
- Crystal Structure of a Vermiculite-Anilinium Intercalate**, by P. G. Slade, C. Dean, P. K. Schultz, and P. G. Self 177
- Crystal structure  
 anilinium-intercalated vermiculite 177  
 chlorite, *I1b*-2 polytype 129  
 clinocllore, ferroan, interlayer octahedra 129  
 CO<sub>3</sub>-hydrotalcite 401  
 CO<sub>3</sub>-manasseite 401  
 CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite 401  
 cross-linked fluorhectorite, hydroxy-SiAl oligocation 429  
 Cu-l-lysine-amino acid complex 391  
 DMSeO: kaolinite intercalate 208  
 hydroxy-Al polymers 251  
 hydroxy-SiAl oligocation 429  
 kaolinite, crystal, electron diffraction, XRD 237  
 palygorskite, micropore sites 473  
 position of ions in phyllosilicates by EXAFS 1



- SO<sub>4</sub>-hydrotalcite 401  
 vermiculite-anilinium intercalate 177
- Crystallinity  
 goethite, effect of silica on 21  
 kaolinite, XRD 321
- Cu-1-lysine  
 -amino acid complex, structure 391  
 -montmorillonite complex, use in HPLC to separate optical isomers of amino acids, basal spacings 391
- Curie  
 constants, nontronite, unaltered and reduced 373  
 -Weiss temperatures, nontronites, unaltered and reduced 373
- Cyclic ethers  
 adsorption on Al<sup>3+</sup>- and Cr<sup>3+</sup>-montmorillonite, kinetics, diffusion coefficients 343  
 1,4 dioxan, adsorption on Al<sup>3+</sup>- and Cr<sup>3+</sup>-montmorillonite 343  
 tetrahydrofuran, adsorption on Al<sup>3+</sup>- and Cr<sup>3+</sup>-montmorillonite 343  
 tetrahydropan, adsorption on Al<sup>3+</sup>- and Cr<sup>3+</sup>-montmorillonite 343
- D
- DAYNYAK, L. G. (with V. A. DRITS), Interpretation of Mössbauer Spectra of Nontronite, Celadonite, and Glauconite 363
- DE KIMPE, C. R. (with N. MILES, H. KODAMA, and J. DEJOU), Alteration of Phlogopite to Corrensite at Sharbot Lake, Ontario 150
- DEAN, C. (with P. G. SLADE, P. K. SCHULTZ, and P. G. SELF), Crystal Structure of a Vermiculite-Anilinium Intercalate 177
- DEANE, A. T. (with C. BREEN and J. J. FLYNN), Vapor-Phase Sorption Kinetics for Tetrahydrofuran, Tetrahydropan, and 1,4-Dioxan by Al<sup>3+</sup>- and Cr<sup>3+</sup>-Exchanged Montmorillonite 343
- DEANE, A. T. (with C. BREEN, J. J. FLYNN, and D. REYNOLDS), Vapor-Phase Sorption Kinetics for Methanol, Propan-2-ol, and 2-Methylpropan-2-ol on Al<sup>3+</sup>-, Cr<sup>3+</sup>-, and Fe<sup>3+</sup>-Exchanged Montmorillonite 336
- Debris flow  
 ophiolite melange, New Zealand, authigenic chrysotile, pseudoboehmite formation in 318
- DECARREAU, A. (with F. COLIN, A. HERBILLON, A. MANCEAU, D. NAHON, H. PAQUET, D. TRAUTH-BADAUD, and J. J. TRESCASES), Domain Segregation in Ni-Fe-Mg-Smectites 1
- DEJOU, J. (with C. R. DE KIMPE, N. MILES, and H. KODAMA), Alteration of Phlogopite to Corrensite at Sharbot Lake, Ontario 150
- Density  
 CO<sub>3</sub>-hydrotalcite 401  
 CO<sub>3</sub>-manasseite 401  
 CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite 401
- as a measure of weathering intensity 161  
 heavy liquid separation of clinoptilolite from soil 469  
 related to element mobility during weathering of basalt 161  
 SO<sub>4</sub>-hydrotalcite 401
- Diagenesis  
 beidellite overgrowths on illite, smectite, TEM, chemical analysis 189  
 colophane formation in Excello black shale 262  
 phosphate replacement of limestone nodules in black shale 262  
 silicification of clays 189  
 smectite-to-illite conversion, dissolution-reprecipitation mechanism, morphological evidence 111  
 tuff, in open hydrologic system, Yucca Mountain, Nevada 89  
 zeolite formation in tuff 89, 449
- Diagenetic Alteration of Silica Ash in Searles Lake, California**, by R. L. Hay and S. G. Guldman 449
- Dickite  
 in hydrothermal kaolin 321
- Differential thermal analysis (DTA)  
 chrysotile 43  
 corrensite 150  
 dehydroxylation of goethite 297  
 kaolin, hydrothermal, different particle sizes 321  
 kaolin, sedimentary, different particle sizes 321  
 pseudoboehmite 43
- Differential thermogravimetric analysis (DTGA) (see Thermal gravimetric analysis)
- Differential X-ray powder diffraction (DXRD)  
 ferrihydrite 297  
 goethite 297  
 iron oxide identification 297
- Diffuse-reflectance infrared Fourier transform spectroscopy (see Infrared spectroscopy)
- Diffusion  
 coefficients for sorption of alcohols on montmorillonite 336  
 coefficients for sorption of cyclic ethers on montmorillonite 343
- Dimethylselenoxide (DMSeO)  
 intercalate with kaolinite, NMR, IR, XRD 208  
 intercalate with kaolinite, unit-cell dimensions, bond lengths, orientation of organic molecule 208
- Dimethylsulfoxide (DMSO)  
 intercalate with kaolinite, NMR, IR, XRD 208  
 intercalate with kaolinite, unit-cell dimensions, bond lengths, orientation of organic molecule 208
- Dispersion  
 flocculation-, of kaolinite, montmorillonite, effect of oxides on 220

- flocculation-, of kaolinite, montmorillonite, effect of pH on 220
- swelling, difference between 305
- Dissolution**
- goethite, effect of Al substitution 297, 347
- goethite, photochemical effects of oxalate concentration, pH, surface area 347
- kinetics, lepidocrocite, goethite 347
- mechanism, reduced Fe in goethite 347
- photochemical, goethite in acid/oxalate solutions 347
- Distribution and Chemistry of Diagenetic Minerals at Yucca Mountain, Nye County, Nevada**, by D. E. Broxton, D. L. Bish, and R. G. Warren 89
- DIXON, J. B. (with D. C. GOLDEN and C. C. CHEN), Transformation of Birnessite to Buserite, Todorokite, and Manganite under Mild Hydrothermal Treatment 271
- DIXON, J. B. (with D. W. MING), Quantitative Determination of Clinoptilolite in Soils by a Cation-Exchange Capacity Method 463
- DIXON, J. B. (with D. W. MING), Technique for the Separation of Clinoptilolite from Soils 469
- DIXON, J. B. (with A. L. SENKAYI, D. W. MING, and L. R. HOSSNER), Kaolinite, Opal-CT, and Clinoptilolite in Altered Tuffs Interbedded with Lignite in the Jackson Group, Texas 281
- DMSeO (see Dimethylselenoxide)
- DMSO (see Dimethylsulfoxide)
- Dodecylammonium
- exchanged montmorillonite, basal spacings 232
- Domain**
- segregation of, in Ni-Fe-Mg-smectites from weathered pyroxenite 1
- Domain Segregation in Ni-Fe-Mg-Smectites**, by A. Decarreau, F. Colin, A. Herbillon, A. Manceau, D. Nahon, H. Paquet, D. Trauth-Badaud, and J. J. Trescases 1
- DOUGLAS, L. A. (with P. M. MALLA), Problems in Identification of Montmorillonite and Beidellite 232
- DRITS, V. A. (with L. G. DAYNYAK), Interpretation of Mössbauer Spectra of Nontronite, Celadonite, and Glauconite 363
- DRITS, V. A. (with T. N. SOKOLOVA, G. V. SOKOLOVA, and V. I. CHERKASHIN), New Members of the Hydrotalcite-Manasseite Group 401
- DTA (see Differential thermal analysis)
- DTGA (see Differential thermal gravimetric analysis)
- DXRD (see Differential X-ray powder diffraction)
- E**
- ECE, O. I., Petrology of the Desmoinesian Excello Shale of the Midcontinent Region of the United States 262
- EDX (see Energy-dispersive X-ray analysis)
- Effect of Exchangeable Potassium on the Hydraulic Conductivity of Smectite-Sand Mixtures**, by I. Shainberg, R. Keren, N. Alperovitch, and D. Goldstein 305
- Effect of Manganese on the Transformation of Ferrihydrite into Goethite and Jacobsite in Alkaline Media**, by R. M. Cornell and R. Giovanoli 11
- Effect of Saturating Cation, pH, and Aluminum and Iron Oxide on the Flocculation of Kaolinite and Montmorillonite**, by Sabine Goldberg and R. A. Glaubig 220
- Effect of Silicate Species on the Transformation of Ferrihydrite into Goethite and Hematite in Alkaline Media**, by R. M. Cornell, R. Giovanoli, and P. W. Schindler 21
- EG (see Ethylene glycol)
- EGGLETON, R. A., Noncrystalline Fe-Si-Al-Oxyhydroxides 29
- EGGLETON, R. A. (with CHRIS FOUDOULIS and DANE VARKEVISSER), Weathering of Basalt: Changes in Rock Chemistry and Mineralogy 161
- EGGLETON, R. A. (with K. L. SMITH and A. R. MILNES), Weathering of Basalt: Formation of Iddingsite 418
- EGME (see Ethylene glycol monoethylether)
- Electric field gradient**
- use of, in computer simulation of Mössbauer spectra 363
- Electron diffraction** (see also Selected-area electron diffraction)
- birnessite, saturated with Ca, Ni, Mg, Co, La, Na 271
- chlorite, authigenic in Gulf Coast sediments 291
- Electron microprobe analysis**
- analcime, in altered tuff 89
- chrysotile, authigenic in debris flow, for Al, Fe, Mg 43
- clinocllore, ferroan 129
- clinoptilolite 89, 281
- clinoptilolite in lignite 281
- feldspar, authigenic, in altered tuff 89
- iddingsite, Al, Fe, Mg composition 418
- illite/smectite, hydrothermal, in altered volcanic glass 111
- lizardite, Al, Fe, Mg composition 43
- marcasite, in fossilized plant root, in lignite 281
- olivine, Al, Fe, Mg composition 418
- opal-CT in lignite, 281
- pseudoboehmite 43
- pyrite, in lignite 281
- smectite clay from weathered pyroxenite 1
- vermiculite: anilinium intercalate 177
- vermiculite, Llano 177
- volcanic glass 89
- Element mobilization**
- as related to density in weathered basalt 161
- Energy-dispersive X-ray analysis (EDX)



- bentonite, smectite 241  
 berthierine 241  
 chlorite 241, 291  
 clinoptilolite 281  
 iddingsite, in weathered olivine 418  
 illite 241  
 kaolinite, authigenic 291  
 marcasite 281  
 natroalunite 196  
 opal-CT 181
- ESSENE, E. J. (with Y.-C. YAU, D. R. PEACOR, J. H. LEE, L.-C. KUO, and M. A. COSCA), Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals 241
- Ethylene glycol monoethyl ether (EGME)  
 in micropores of expandable palygorskite 473  
 in montmorillonite, molecular conformation, orientation in interlayer region, surface area 60  
 -montmorillonite complex, ATR, IR 60
- Expandable layers  
 of palygorskite, EGME positions in micropores 473  
 percentage in illite/smectite as function of fixed K 111
- Expandable Palygorskite from the Cretaceous-Tertiary Boundary, Mangyshlak Peninsula, U.S.S.R.**, by J. D. Jeffers and R. C. Reynolds, Jr. 473
- Extended X-ray absorption fine-structure spectroscopy (EXAFS)  
 Ni-talc, from weathered pyroxenite 1  
 nontronite, from weathered pyroxenite 1  
 smectite, from weathered pyroxenite 1  
 structural positions of ions in phyllosilicates by 1
- F
- Fabric (see also Texture)  
 book review, *Clay Microstructure*, by R. H. Bennett and M. H. Hulbert 400  
 tactoid, particle arrangement in vertisol clay suspensions 311
- Feldspar (see also individual minerals)  
 in altered tuffs, electron microprobe analysis 89
- Ferrihydrite  
 in lake sediments, DXRD, Mössbauer spectroscopy 297  
 Mn-containing, synthesis 11  
 Mn-containing, transformation to Mn-goethite, jacobsonite, Mn-hematite, phyllo-manganate 11  
 noncrystalline Fe-Si-Al oxyhydroxides, chemical analysis, TEM, morphology 29  
 transformation to goethite, hematite, effect of silicate species in solution 21
- Ferromagnetic coupling  
 associated with intervalence electron transfer, mechanism 373
- Fiber  
 chrysotile, authigenic, formation in debris flows 43  
 chrysotile, authigenic, DTA, IR, TEM, XRD, electron microprobe analysis 43  
 imogolite, morphology by TEM 379
- FLETCHER, R. A. (with D. M. BIBBY), Synthesis of Kenyaite and Magadiite in the Presence of Various Anions 318
- Flocculation  
 critical coagulation concentration 220  
 dispersion of noncrystalline Al, Fe oxides, kaolinite, montmorillonite, effect of pH 220  
 kaolinite, effect of cation, pH, Al, Fe oxides 220  
 montmorillonite, effect of cation, pH, Al, Fe oxides 220
- Fluorapatite (see Apatite)
- Fluorhectorite (see Hectorite)
- FLYNN, J. J. (with C. BREEN and A. T. DEANE), Vapor-Phase Sorption Kinetics for Tetrahydrofuran, Tetrahydropan, and 1,4-Dioxan by Al<sup>3+</sup>- and Cr<sup>3+</sup>-Exchanged Montmorillonite 343
- FLYNN, J. J. (with C. BREEN, A. T. DEANE, and D. REYNOLDS), Vapor-Phase Sorption Kinetics for Methanol, Propan-2-ol, and 2-Methylpropan-2-ol on Al<sup>3+</sup>-, Cr<sup>3+</sup>-, and Fe<sup>3+</sup>-Exchanged Montmorillonite 336
- FOORD, E. E. (with H. C. STARKEY, J. E. TAGGERT, JR., and D. R. SHAW), Reassessment of the Vokonskoite-Chromian Smectite Nomenclature Problem 139
- FOUDOULIS, CHRIS (with R. A. EGGLETON and DANE VARKEVISSER), Weathering of Basalt: Changes in Rock Chemistry and Mineralogy 161
- Fourier analysis  
 corrensite, one-dimensional 150  
 difference, vermiculite-anilinium intercalate 177
- Fourier-Transform Infrared Study of Ethylene Glycol Monoethyl Ether Adsorbed on Montmorillonite: Implications for Surface Area Measurements of Clays**, by T. T. Nguyen, M. Raupach, and L. J. Janik 60
- FRIPIAT, J. J. (with D. PLEE and L. GATINEAU), Pillaring Processes of Smectites With and Without Tetrahedral Substitution 81
- FRIPIAT, J. J. (with A. SCHUTZ, W. E. E. STONE, and G. PONCELOT), Preparation and Characterization of Bidimensional Zeolitic Structures Obtained from Synthetic Beidellite and Hydroxy-Aluminum Solutions 251
- Fundamental Nature of Illite/Smectite Mixed-Layer Clay Particles, The: A Comment on Papers by P. H. Nadeau and Coworkers**, by I. D. R. Mackinnon 74
- Fundamental Nature of Interstratified Illite/Smectite Clay Particles, The: A Reply**, by P. H. Nadeau, M. J. Wilson, W. J. McHardy, and J. M. Tait 77

## Fundamental particles

illite/smectite, interpretation of, XRD, TEM 74, 77

**Further Consideration of the  $^{29}\text{Si}$  Nuclear Magnetic Resonance Spectrum of Kaolinite**, by J. G. Thompson and P. F. Barron 38

FURUKAWA, YUKIO (with YUKO SOMA, MITSUYUKI SOMA, and ISSEI HARADA), Reactions of Thiophene and Methylthiophenes in the Interlayer of Transition-Metal Ion-Exchanged Montmorillonite Studied by Resonance Raman Spectroscopy 53

## G

## Gaines-Thomas selectivity coefficient

Na-K-Ca exchange on smectite 68

## Gapon selectivity coefficient

effect of exchangeable K on hydraulic conductivity of smectite-sand mixtures 305

Na-K-Ca exchange on smectite 68

GATINEAU, L. (with D. PLEE and J. J. FRIPIAT), Pillaring Processes of Smectites With and Without Tetrahedral Substitution 81

## Gels

Fe-Si-Al oxyhydroxide, noncrystalline, morphology, TEM, chemical analysis 29

## Gibbsite

associated with imogolite synthesis 379  
morphology, TEM 379

GIOVANOLI, R. (with R. M. CORNELL), Effect of Manganese on the Transformation of Ferrihydrite into Goethite and Jacobsite in Alkaline Media 11

GIOVANOLI, R. (with R. M. CORNELL and P. W. SCHINDLER), Effect of Silicate Species on the Transformation of Ferrihydrite into Goethite and Hematite in Alkaline Media 21

## Glass (see also Volcanic ash)

basaltic, hydrothermal alteration to smectite 241  
limburgitic, noncrystalline Fe-Si-Al oxyhydroxides in, chemical analysis 29

GLAUBIG, R. A. (with SABINE GOLDBERG), Effect of Saturating Cation, pH, and Aluminum and Iron Oxide on the Flocculation of Kaolinite and Montmorillonite 220

## Glauconite

Fiji, Francosia, composition 170  
iron substitution in 170  
Mössbauer spectroscopy 170, 363  
Mössbauer spectroscopy, computer simulation of 363  
structural formula 363

## Goethite

crystallinity, effect of silica on 21  
formation from ferrihydrite, effect of silicate species in solution 21  
in lake sediments, Al-substitution, iron content, dissolution rate, IR, DTA, Mössbauer

spectroscopy 297

in lake sediments, DXRD, unit-cell parameters 297

in weathered basalt 161

in weathered olivine, TEM, AEM, oxidation of iron, SEM, morphology 418

Mn-containing, from Mn-ferrihydrite, XRD, TEM 11

photochemical dissolution, effects of oxalate concentration, pH, Al substitution, surface area 347

synthetic, formed from ferrihydrite, TEM, SEM 21

TEM 11, 21

GOLDBERG, SABINE (with R. A. GLAUBIG), Effect of Saturating Cation, pH, and Aluminum and Iron Oxide on the Flocculation of Kaolinite and Montmorillonite 220

GOLDEN, D. C. (with C. C. CHEN and J. B. DIXON), Transformation of Birnessite to Buserite, Todrookite, and Manganite under Mild Hydrothermal Treatment 271

GOLDSTEIN, D. (with I. SHAINBERG, R. KEREN, and N. ALPEROVITCH), Effect of Exchangeable Potassium on the Hydraulic Conductivity of Smectite-Sand Mixtures 305

## Greene-Kelly test

identification of montmorillonite and beidellite, problems 232

GOLDMAN, S. G. (with R. L. HAY), Diagenetic Alteration of Silica Ash in Searles Lake, California 449

GÜVEN, NECIP (with D. V. CHITALE), Natroalunite in a Laterite Profile over Deccan Trap Basalts at Matanumad, Kutch, India 196

## H

## Halloysite

in hydrothermal kaolin deposit, morphology, SEM, XRD 321

in weathered basalt 161

in weathered cordierite, TEM 29

in weathered olivine, SEM, TEM, AEM, morphology 418

HARADA, ISSEI (with YUKO SOMA, MITSUYUKI SOMA, and YUKIO FURUKAWA), Reactions of Thiophene and Methylthiophenes in the Interlayer of Transition-Metal Ion-Exchanged Montmorillonite Studied by Resonance Raman Spectroscopy 53

HAY, R. L. (with S. G. GOLDMAN), Diagenetic Alteration of Silica Ash in Searles Lake, California 449

## Heavy liquid separation

clinoptilolite in soils 469

## Hectorite

cross-linked, exchange with hydroxy-SiAl, synthesis, basal spacings, surface area, structure, thermal stability 429

- SHCa-1, alkylammonium exchanged, CEC reduction, Li-retention 440
- SHCa-1, structural formula, basal spacings, layer charge 440
- structural formula 429
- synthesis 429
- Hematite**
- ellipsoidal, TEM 21
- Mn-containing, synthesis from Mn-ferrihydrite, TEM 11
- synthetic, from ferrihydrite, effect of silicate species in solution 21
- Herbicide**
- quinoline adsorption on montmorillonite 121
- HERBILLON, A.** (with A. DECARREAU, F. COLIN, A. MANCEAU, D. NAHON, H. PAQUET, D. TRAUTH-BADAUD, and J. J. TRESCASES), Domain Segregation in Ni-Fe-Mg-Smectites 1
- Heulandite**
- in altered tuff 89
- Hexylammonium**
- exchanged montmorillonite, basal spacing 232
- High-pressure liquid chromatography (HPLC)**
- resolution of amino acid optical isomers using montmorillonite-Cu-l-lysine complex 391
- High-resolution transmission electron microscopy (HRTEM)**
- noncrystalline Fe-Si-Al oxyhydroxides, morphology 29
- todorokite, natural, Montenegro Mine, Cuba 271
- Hisingerite**
- chemical analysis, TEM, morphology 29
- Hofmann-Klemen effect**
- reduction of octahedral layer charge, Li retention in smectite 440
- Hollandite**
- space group, structural formula, unit-cell parameters 271
- HOLTZAPFFEL, THIERRY** (with MICHEL STEINBERG and MICHEL RAUTUREAU), Characterization of Overgrowth Structures Formed around Individual Clay Particles during Early Diagenesis 189
- HOSSNER, L. R.** (with A. L. SENKAYI, D. W. MING, and J. B. DIXON), Kaolinite, Opal-CT, and Clinoptilolite in Altered Tuffs Interbedded with Lignite in the Jackson Group, Texas 281
- HPLC** (see High-pressure liquid chromatography)
- HRTEM** (see High-resolution transmission electron microscopy)
- HULBERT, M. H.**, Sodium, Calcium, and Ammonium Exchange on Clinoptilolite from the Fort LaCledé Deposit, Sweetwater County, Wyoming 458
- Hydraulic conductivity**
- charge density, effects of 305
- Hydrazine**
- adsorbed on kaolinite, XRD, NMR 38
- smectite-sand mixtures, effect of salinity, exchangeable Na, K 305
- Hydrogen**
- bonding in kaolinite, NMR, effects of stacking faults 38
- position in kaolinite 237
- ...Si distances in kaolinite 38
- Hydrotalcite**
- CO<sub>3</sub>-, XRD, density, unit-cell parameters, structural formula, SEM, nomenclature 401
- CO<sub>3</sub>-SO<sub>4</sub>-, unit-cell parameters, nomenclature 401
- manasseite group, nomenclature, SEM 401
- SO<sub>4</sub>-, XRD, density, unit-cell parameters, structural formula, SEM, nomenclature, structure 401
- Hydrothermal**
- alteration, birnessite, transformation to busserite, todorokite, manganite 271
- alteration, corrensite, formation from phlogopite 150
- alteration, illite/berthierine, formation from illite 241
- alteration, illite/chlorite, formation from basalt and bentonite, TEM 241
- alteration, illite/smectite, formation from basalt 241
- alteration, stability of smectite, illite 241
- alteration, wairakite, formation from basalt and bentonite 241
- Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals**, by Y.-C. Yau, D. R. Peacor, E. J. Essene, J. H. Lee, L.-C. Kuo, and M. A. Cosca 241
- Hydroxides**
- Al, Fe, noncrystalline 228
- Hydroxy-Al**
- beidellite, pillared with, IR, NMR, basal spacings, surface area, CEC, acid sites 251
- pillaring of smectites 81, 251
- silico-, oligocations in cross-linked smectites, synthesis, structure, thermal stability 429
- structure 251
- Hydroxyl**
- interatomic distances, angles in clinochlore 129

## I

- Iddingsite**
- olivine, weathering of, petrography, chemical composition, SEM, TEM, EDX, AEM 418
- Identification**
- chlorite, kaolinite, use of back-scattered electron images, EDX, crystal morphology 291
- iron oxides, use of DXRD 297

- montmorillonite and beidellite, problems with the Greene-Kelly test 232
- Illite**
- beidellite overgrowths on, during early diagenesis, TEM, EDX, XRD 189
  - berthierine, hydrothermal alteration of basalt, bentonite to, TEM, EDX 241
  - /chlorite, hydrothermal alteration of basalt, bentonite to, TEM, EDX 241
  - distribution Excello black shale 262
  - hydrothermal alteration 124
  - iron substitution in 170
  - mechanism of formation 111
  - Mössbauer spectra 170
  - stability under hydrothermal conditions 241
- Illite/smectite**
- by hydrothermal alteration of basalt 241
  - errors associated with particle thickness determination by TEM 74, 77
  - fundamental particles 74, 77
  - in hydrothermal kaolin, morphology, SEM, XRD 321
  - in hydrothermally altered volcanic glass, TEM, XRD, AEM, chemical composition 111
  - source of iron for chlorite authigenesis, Gulf Coast sediments 291
  - underclays in Pennsylvanian Excello black shale sequence 262
- Imogolite**
- fibrous morphology, TEM, IR 379
  - synthesis 379
- Imogolite Synthesis at 25°C**, by Shin-ichiro Wada 379
- Influence of Relative Humidity on the Reaction Products of Phosphates and Noncrystalline Hydroxides of Aluminum and Iron**, by M. Nanzyo 228
- Infrared spectroscopy (IR)**
- beidellite, hydroxy-Al pillared 251
  - birnessite, saturated with Ca, Mg, Co, Ni 271
  - celadonite 363
  - chrysotile, authigenic 43
  - corrensite 150
  - diffuse-reflectance, of phosphates 228
  - EGME 60
  - EGME-montmorillonite complex, ATR, transmission IR, diffuse-reflectance IR-Fourier transform spectroscopy 60
  - goethite, in lake sediments 297
  - hydroxy-Al pillared beidellite 251
  - imogolite, synthetic, natural 379
  - kaolin, hydrothermal, different particle sizes 321
  - kaolin, sedimentary, different particle sizes 321
  - kaolinite 203, 321
  - kaolinite: DMSO intercalate 208
  - kaolinite: DMSeO intercalate 208
  - pseudoboehmite 43
  - smectite, function of dehydroxylation, dehydration, 1
  - thiophenes adsorbed on Cu,Fe-montmorillonite 53
  - todorokite, natural 271
- INOUE, ATSUYUKI** (with NORIHIKO KOHYAMA, RYUJI KITAWAGA, and TAKASHI WATANABE), Chemical and Morphological Evidence for the Conversion of Smectite to Illite 111
- Interatomic distances**
- clinochlore, ferroan, hydroxyls in 129
  - interlayer atoms, surface oxygen in kaolinite: DMSO intercalate 208
  - interlayer atoms, surface oxygen in kaolinite: DMSeO intercalate 208
  - vermiculite, silicate-layer atoms 177
- Intercalation**
- Al-polyhydroxypolymers with smectites 81
  - anilinium ions with vermiculite 177
  - beidellite, hydroxy-Al with 251
  - benzidine, with vermiculite 203
  - DMSO, DMSeO with kaolinite 208
  - kaolinite: hydrazine, induced-stacking faults, XRD, NMR 38
- Interlayer**
- cation, effect on flocculation of kaolinite, montmorillonite 220
  - cation, effect of basal spacing, layer stacking of vermiculite and saponite 353
  - EGME, configuration in montmorillonite 60
  - hydrotalcite, carbonate, sulfate in 401
  - manasseite, carbonate in 401
  - octahedra, structure in ferroan clinochlore 129
  - thiophenes, polymerization in Cu,Fe-montmorillonite, IR, Raman spectroscopy 53
  - water, in vermiculite: anilinium intercalate 177
- International Clay Conference**
- Denver 1985, proceedings, publication of 160
- Interpretation of Mössbauer Spectra of Nontronite, Celadonite, and Glauconite**, by L. G. Daynyak and V. A. Drits 363
- Interstratification**
- CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite, unit-cell parameters, basal spacings, XRD 401
  - corrensite, XRD, DTA, TGA, SEM, electron microprobe analysis, structural formula, IR 150
  - determination of, by XRD 111
  - illite/berthierine, by hydrothermally alteration of illite, TEM, EDX 241
  - illite/chlorite, by hydrothermal alteration of basalt and bentonite, TEM 241
  - illite/smectite determination by TEM, XRD 74, 77
  - illite/smectite, by hydrothermal alteration of basalt 241
  - illite/smectite in hydrothermal alteration zones 111

- illite/smectite, nature of fundamental particles of 74, 77
- smectite/chlorite, by hydrothermal alteration of phlogopite 150
- Intervalence Electron Transfer and Magnetic Exchange in Reduced Nontronite**, by P. R. Lear and J. W. Stucki 373
- Intervalence electron transfer
- ferromagnetic coupling mechanism 373
- iron in nontronite, UV-visible spectroscopy 373
- IR (see Infrared spectroscopy)
- Iron
- distribution in phyllosilicates 170
- distribution in vermiculite 203
- extractable, effects on clay tactoid volume, optical density of vertisol clay suspensions 311
- ferrihydrite, lake sediments, DXRD, Mössbauer spectroscopy 297
- ferromagnetic coupling mechanism 373
- goethite, Al-substituted, lake sediments, DXRD, Mössbauer spectroscopy, unit-cell parameters, DTA 297
- hydroxide, noncrystalline, reaction with phosphates, effect of RH 228
- montmorillonite, alcohol adsorption rates, basal spacings 336
- montmorillonite, polymerization of thiophene in interlayer region 53
- Mössbauer spectroscopy 170, 203, 297, 363
- nontronite, reduced, magnetic susceptibility, Curie constant, Curie-Weiss temperature, UV-VIS spectroscopy 373
- octahedral distribution in nontronite, celadonite, glauconite 363
- oxidation during weathering of olivine, formation of goethite 418
- oxidation state, effect on intervalence electron transfer of nontronite 373
- oxide, effect on flocculation of kaolinite, montmorillonite 220
- oxide, lake sediments, chemical composition, DXRD, Mössbauer spectroscopy, unit-cell parameters, volume, particle size, DTA 297
- oxyhydroxide, dissolution rates, effects of surface area, pH, oxalate concentration, Al substitution 347
- reduced, mechanism of dissolution in oxalate solution 347
- rich beidellite in vertisols, structural formula, sediment volume, optical density, UV adsorption 311
- rich chlorite, TEM, EDX, electron diffraction, back-scattered electron image 291
- Si-Al oxyhydroxides, noncrystalline, chemical analysis, TEM, morphology 29
- sources, for authigenic chlorite in Gulf Coast sediments 291
- substitution in montmorillonite, illite, glauconite 170
- Iron Substitution in Montmorillonite, Illite, and Glauconite by <sup>57</sup>Fe Mössbauer Spectroscopy**, by J. H. Johnston and C. M. Cardile 170
- Isomers (see also Optically active ligands)
- optical, amino acid, adsorption on montmorillonite-Cu-l-lysine complex 391
- resolution by HPLC 391
- Isotherm
- adsorption, quinoline on Na-montmorillonite 121
- J
- Jacobsite
- Mn-containing, from Mn-ferrihydrite, synthesis, TEM, XRD 11
- JANIK, L. J. (with T. T. NGUYEN and M. RAUPACH), Fourier-Transform Infrared Study of Ethylene Glycol Monoethyl Ether Adsorbed on Montmorillonite: Implications for Surface Area Measurements of Clays 60
- JAYNES, W. F. (with J. M. BIGHAM), Charge Reduction, Octahedral Charge, and Lithium Retention in Heated, Li-Saturated Smectites 440
- JEFFERS, J. D. (with R. C. REYNOLDS, JR.), Expandable Palygorskite from the Cretaceous-Tertiary Boundary, Mangyshlak Peninsula, U.S.S.R. 473
- JOHNSTON, J. H. (with C. M. CARDILE), Iron Substitution in Montmorillonite, Illite, and Glauconite by <sup>57</sup>Fe Mössbauer Spectroscopy 170
- K
- K-feldspar
- alteration of volcanic ash to 449
- K-fixation
- in illite/smectite, effect on expandable layers 111
- Kaolin (see also Kaolinite)
- alunite in 321
- dickite in 321
- halloysite in, morphology, SEM 321
- hydrothermal, SEM, XRD, IR, DTA, semiquantitative mineralogy 321
- illite/smectite in, morphology, SEM 321
- kaolinite crystal in, morphology, different particle sizes 321
- mineralogy, semiquantitative 321
- sedimentary, SEM, XRD, IR, DTA 321
- thermal analysis 429
- Kaolinite (see also Kaolin)
- altered volcanic tuff, XRD, petrology 281
- authigenic, Gulf Coast sediments, replacement by chlorite 291
- bond lengths, angles 33
- chemical composition 38
- critical coagulation concentration 220
- crystal structure 237



- crystallinity 321  
 distribution, Excello black shale 262  
 : DMS<sub>2</sub>O intercalate, XRD, IR, NMR, unit-cell dimensions, synthesis, structure 203  
 : DMSO intercalate, XRD, IR, NMR, unit-cell dimensions, synthesis, structure 203  
 flocculation-dispersion behavior, effect of pH, cation, Al, Fe oxides 220  
 hydrazine-treated, XRD, NMR 38  
 hydrogen bonding in 38  
 hydrothermal, sedimentary, XRD, SEM 321  
 in saprolites 196  
 intercalate with DMSO, DMS<sub>2</sub>O 208  
 morphology 291, 321  
 NMR 38  
 position of hydrogen in 237  
 replacement of, by natroalunite, SEM 196  
 SAD 237  
 SEM, morphology 196, 321  
 stacking faults, NMR, XRD 38  
 XRD 38, 281, 321
- Kaolinite, Opal-CT, and Clinoptilolite in Altered Tuffs Interbedded with Lignite in the Jackson Group, Texas**, by A. L. Senkay, D. W. Ming, J. B. Dixon, and L. R. Hossner 281
- KELLER, W. D. (with GIANNI LOMBARDI and J. D. RUSSELL), Composition and Structural Variations in the Size Fractions of a Sedimentary and a Hydrothermal Kaolin 321
- KELSEY, P. I. (with D. CRAW and C. A. LANDIS), Authigenic Chrysotile Formation in the Matrix of Quaternary Debris Flows, Northern Southland, New Zealand 43
- Kenyaite  
 chemical composition, XRD 318  
 conversion to quartz 318  
 -magadiite stability field diagram 318  
 synthesis, effect of anions 318
- KEREN, R. (with I. SHAINBERG and N. I. ALPEROVITCH), Charge Density and Na-K-Ca Exchange on Smectites 68
- KEREN, R. (with I. SHAINBERG, N. ALPEROVITCH, and D. GOLDSTEIN), Effect of Exchangeable Potassium on the Hydraulic Conductivity of Smectite-Sand Mixtures 305
- Kinetics  
 goethite, photochemical dissolution, effects of pH, oxalate concentration, Al-substitution, surface area 347  
 lepidocrocite, dissolution 347  
 rate of alcohol sorption on montmorillonite, effects of temperature, particle size, interlayer cation 336  
 sorption of cyclic ethers on montmorillonite, effects of cation 343
- KITAWAGA, RYUJI (with ATSUYUKI INOUE, NORIHIKO KOHYAMA, and TAKASHI WATANABE), Chemical and Morphological Evidence for the Conversion of Smectite to Illite 111
- KODAMA, H. (with C. R. DE KIMPE, N. MILES, and J. DEJOU), Alteration of Phlogopite to Corrensite at Sharbot Lake, Ontario 150
- KOHYAMA, NORIHIKO (with ATSUYUKI INOUE, RYUJI KITAWAGA, and TAKASHI WATANABE), Chemical and Morphological Evidence for the Conversion of Smectite to Illite 111
- KOMARNENI, SRIDHAR (with ELSE BREVAL, MICHIO MIYAKE, and RUSTUM ROY), Cation-Exchange Properties of (Al + Na)-Substituted Synthetic Tobermorites 385
- KRINSLEY, D. H. (with J. H. BURTON and K. PYE), Authigenesis of Kaolinite and Chlorite in Texas Gulf Coast Sediments 291
- KUO, L.-C. (with Y.-C. YAU, D. R. PEACOR, E. J. ESSENE, J. H. LEE, and M. A. COSCA), Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals 241
- L
- LANDIS, C. A. (with D. CRAW and P. I. KELSEY), Authigenic Chrysotile Formation in the Matrix of Quaternary Debris Flows, Northern Southland, New Zealand 43
- Laterite  
 formed from pyroxenite, phyllosilicates in 1  
 mineral distribution in 1, 196  
 natroalunite in, replacement of, by kaolinite 196  
 natroalunite in, SEM, EDX, chemical composition 196  
 profiles above weathered basalt 196
- Layer charge  
 beidellite 232, 440  
 effect on interlayer space structure, layer stacking 353  
 montmorillonite 232, 440  
 nontronite 232, 440  
 octahedral, reduction in smectites by Li-uptake, Hofmann-Klemen effect 440  
 saponite, effect on layer stacking 353  
 vermiculite, effect on layer stacking 353
- Layer stacking  
 saponite, effects of interlayer cation, RH 353  
 vermiculite, effects of interlayer cation, RH, layer charge 353
- LEAR, P. R. (with J. W. STUCKI), Intervalence Electron Transfer and Magnetic Exchange in Reduced Nontronite 373
- LEE, J. H. (with Y.-C. YAU, D. R. PEACOR, E. J. ESSENE, L.-C. KUO, and M. A. COSCA), Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals 241



- Lepidocrocite  
dissolution, rate 347
- Lignite  
fossilized plant roots in, SEM, electron microprobe analysis 281  
stratigraphy, interbedded with volcanic tuff 281
- Limburgite glass  
noncrystalline Fe-Si-Al oxyhydroxides in, chemical analysis 29
- Limestone  
concretions in Excello black shale 262
- Lithium  
retention by smectites, Hofmann-Klemen effect, octahedral layer charge, CEC reduction 440  
saturation of smectite in the Greene-Kelly test, swelling 232, 440
- Lizardite  
Al-Fe-Mg composition, electron microprobe analysis 43  
replacement by chrysotile, petrography 43  
XRD 43
- Llano vermiculite  
CMS source clay VTx-1 177, 440  
electron microprobe analysis 177
- LOMBARDI, GIANNI (with J. D. RUSSELL and W. D. KELLER), Composition and Structural Variations in the Size Fractions of a Sedimentary and a Hydrothermal Kaolin 321
- M
- MACKINNON, I. D. R., Fundamental Nature of Illite/Smectite Mixed-Layer Clay Particles, The: A Comment on Papers by P. H. Nadeau and Co-workers 74
- Magadiite  
-kenyaite, stability field diagram 318  
synthesis, effect of anions 318  
XRD 318
- Magnetic susceptibility  
nontronite, unaltered and reduced, Curie-Weiss temperatures, Curie constants 373
- MALLA, P. M. (with L. A. DOUGLAS), Problems in Identification of Montmorillonite and Beidellite 232
- Manasseite  
CO<sub>3</sub><sup>-</sup>, XRD, unit-cell parameters, chemical composition, structure, nomenclature 401  
chemical composition, XRD, density, structural formula, unit-cell parameters 401  
-hydrotalcite group, SEM, nomenclature 401
- MANCEAU, A. (with A. DECARREAU, F. COLIN, A. HERBILLON, D. NAHON, H. PAQUET, D. TRAUTH-BADAUD, and J. J. TRESQUES), Domain Segregation in Ni-Fe-Mg-Smectites 1
- Manganese  
birnessite, chemical analysis, structural formula, synthesis 271  
birnessite, space group, formula, unit-cell parameters, electron diffraction, IR, XRD, TEM 271  
cryptomelane, space group, structural formula, unit-cell parameters 271  
effect on Mn on transformation of ferrihydrite to Mn-goethite, Mn-hematite, jacobsite 11  
ferrihydrite, Mn-, synthesis 11  
hollandite, space group, structural formula, unit-cell parameters 271  
manganite, space group, structural formula, unit-cell parameters 271  
7-Å manganite, space group, formula, unit-cell parameters, electron diffraction, IR, XRD, TEM 271  
7-Å manganite, chemical analysis, structural formula, synthesis 271  
synthesis of birnessite, 7-Å manganite 271  
synthesis of Mn-ferrihydrite 11  
todorokite, IR, chemical analysis, structural formula, space group, unit-cell parameters, HRTEM 271
- Manganite  
hydrothermal transformation of birnessite to 271  
7-Å (birnessite), space group, unit-cell parameters, SEM, TEM, IR, XRD, electron diffraction 271  
7-Å (birnessite), synthesis, chemical analysis, structural formula 271  
space group, structural formula, unit-cell parameters 271
- Marcasite  
EDX spectrum 281  
in fossilized root, interbedded lignite/altered tuff, SEM, electron microprobe 281
- MARTIN, R. T., book review, *Clay in Engineering Geology*, 2nd ed., by J. E. Gillott 477
- Mass transfer  
sorption of alcohols on montmorillonite, effects of particle size, temperature, cation 336
- McHARDY, W. J. (with P. H. NADEAU, M. J. WILSON, and J. M. TAIT), Fundamental Nature of Interstratified Illite/Smectite Clay Particles, The: A Reply 77
- Meeting announcement  
Euroclay '87 239  
24th annual meeting, The Clay Minerals Society 240
- Merlinoite  
in tuff, alteration of 449
- Micropores  
expandable palygorskite, sites in, EGME positions in 473
- MILES, N. (with C. R. DE KIMPE, H. KODAMA, and J. DEJOU), Alteration of Phlogopite to Corrensite at Sharbot Lake, Ontario 150
- MILNES, A. R. (with K. L. SMITH and R. A. EGGLETON),

- Weathering of Basalt: Formation of Iddingsite** 418
- Mineralogy**
- altered tuff, Jackson Group, Texas, XRD 281
  - black shale, clay distribution 262
  - diagenetic, Yucca Mountain tuffs 89
  - iron oxide, lake sediments, DXRD, chemical composition 297
  - kaolin, sedimentary, XRD 321
  - phosphate nodules, Excello black shale 262
  - semi-quantitative, XRD, hydrothermal kaolin 321
  - silicate, of altered volcanic ash 449
  - soils, quantitative determination of clinoptilolite in, CEC, Na<sup>+</sup>-tertbutyl-ammonium exchange 463
  - vertisols, clay in 311
  - vertisols, Fe-beidellite-rich 305
- MING, D. W. (with J. B. DIXON), Quantitative Determination of Clinoptilolite in Soils by a Cation-Exchange Capacity Method** 463
- MING, D. W. (with J. B. DIXON), Technique for the Separation of Clinoptilolite from Soils** 469
- MING, D. W. (with A. L. SENKAYI, J. B. DIXON, and L. R. HOSSNER), Kaolinite, Opal-CT, and Clinoptilolite in Altered Tuffs Interbedded with Lignite in the Jackson Group, Texas** 281
- MINGELGRIN, URI (with FAINA TSVETKOV), Optically Selective Adsorption of  $\alpha$ -Amino Acids on Montmorillonite-Cu-I-Lysine Complexes in High-Pressure Liquid Chromatography** 391
- Mixed-layering (see also Interstratification)**
- hydrotalcite-manasseite group, nomenclature, structural formulae 401
- MIYAKE, MICHIIRO (with SRIDHAR KOMARNENI, ELSE BREVAL, and RUSTUM ROY), Cation-Exchange Properties of (Al + Na)-Substituted Synthetic Tobermorites** 385
- Mössbauer spectroscopy**
- bendzidine-vermiculite intercalate 203
  - celadonite, computer simulation of 363
  - ferrihydrate, in lake sediments 297
  - glauconite 170, 363
  - glauconite, computer simulation of 363
  - goethite, in lake sediments 297
  - illite 170
  - iron oxides in lake sediments 297
  - montmorillonite 70
  - nonttronite, computer simulation of 363
  - smectite, Ni-Fe-Mg-containing, from weathered pyroxenite 1
  - vermiculite-benzidine intercalate 203
  - volkonskoite, chromian smectites 139
- Molecular configuration**
- EGME, liquid 60
  - EGME on montmorillonite, surface area 60
- Montmorillonite (see also Bentonite, Smectite)**
- adsorption of quinoline on 121
  - Al-, Cr-, cyclic ether adsorption rates, basal spacing 343
  - Al-, Cr-, Fe-, alcohol adsorption rates, basal spacing 336
  - basal spacing, alkylammonium exchanged 440
  - beidellite, overgrowths on, TEM, chemical analysis 189
  - CEC reduction, Li-retention 440
  - chemical composition 139
  - chromian, XRD, chemical composition 139
  - critical coagulation concentration 220
  - cross-linked, hydroxy-SiAl complex, basal spacings, chemical composition, surface area, synthesis, structural formula 429
  - Cu<sup>2+</sup>-Fe<sup>3+</sup>-, adsorption of thiophene and polymerization in the interlayer region, IR, Raman spectroscopy 53
  - Cu-l-lysine complex, use in HPLC to separate optical isomers of amino acids, basal spacing 391
  - differentiation from beidellite, Greene-Kelly test, alkylammonium exchange 232
  - EGME complex, IR, ATR, diffuse-reflectance IR-Fourier transform spectroscopy 60
  - flocculation-dispersion behavior, effect of cation, pH, Al, Fe oxides 220
  - hydroxy-Al pillared, XRD, basal spacings, surface area, porosity 81
  - identification, problems, Greene-Kelly test 232
  - iron substitution in 170
  - layer charge 440
  - Li-saturated, exchanged with alkyl-, hexyl-, dodecylammonium ions, basal spacings 232
  - Mössbauer spectra 170
  - pillared, hydroxy-SiAl complex 429
  - structural formula 440
- Mordenite**
- in altered tuffs, Yucca Mountain, Nevada 89
- Morphology**
- allophane, TEM 29
  - chrysotile, authigenic, fibers, TEM 43
  - clinoptilolite, coffin-shaped, altered volcanic tuff 281
  - epidermal cells of fossilized plant root 281
  - ferrihydrate, TEM 21
  - gibbsite, platy hexagonal, TEM 379
  - goethite, diamond, TEM 418
  - goethite, formed from ferrihydrate, pseudo hexagonal, rod-shaped, TEM 21
  - goethite, Mn-containing 11
  - goethite, TEM 11, 21, 418
  - halloysite, hemisphere, SEM 418
  - halloysite, SEM 321, 418
  - halloysite, spherical, TEM 29
  - hematite, ellipsoidal, formed from ferrihydrate, TEM 21

- hematite, Mn-containing, TEM 11  
 hisingerite, spherical, TEM 29  
 iddingsite, lamellar, TEM 418  
 illite/smectite, SEM 321  
 illite/smectite, TEM 111  
 imogolite, fibers 379  
 jacobsite, TEM 11  
 kaolinite, SEM 291, 321  
 kaolinite, vermicular, back-scattered electron image 291  
 noncrystalline Fe-Si-Al oxyhydroxides, spherical, TEM 29  
 opal-CT lepispheres, altered volcanic tuff 281  
 phosphate nodules, distribution in Excello black shale 262  
 pyrite, framboidal, back-scattered electron image 291  
 pyrite, octahedron, in lignite 281  
 tobermorite, TEM 385
- MURAD, ENVER, book review, *The Chemistry of Weathering*, edited by J. I. Drever 80
- MURAD, ENVER (with U. SCHWERTMANN and L. CARLSON), Properties of Iron Oxides in Two Finnish Lakes in Relation to the Environment of their Formation 297
- Muscovite  
 red, Sagn, Norway, structural formula 363

## N

- NADEAU, P. H. (with M. J. WILSON, W. J. MCHARDY, and J. M. TAIT), Fundamental Nature of Interstratified Illite/Smectite Clay Particles, The: A Reply 77
- NAHON, D. (with A. DECARREAU, F. COLIN, A. HERBILLON, A. MANCEAU, H. PAQUET, D. TRAUTH-BADAUD, and J. J. TRESCASES), Domain Segregation in Ni-Fe-Mg-Smectites 1
- NANZYO, M., Influence of Relative Humidity on the Reaction Products of Phosphates and Noncrystalline Hydroxides of Aluminum and Iron 228
- Natroalunite  
 replacement of kaolinite in laterite 196  
 XRD, unit-cell dimensions, EDX, structural formula, SEM 196
- Natroalunite in a Laterite Profile over Deccan Trap Basalts at Matanumad, Kutch, India**, by D. V. Chitale and Necip Güven 196
- Natrolite  
 in saprolite, SEM, chemical composition, EDX 196
- New Members of the Hydrotalcite-Manasseite Group**, by V. A. Drits, T. N. Sokolova, G. V. Sokolova, and V. I. Cherkashin 401
- NGUYEN, T. T. (with M. PAUPACH and L. J. JANIK), Fourier-Transform Infrared Study of Ethylene Glycol Monoethyl Ether Adsorbed on Montmorillonite: Implications for Surface Area Measurements of Clays 60
- Nickle  
 -talc, EXAFS 1  
 -smectites, domain segregation in 1
- NMR (see Nuclear magnetic resonance)
- Nodules  
 phosphate, diagenetic replacement of limestone 262  
 phosphate, formation of, in Excello black shale 262  
 phosphate, morphology 262
- Nomenclature  
 CO<sub>3</sub>-hydrotalcite 401  
 CO<sub>3</sub>-manasseite 401  
 CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite 401  
 hydrotalcite-manasseite group 401  
 montmorillonite, Cr- vs. volkonskoite 139  
 SO<sub>4</sub>-hydrotalcite 401  
 volkonskoite, problems with 139
- Noncrystalline  
 Al, Fe hydroxides, in preparation of Al phosphate 228  
 allophane, chemical analysis, TEM 29  
 cordierite, weathered, chemical analysis, TEM 29  
 Fe-Si-Al oxyhydroxides, morphology, chemical analysis, TEM 29  
 ferrihydrite, chemical analysis, TEM 29  
 hisingerite, chemical analysis, TEM 29  
 limburgite, chemical analysis 29  
 pisolite, lateritic, chemical analysis, TEM 29  
 plagioclase, weathered, TEM 29
- Noncrystalline Fe-Si-Al-Oxyhydroxides**, by R. A. Eggleton 29
- Nontronite  
 alkylammonium exchanged, basal spacing 232  
 atomic positions in unit-cell 363  
 CEC reduction, Li-retention 440  
 chromian, chemical composition 139  
 CMS source clay, NG-1 440  
 CMS source clay, SWa-1 373, 440  
 EXAFS 1  
 layer charge 232, 440  
 magnetic susceptibility, Curie constant, Curie-Weiss temperature, UV-VIS spectroscopy 373  
 Mg-, K-, Li-saturated, basal spacing 232  
 Mössbauer spectroscopy, computer simulation of, electric field gradient calculations 363  
 octahedron distribution of Fe in 363  
 structural formula 363, 373, 440
- Nuclear Magnetic Resonance, Infrared, and X-ray Powder Diffraction Study of Dimethylsulfoxide and Dimethylselenoxide Intercalates with Kaolinite**, by M. Raupach, P. F. Barron, and J. G. Thompson 208

- Nuclear magnetic resonance (NMR)  
 beidellite, H- 251  
 beidellite, hydroxy-Al pillared 81, 251  
 kaolinite:DMSeO intercalate 208  
 kaolinite:DMSO intercalate 208  
 kaolinite:hydrazine complex, with stacking faults 38  
 pillared smectites 81, 251
- Nuclear wastes  
 hydrothermal stability of smectite, illite, basalt, possible repository host materials 241  
 possible repository site, diagenetic mineral distribution, chemistry, Yucca Mountain, Nevada 89
- O
- Octahedral  
 cation positions in ferroan clinochlore, order-disorder 129  
 layer charge, reduction in smectites, Li-retention, Hofmann-Klemen effect 440
- Olivine  
 alteration to iddingsite, petrology, SEM, TEM 418  
 chemical composition, electron microprobe analysis, EDX, back-scattered electron image 418  
 iron oxidation, alteration to goethite 418
- 1, 4-Dioxan  
 adsorption on Al-, Cr-montmorillonite 343
- Opal  
 alteration of volcanic ash to 449  
 -CT, in fossilized root, interbedded lignite, altered tuff, EDX, SEM, electron microprobe 281  
 -CT, lepisphere morphology 281
- Open system  
 diagenesis of ash-flow tuffs, Yucca Mountain, Nevada 89
- Optical absorption spectroscopy  
 pimelite, in weathered pyroxenite 1  
 smectite, in weathered pyroxenite 1  
 stevensite, in weathered pyroxenite 1
- Optical Density of Vertisol Clay Suspensions in Relation to Sediment Volumes and Dithionite-Citrate-Bicarbonate-Extractable Iron**, by Eyal Bendor and Arieh Singer 311
- Optical density  
 vertisol clay suspensions. effects of sediment volume and extractable iron on 311
- Optically active ligands  
 amino acids, resolution by HPLC using Cu-l-lysine-montmorillonite 391
- Optically Selective Adsorption of  $\alpha$ -Amino Acids on Montmorillonite-Cu-l-Lysine Complexes in High-Pressure Liquid Chromatography**, by Faina Tsvetkov and Uri Mingelgrin 391
- Order-disorder  
 tetrahedral cations in clinochlore 129  
 trivalent octahedral cations in clinochlore 129
- Organic carbon  
 content, Excello black shale 262
- Overgrowths  
 on illite and smectite 189
- Oxalate  
 anion, effect on goethite dissolution kinetics 347  
 anion, speciation in solution, effect of pH 347
- Oxides  
 Al, Fe, effect of, on flocculation-dispersion behavior of clays 220
- Oxygen  
 -Si bond lengths in kaolinite 38
- P
- Palygorskite  
 expandable, XRD, structure, micropore site, EGME position in 473
- PAQUET, H. (with A. DECARREAU, F. COLIN, A. HERBILLON, A. MANCEAU, D. NAHON, D. TRAUTH-BADAUD, and J. J. TRESCASES), Domain Segregation in Ni-Fe-Mg-Smectites 1
- Parameters  
 octahedral, ferroan clinochlore 129  
 positional, kaolinite:DMSeO intercalate 208  
 positional, kaolinite:DMSO intercalate 208  
 positional, vermiculite:anilinium intercalate 177  
 tetrahedral, ferroan clinochlore 129  
 thermal, atoms in ferroan clinochlore 129
- Parameters Influencing Layer Structure Types in Saponite and Vermiculite: A Review**, by Helène Suquet and Henri Pézerat 353
- Particle size  
 distributions for Na<sup>+</sup>, Fe<sup>3+</sup>, Cr<sup>3+</sup>, and Al<sup>3+</sup>-montmorillonite 336  
 effect on alcohol adsorption on montmorillonite 336  
 effect on interlayer space structure of vermiculite and saponite 353  
 kaolin, effect on XRD crystallinity, SEM morphology, IR, DTA 321
- PEACOR, D. R. (with Y.-C. YAU, E. J. ESSENE, J. H. LEE, L.-C. KUO, and M. A. COSCA), Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals 241
- Percent transmittance  
 use of, in determination of critical coagulation concentration 220
- Permeability (see Hydraulic conductivity)
- Petrography  
 altered tuff, Jackson Group, kaolin, clinoptilolite, opal-CT in 281

- altered volcanic ash, smectite, clinoptilolite, analcime in 449
- basalt, weathered 161, 418
- black shale, textures, sedimentary structures 262
- chrysotile, authigenic, replacement of lizardite in debris flow 43
- clinoptilolite in altered tuff 89, 281
- iddingsite in weathered olivine 418
- Petrology of the Desmoinesian Excello Shale of the Midcontinent Region of the United States**, by O. I. Ece 262
- PÉZERAT, HENRI (with HELÈNE SUQUET), Parameters Influencing Layer Structure Types in Saponite and Vermiculite: A Review 353
- pH
- effect of quinoline adsorption on montmorillonite 121
- effect on flocculation-dispersion behavior of kaolinite, montmorillonite 220
- effect on goethite dissolution kinetics 347
- Phillipsite
- in altered tuff 449
- Phlogopite
- hydrothermal alteration to corrensite, XRTD, SEM, structural formula 150
- Phosphate
- Al, noncrystalline 228
- Ca, dihydrate 228
- Ca, monohydrate 228
- diffuse reflectance IR spectroscopy of 228
- Fe, noncrystalline 228
- fluorapatite, diagenetic formation in black shale 262
- Mg-, dihydrate, preparation 228
- nodule, in black shale, morphology 262
- noncrystalline Al- 228
- noncrystalline Fe- 228
- reactions with noncrystalline Al, Fe hydroxides, effect of RH 228
- Photochemical dissolution
- goethite, effects of oxalate concentration, pH, Al-substitution 347
- Photochemical Dissolution of Goethite in Acid/Oxalate Solution**, by R. M. Cornell and P. W. Schindler 347
- Phylломanganate
- 7-Å, from Mn-ferrihydrite, synthesis, XRD 11
- PILC (see Pillared interlayered complex)
- Pillared interlayered complex (PILC) (see also Cross-linked smectite)
- hydrox-Al on beidellite, XRD, basal spacings, surface area, porosity 81, 251
- hydroxy-Al on montmorillonite, XRD, basal spacings, surface area, porosity 81
- Pillaring
- as function of tetrahedral substitution 81
- mechanisms 81
- Pillaring Processes of Smectites With and Without Tetrahedral Substitution**, by D. Plee, L. Gatineau, and J. J. Fripiat 81
- Pimelite
- optical absorption spectroscopy 1
- Pisolite
- laterite, noncrystalline Fe-Si-Al oxyhydroxide, chemical analysis, TEM, morphology 29
- Plagioclase
- weathered, noncrystalline Fe-Si-Al oxyhydroxide in, TEM, morphology 29
- Plant roots
- morphology, epidermal cells, SEM 281
- replacement by marcasite, clinoptilolite, opal-CT, SEM, electron microprobe analysis 281
- PLEE, D. (with L. GATINEAU and J. J. FRIPIAT), Pillaring Processes of Smectites With and Without Tetrahedral Substitution 81
- Polymerization
- thiophene, reactions in interlayer of Cu<sup>2+</sup>-, Fe<sup>3+</sup>-montmorillonite, IR, Raman spectroscopy 53
- PONCELOT, G. (with A. SCHUTZ, W. E. E. STONE, and J. J. FRIPIAT), Preparation and Characterization of Bidimensional Zeolitic Structures Obtained from Synthetic Beidellite and Hydroxy-Aluminum Solutions 251
- Porosity
- beidellite, hydroxy-Al pillared 251
- montmorillonite, hydroxy-Al pillared 81
- Potassium
- cation exchange on smectite, selectivity coefficient 305
- exchangeable, effect on smectite swelling, hydraulic conductivity 305
- Preparation and Characterization of Bidimensional Zeolitic Structures Obtained from Synthetic Beidellite and Hydroxy-Aluminum Solutions**, by A. Schutz, W. E. E. Stone, G. Poncelot, and J. J. Fripiat 251
- Problems in Identification of Montmorillonite and Beidellite**, by P. M. Malla and L. A. Douglas 232
- Properties of Iron Oxides in Two Finnish Lakes in Relation to the Environment of their Formation**, by U. Schwertmann, L. Carlson, and E. Murad 297
- Pseudoboehmite
- authigenic, with chrysotile in debris-flow breccia, IR, DTA, chemical analysis 43
- PYE, K. (with J. H. BURTON and D. H. KRINSLEY), Authigenesis of Kaolinite and Chlorite in Texas Gulf Coast Sediments 291

- Pyrene  
adsorption on pillared smectites 81
- Pyrite  
associated with clinoptilolite in lignite, SEM, electron microprobe 281  
framboidal, back-scattered electron image 291
- Pyroxenite  
weathered, alteration to nontronite, Ni-talc, smectite 1
- Q
- Quantitative Determination of Clinoptilolite in Soils by a Cation-Exchange Capacity Method**, by D. W. Ming and J. B. Dixon 463
- Quartz  
conversion of kenyaite to 38
- Quinoline  
adsorption on montmorillonite 121  
-Na exchange on montmorillonite 121
- Quinoline Sorption on Na-Montmorillonite: Contributions of the Protonated and Neutral Species**, by C. C. Ainsworth, J. M. Zachara, and R. L. Schmidt 121
- R
- Radioactive waste disposal (see Nuclear wastes)
- Radiocarbon dates  
debris flow, New Zealand 43
- Raman spectroscopy  
thiophene polymers on Cu<sup>2+</sup>-, Fe<sup>3+</sup>-montmorillonite 53
- RAUPACH, M. (with P. F. BARRON and J. G. THOMPSON), Nuclear Magnetic Resonance, Infrared, and X-ray Powder Diffraction Study of Dimethylsulfoxide and Dimethylselenoxide Intercalates with Kaolinite 208
- RAUPACH, M. (with T. T. NGUYEN and L. J. JANIK), Fourier-Transform Infrared Study of Ethylene Glycol Monoethyl Ether Adsorbed on Montmorillonite: Implications for Surface Area Measurements of Clays 60
- RAUTUREAU, MICHEL (with MICHEL STEINBERG and THIERRY HOLTZAPFFEL), Characterization of Overgrowth Structures Formed around Individual Clay Particles during Early Diagenesis 189
- Reactions of Thiophene and Methylthiophenes in the Interlayer of Transition-Metal Ion-Exchanged Montmorillonite Studied by Resonance Raman Spectroscopy**, by Yuko Soma, Mitsuyuki Soma, Yukio Furukawa, and Issei Harada 53
- Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem**, by E. E. Foord, H. C. Starkey, J. E. Taggart, Jr., and D. R. Shawe 139
- Reduction  
nontronite, iron, effect on magnetic susceptibility, UV-VIS spectra 373
- Referees  
technical, Volume 35, *Clays and Clay Minerals* 478
- Refinement of the Crystal Structure of a Monoclinic Ferroan Clinochlore**, by A. C. Rule and S. W. Bailey 129
- Relative humidity (RH)  
effect on layer stacking, basal spacings of vermiculite and saponite 353  
effect on reaction of non-crystalline hydroxides with Ca, Mg phosphates 228  
effect on water content of Ca, and Mg phosphates 228
- REYNOLDS, D. (with C. BREEN, A. T. DEANE, and J. J. FLYNN), Vapor-Phase Sorption Kinetics for Methanol, Propan-2-ol, and 2-Methylpropan-2-ol on Al<sup>3+</sup>-, Cr<sup>3+</sup>-, and Fe<sup>3+</sup>-Exchanged Montmorillonite 336
- REYNOLDS, R. C., JR. (with J. D. JEFFERS), Expandable Palygorskite from the Cretaceous-Tertiary Boundary, Mangyshlak Peninsula, U.S.S.R. 473
- RH (see Relative humidity)
- Rheology  
book review, *Clay in Engineering Geology*, 2nd ed., by J. E. Gillott 477  
charge density, Na-K-Ca exchange on smectites 68  
kaolinite, effect of saturating cation, pH, Al, Fe oxides on flocculation of 220  
montmorillonite, effect of saturating cation, pH, Al, Fe oxides on flocculation of 220  
smectite-sand mixtures, effect of exchangeable K on hydraulic conductivity 305
- ROY, RUSTUM (with SRIDHAR KOMARNENI, ELSE BREVAL, and MICHIOHIRO MIYAKE), Cation-Exchange Properties of (Al + Na)-Substituted Synthetic Tobermorites 385
- RULE, A. C. (with S. W. BAILEY), Refinement of the Crystal Structure of a Monoclinic Ferroan Clinochlore 129
- RUSSELL, J. D. (with GIANNI LOMBARDI and W. D. KELLER), Composition and Structural Variations in the Size Fractions of a Sedimentary and a Hydrothermal Kaolin 321
- S
- SAD (see Selected-area electron diffraction)
- Saline lake  
alkaline, diagenesis of volcanic ash to zeolites in 449
- Salinity  
effect on hydraulic conductivity of smectite-sand mixture 305
- Sand  
-smectite mixtures, hydraulic conductivity 305



- Saponite (see also Montmorillonite, Smectite)  
 alkylammonium exchanged, basal spacings 440  
 Ba-, SAD 353  
 basal spacings, effects on interlayer cation, RH 353  
 CEC reduction, Li-retention 440  
 in weathered olivine, TEM, AEM 418  
 layer charge 353, 440  
 layer stacking, effects of interlayer cation, RH 353  
 source clay, CMS, SapCa-1 440  
 structural formula 353, 440
- Saprolite  
 kaolinite in, SEM 196  
 natrolite in, SEM, chemical composition, EDX 196
- Scanning electron microscopy (SEM)  
 birnessite, 7-Å manganite 271  
 buserite 271  
 chlorite, authigenic, Gulf Coast sediments 291  
 clay overgrowths, STEM 189  
 clinoptilolite 281, 458, 469  
 clinoptilolite, in soils 469  
 clinoptilolite, morphology 281  
 corrensite in hydrothermally altered phlogopite 150  
 fossilized plant root in lignite 281  
 goethite, synthetic 21  
 halloysite, in hydrothermal kaolin, morphology 321, 418  
 halloysite in weathered olivine, back-scattered electron image 418  
 hydrotalcite-manasseite 401  
 iddingsite, in weathered olivine 418  
 illite/smectite, morphology 321  
 kaolinite, morphology 321  
 natroalunite in saprolite 196  
 opal-CT, morphology 281  
 phlogopite 150  
 pyrite, framboidal, Gulf Coast sediments 291  
 pyrite, morphology 281  
 smectite, bentonite 241  
 smectite, Ni-Fe-Mg-, in weathered pyroxenite 1
- SCHINDLER, P. W. (with R. M. CORNELL), Photochemical Dissolution of Goethite in Acid/Oxalate Solution 347
- SCHINDLER, P. W. (with R. M. CORNELL and R. GIOVANOLI), Effect of Silicate Species on the Transformation of Ferrihydrite into Goethite and Hematite in Alkaline Media 21
- SCHMIDT, R. L. (with C. C. AINSWORTH and J. M. ZACHARA), Quinoline Sorption on Na-Montmorillonite: Contributions of the Protonated and Neutral Species 121
- SCHULTZ, P. K. (with P. G. SLADE, C. DEAN, and P. G. SELF), Crystal Structure of a Vermiculite-Anilinium Intercalate 177
- SCHUTZ, A. (with W. E. E. STONE, G. PONCELOT, and J. J. FRIPIAT), Preparation and Characterization of Bidimensional Zeolitic Structures Obtained from Synthetic Beidellite and Hydroxy-Aluminum Solutions 251
- SCHWERTMANN, U. (with L. CARLSON and E. MURAD), Properties of Iron Oxides in Two Finnish Lakes in Relation to the Environment of their Formation 297
- Searlesite  
 in altered tuff, Searles Lake, California 449
- Selected-area electron diffraction (SAD)  
 kaolinite 237  
 saponite, Ba- 353  
 smectite, from weathered pyroxenite 1  
 vermiculite, Ba- 353
- Selectivity coefficient  
 effect of layer charge density on 68  
 Gaines-Thomas 68  
 Gapon 68, 305  
 K-Ca on smectite 68  
 K-Na on smectite 68, 305  
 Na-Ca on clinoptilolite 458  
 Na-Ca on smectite 68  
 Na-Cs on tobermorite 385  
 Na-NH<sub>4</sub>, Na-Ca, on clinoptilolite 458  
 quinoline-Na, on montmorillonite 121  
 Vanselow 68
- SELF, P. G. (with P. G. SLADE, C. DEAN, and P. K. SCHULTZ), Crystal Structure of a Vermiculite-Anilinium Intercalate 177
- SEM (see Scanning electron microscopy)
- SENKAYI, A. L. (with D. W. MING, J. B. DIXON, and L. R. HOSSNER), Kaolinite, Opal-CT, and Clinoptilolite in Altered Tuffs Interbedded with Lignite in the Jackson Group, Texas 281
- Serpentine  
 asbestos formation in debris flow 43  
 lizardite, replacement by chrysotile, petrography, XRD 43
- SHABTAI, JOSEPH (with JOHAN STERTE), Cross-linked Smectites. V. Synthesis and Properties of Hydroxy-Silicoaluminum Montmorillonites and Fluorhectorites 429
- SHAINBERG, I. (with N. I. ALPEROVITCH and R. KEREN), Charge Density and Na-K-Ca Exchange on Smectites 68
- SHAINBERG, I. (with R. KEREN, N. ALPEROVITCH, and D. GOLDSTEIN), Effect of Exchangeable Potassium on the Hydraulic Conductivity of Smectite-Sand Mixtures 305
- Shale  
 Albian, overgrowth structures formed during diagenesis 189  
 black, Exello, petrography, mineralogy, diagenesis, XRD 262  
 collophane concretions in 262

- SHAWE, D. R. (with E. E. FOORD, H. C. STARKEY, and J. E. TAGGERT, JR.), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem 139
- Silica  
 loss during alteration of volcanic ash 449  
 silicate species in solution, effect on morphology of goethite, hematite formed from ferrihydrite 21  
 Silicate layer  
 Llano vermiculite, interatomic distances, angles 177  
 Llano vermiculite, structure 177
- Silication  
 zeolites in interbedded lignite/volcanic tuff 281
- Silicification  
 of illite and smectite, diagenesis 189
- Silicon  
 clinoptilolite in lignite, electron microprobe dot map of 281  
 fossilized plant root, electron microprobe map of distribution 281  
 -O bond lengths, Si...H distances in kaolinite 38
- SINGER, ARIEH (with EYAL BEN-DOR), Optical Density of Vertisol Clay Suspensions in Relation to Sediment Volumes and Dithionite-Citrate-Bicarbonate-Extractable Iron 311
- SLADE, P. G. (with C. M. CARDILE), Structural Study of a Benzidine-Vermiculite Intercalate having a High Tetrahedral-iron Content by  $^{57}\text{Fe}$  Mössbauer Spectroscopy 203
- SLADE, P. G. (with C. DEAN, P. K. SCHULTZ, and P. G. SELF), Crystal Structure of a Vermiculite-Anilinium Intercalate 177
- Smectite (see also Bentonite, Montmorillonite)  
 alkylammonium exchanged, basal spacing 440  
 altered tuff, XRD 281  
 beidellite, chromian, chemical composition, XRD 139  
 beidellite, Fe-rich, in vertisols, structural formula, optical density, UV absorption, tactoid volume 311  
 bentonite, SEM, EDX, TEM 241  
 CEC reduction, Li-retention, Hofmann-Klemen effect 440  
 charge density, effect on swelling of 68, 305  
 /chlorite, XRD, TGA, IR, DTA, SEM, chemical analysis 150  
 chromian, volkonskoite nomenclature 139  
 conversion to illite, K-fixation, dissolution-precipitation mechanism 111  
 diagenetic, beidellite overgrowths on, TEM, chemical analysis 189  
 differentiation by the Greene-Kelly test 232  
 effect of variable states of collapse on illite/smectite particle thickness, TEM 74
- EXAFS 1  
 exchangeable Li, effect on swelling of 305  
 fluorhectorite, hydroxy-SiAl cross-linked, basal spacings, surface area, structure, thermal stability 429  
 fluorhectorite, synthesis 429  
 hydrothermal alteration with basalt 241  
 hydroxy-SiAl cross-linked, basal spacings, chemical composition, surface area, synthesis, structural formula, thermal stability 429  
 /illite, hydrothermal alteration of bentonite, TEM, XRD 241  
 /illite, hydrothermal alteration of volcanic glass, AEM, TEM, XRD 111  
 /illite, in hydrothermal kaolin, morphology, SEM, XRD 321  
 /illite, interstratified, fundamental particles 74, 77  
 /illite, source of iron for chlorite authigenesis, Gulf Coast sediments 291  
 /illite, underclays in black shale sequence 262  
 in altered volcanic ash, petrography 418, 449  
 in vertisol clay suspensions, UV-VIS spectroscopy 311  
 in weathered basalts 161  
 layer charge 440  
 Na-K-Ca exchange, effect of 2:1 layer charge density 68  
 Ni-Fe-Mg-, in weathered pyroxenite, XRD, TEM, SEM, IR, electron microprobe analysis, optical absorption spectra, Mössbauer spectra 1  
 pillared, pyrene adsorption on 81  
 pillaring with aluminum-polyhydroxypolymers 81  
 quantitative determination in soils, CEC,  $\text{Na}^+$ - $\text{NH}_4^+$ -tertbutylammonium exchange 463  
 saponite, in weathered olivine, TEM, SEM 418  
 stability, hydrothermal conditions 241  
 -to-illite transformation, mechanism 111  
 swelling, effect on hydraulic conductivity 305  
 volkonskoite, XRD, TGA, Mössbauer spectroscopy, chemical composition 139
- SMITH, K. L. (with A. R. MILNES and R. A. EGGLETON), Weathering of Basalt: Formation of Iddingsite 418
- Sodium  
 -Ca exchange on clinoptilolite, selectivity coefficient 458  
 -Cs exchange on tobermorite, exchange coefficient 385  
 exchangeable, effect on hydraulic conductivity of smectite-sand mixtures 305  
 -K exchange on smectite, selectivity coefficients 305  
 - $\text{NH}_4^+$  exchange on clinoptilolite, selectivity coefficient 458

- NH<sub>4</sub><sup>+</sup> exchange on clinoptilolite, in quantitative determination in soils 463  
 substitution in synthetic tobermorite, CEC, basal spacing, morphology 385  
 tertbutylammonium exchange on clinoptilolite 463
- Sodium, Calcium, and Ammonium Exchange on Clinoptilolite from the Fort LaCledé Deposit, Sweetwater County, Wyoming**, by M. H. Hulbert 458
- Soil  
 book review, *Clay in Engineering Geology*, 2nd ed., by J. E. Gillott 477  
 clinoptilolite in, quantitative analysis by CEC, XRD 463  
 heavy liquid separation of clinoptilolite in 463  
 vertisol clay suspensions, optical density, relation to sediment volume, extractable Fe 311
- SOKOLOVA, G. V. (with V. A. DRITS, T. N. SOKOLOVA, and V. I. CHERKASHIN), New Members of the Hydrotalcite-Manasseite Group 401
- SOKOLOVA, T. N. (with V. A. DRITS, G. V. SOKOLOVA, and V. I. CHERKASHIN), New Members of the Hydrotalcite-Manasseite Group 401
- SOMA, MITSUYUKI (with YUKO SOMA, YUKIO FURUKAWA, and ISSEI HARADA), Reactions of Thiophene and Methylthiophenes in the Interlayer of Transition-Metal Ion-Exchanged Montmorillonite Studied by Resonance Raman Spectroscopy 53
- SOMA, YUKO (with MITSUYUKI SOMA, YUKIO FURUKAWA, and ISSEI HARADA), Reactions of Thiophene and Methylthiophenes in the Interlayer of Transition-Metal Ion-Exchanged Montmorillonite Studied by Resonance Raman Spectroscopy 53
- Sorption (see also Adsorption)  
 isotherms, quinoline on montmorillonite 121
- Source clays, CMS  
 hectorite, SHCa-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 440  
 kaolinite, KGa-1, flocculation of 220  
 montmorillonite, SAz-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange 440  
 montmorillonite, SAz-1, flocculation of 220  
 montmorillonite, SCa-2, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 440  
 montmorillonite, STx-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 440  
 montmorillonite, SWy-1, problems in differentiation from beidellite 232  
 montmorillonite, SWy-1, quinoline adsorption on 121  
 montmorillonite, SWy-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 440  
 nontronite, NG-1, reduced, intervalence electron transfer, magnetic exchange 373  
 nontronite, NG-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 232, 440  
 nontronite, SWa-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 232, 440  
 nontronite, SWa-1, reduced, intervalence electron transfer, magnetic exchange 373  
 saponite, SapCa-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 440  
 vermiculite, VTx-1, CEC, Li-retention, layer charge reduction, alkylammonium exchange, basal spacings 440
- Space group  
 birnessite (7-Å manganite), synthetic 271  
 chlorite, ferroan, clinochlore 129  
 cryptomelane 271  
 ferroan clinochlore, ideal, refinement of ideal 129  
 hollandite 271  
 manganese oxides 271  
 manganite 271  
 todorokite (10-Å manganite) 271
- Special clays, CMS (see Source clays, CMS)
- Specific gravity (see Density)
- Stability  
 diagram, kenyaite-magadiite 318  
 smectite, illite, under hydrothermal conditions 241
- Stacking fault  
 in kaolinite: hydrazine intercalate, effects on NMR spectra, hydrogen bonding 38
- STARKEY, H. C. (with E. E. FOORD, J. E. TAGGERT, JR., and D. R. SHAW), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem 139
- STEINBERG, MICHEL (with THIERRY HOLTZAPFFEL and MICHEL RAUTUREAU), Characterization of Overgrowth Structures Formed around Individual Clay Particles during Early Diagenesis 189
- STERTE, JOHAN (with JOSEPH SHABTAI), Cross-linked Smectites. V. Synthesis and Properties of Hydroxy-Silicoaluminum Montmorillonites and Fluorhectorites 429
- STOESSSEL, R. K., book review, *Thermodynamic Values at Low Temperature for Natural Inorganic Materials: An Uncritical Survey*, by T. L. Woods and R. M. Garrels 160
- STONE, W. E. E. (with A. SCHUTZ, G. PONCELOT, and J. J. FRIPIAT), Preparation and Characterization of Bidimensional Zeolitic Structures Obtained from

- Synthetic Beidellite and Hydroxy-Aluminum Solutions 251
- Stratigraphy  
 Excello black shale sequence 262  
 Jackson Group, interbedded lignite and volcanic tuffs 281  
 Searles Lake sediments 449  
 Yucca Mountain, Nevada, volcanics 89
- Structural formula  
 alunite 196  
 beidellite, chromian 139  
 beidellite, Fe-rich 311  
 birnessite (7-Å manganate) 271  
 celadonite 363  
 clinoptilolite 469  
 CO<sub>3</sub>-hydrotalcite 401  
 CO<sub>3</sub>-manasseite 401  
 CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite 401  
 corrensite 150  
 cryptomelane 271  
 fluorhectorite 429  
 glauconite 170, 363  
 hectorite, CMS source clay CHCa-1 440  
 hollandite 271  
 hydroxy-SiAl montmorillonite 429  
 illite 170  
 manasseite 401  
 manganite 271  
 montmorillonite 139, 170, 311, 363, 373, 440  
 montmorillonite, CMS source clay SAz-1 440  
 montmorillonite, CMS source clay SCa-2 440  
 montmorillonite, CMS source clay SWy-1 440  
 muscovite, red 363  
 natroalunite 196  
 nontronite 363, 373, 440  
 nontronite, CMS special clay SWa-1 373, 440  
 nontronite, NG-1 440  
 phlogopite 150  
 saponite 353, 440  
 saponite, CMS special clay SapCa-1 440  
 smectite, iron-rich beidellite, in vertisols 311  
 SO<sub>4</sub>-hydrotalcite 401  
 tobormorite 385  
 todorokite 271  
 vermiculite 203, 353, 440  
 vermiculite, CMS special clay VTx-1 440  
 volkonskite 139
- Structural Study of a Benzidine-Vermiculite Intercalate having a High Tetrahedral-Iron Content by <sup>57</sup>Fe Mössbauer Spectroscopy**, by C. M. Cardile and P. G. Slade 203
- Structure (see Crystal structure)
- SUCKI, J. W. (with P. R. LEAR), Intervalence Electron Transfer and Magnetic Exchange in Reduced Nontronite 373
- Sulfate  
 anion, in interlayer of hydrotalcite-manasseite, mixed-layer with carbonate 401  
 hydrotalcite, XRD, structural formula, unit-cell parameters, density, nomenclature, structure 401
- Sulfur  
 fossilized plant root, electron microprobe dot map 281  
 pyrite in lignite, electron microprobe dot map 281
- SUQUET, HELÈNE (with HENRI PÉZERAT), Parameters Influencing Layer Structure Types in Saponite and Vermiculite: A Review 353
- Surface area  
 cross-linked smectite 429  
 EGME adsorbed on montmorillonite 60  
 goethite, effect on photochemical dissolution kinetics 347  
 hydroxy-Al pillared beidellite 81, 251  
 hydroxy-Al pillared montmorillonite 81  
 hydroxy-SiAl fluorhectorite, effect of heat 429  
 hydroxy-SiAl montmorillonite, effect of heat 429  
 smectites 68, 305  
 vertisols 311
- Swelling  
 dispersion, difference between 305  
 hydraulic conductivity, effect on 305  
 smectite, after Li-saturation 440  
 smectite, effect of 2:1 layer charge density 68, 305  
 smectite, effect of exchangeable potassium on 68, 305
- Synthesis  
 Al hydroxide 228  
 Al oxide 220  
 beidellite, from gel 81, 251  
 birnessite, 7-Å-manganite 271  
 cross-linked smectite, hydroxy-silicoaluminum montmorillonite, fluorhectorite 429  
 Fe hydroxide 228  
 Fe oxide 220  
 ferrihydrite, Mn-containing 11  
 fluorhectorite 429  
 goethite, from ferrihydrite in presence of silicate species 21  
 goethite, Mn-containing, from ferrihydrite 11  
 hematite, from ferrihydrite in presence of silicate species 21  
 hematite, Mn-containing, from Mn-ferrihydrite 11  
 hydroxy-SiAl oligomers 429  
 imogolite 379  
 jacobsonite, Mn-containing, from Mn-ferrihydrite 11  
 kaolinite: DMSO intercalate 208  
 kaolinite: DMSO intercalate 208

- kenyaite, effect of anions 318  
 magadiite, effect of anions 318  
 phylломanganate, 7-Å-, from Mn-ferrhydrite 11  
 tobermorite, Al-, Na-substituted 385
- Synthesis of Kenyaite and Magadiite in the Presence of Various Anions**, by R. A. Fletcher and D. M. Bibby 318
- T
- Tactoid  
 dimensions, effects of sediment volume and extractable Fe on 311  
 fabric, particle arrangement in vertisol clay suspensions 311
- TAGGERT, J. E., JR. (with E. E. FOORD, H. C. STARKEY, and D. R. SHAW), Reassessment of the Volkonskoite-Chromian Smectite Nomenclature Problem 139
- TAIT, J. M. (with P. H. NADEAU, M. J. WILSON, and W. J. MCHARDY), Fundamental Nature of Interstratified Illite/Smectite Clay Particles, The: A Reply 77
- Talc  
 Ni-, EXAFS 1
- Technique for the Separation of Clinoptilolite from Soils**, by D. W. Ming and J. B. Dixon 469
- TEM (see Transmission electron microscopy)
- Temperature  
 effect on alcohol adsorption rate on montmorillonite 336
- Terbutylammonium  
 Na<sup>+</sup>-exchange on clinoptilolite, for quantitative mineralogy 463
- Tetrahedral  
 substitution effects on intercalation of smectites with Al polyhydroxypolymers 81  
 substitution in ferroan clinocllore 129
- Tetrahydrofuran  
 adsorption on Al-, Cr-montmorillonite 343
- Tetrahydropan  
 adsorption on Al-, Cr-montmorillonite 343
- TGA (see Thermal gravimetric analysis)  
 hydroxy-SiAl glaucohectorite, surface area, basal spacing 429  
 hydroxy-SiAl montmorillonite, surface area, basal spacing 429
- Thermal analysis (see Differential thermal analysis, Thermal gravimetric analysis)
- Thermal stability  
 cross-linked smectics, changes in surface area, basal spacing 429
- Thermodynamics  
 book review, *Thermodynamic Values at Low Temperature for Natural Inorganic Materials: An Uncritical Survey*, by T. L. Woods and R. M. Garrels 159
- Thermogravimetric analysis (TGA)  
 corrensite 150  
 smectite, chromian 139  
 volkonskite 139
- Thiophene  
 adsorption on Cu<sup>2+</sup>-, Fe<sup>3+</sup>-montmorillonite 53  
 polymerization in interlayer of montmorillonite, IR, Raman spectroscopy 53
- THOMPSON, J. G. (with P. F. BARRON), Further Consideration of the <sup>29</sup>Si Nuclear Magnetic Resonance Spectrum of Kaolinite 38
- THOMPSON, J. G. (with M. RAUPACH and P. F. BARRON), Nuclear Magnetic Resonance, Infrared, and X-ray Powder Diffraction Study of Dimethylsulfoxide and Dimethylselenoxide Intercalates with Kaolinite 208
- THOMPSON, J. G. (with R. L. WITHERS), Transmission Electron Microscopy Contribution to the Structure of Kaolinite, A 239
- Tobermorite  
 Al- and Na-substituted, synthesis, structural formula 385  
 basal spacing, TEM, XRD, CEC, Na-Cs exchange, TEM, morphology 385
- Todorokite  
 hydrothermal transformation of birnessite 271  
 manganese oxide 271  
 space group, unit-cell parameters 271  
 structural formula 271  
 10-Å manganite, IR, chemical analysis 271
- Transformation of Birnessite to Buserite, Todorokite, and Manganite under Mild Hydrothermal Treatment**, by D. C. Golden, C. C. Chen, and J. B. Dixon 271
- Transmission Electron Microscopy Contribution to the Structure of Kaolinite, A**, by J. G. Thompson and R. L. Withers 239
- Transmission electron microscopy (TEM)  
 allophane, noncrystalline Fe-Si-Al oxyhydroxides, spherical morphology 29  
 berthierine, hydrothermally altered illite 241  
 birnessite, saturated with Ca, Mg, Ni, Co, La 271  
 chlorite, authigenic, Fe-rich, in Gulf Coast sediments 291  
 chlorite, in hydrothermally altered basalt, bentonite 241  
 chrysotile, fibrous 43  
 cordierite, weathered 29  
 ferrihydrite, spherical morphology 29  
 gibbsite, platy hexagonal 379  
 gibbsite, platy morphology 379  
 goethite, formed from ferrihydrite, function of silicate species in solution 21  
 goethite, in weathered olivine 418  
 halloysite, hemispherical, in weathered olivine 418  
 halloysite, in weathered cordierite, spherical morphology 29

- hematite, ellipsoidal, formed from ferrihydrite 21  
 hematite, Mn-, synthetic 11  
 hisingerite, spherical morphology 29  
 hydroxy-Al beidellite complex 251  
 iddingsite, lamellar in weathered olivine 418  
 illite/berthierine, in hydrothermally altered  
 illite 241  
 illite/smectite, errors associated with particle  
 thickness determination 74, 77  
 illite/smectite from hydrothermally altered vol-  
 canic glass 111  
 immiscible glass in basalt 241  
 imogolite, fibrous morphology 379  
 imogolite, synthetic 379  
 jacobsite, synthetic 11  
 lateritic pisolite, spherical morphology 29  
 overgrowth structures on illite and smectite 189  
 Mn-goethite, synthetic 11  
 noncrystalline Fe-Si-Al oxyhydroxides  
 plagioclase, weathered, spherical morphology 29  
 smectite, in bentonite 241  
 smectite, Mi-Fe-Mg-, from weathered pyrox-  
 enite 1  
 smectite, saponite, spherical, in weathered olivine  
 418  
 tobermorite, synthetic, crystal morphology 385  
 TRAUTH-BADAUD, D. (with A. DECARREAU, F. COLIN,  
 A. HERBILLON, A. MANCEAU, D. NAHON, H.  
 PAQUET, and J. J. TRESQUES), Domain Segregation  
 in Ni-Fe-Mg-Smectites 1  
 TRESQUES, J. J. (with A. DECARREAU, F. COLIN, A.  
 HERBILLON, A. MANCEAU, D. NAHON, H. PAQUET,  
 and D. TRAUTH-BADAUD), Domain Segregation in  
 Ni-Fe-Mg-Smectites 1  
 TSVETKOV, FAINA (with URI MINGELGRIN), Optically  
 Selective Adsorption of  $\alpha$ -Amino Acids on Mont-  
 morillonite-Cu-I-Lysine Complexes in High-Press-  
 ure Liquid Chromatography 391  
 Tuff  
 alteration to feldspar 89  
 alteration to opal-CT 281  
 alteration to zeolites 89, 281  
 altered, XRD, petrography, SEM 281  
 bulk-rock composition 89  
 kaolinite, clinoptilolite in, replacement of volcanic  
 glass 281  
 silicate mineralogy of, Searles Lake, California  
 449  
 zeolitic, composition 89
- U
- Ultraviolet-visible spectroscopy (UV-VIS)  
 nontronite, effects of intervalence electron  
 transfer 373  
 smectite, vertisol clay suspensions 311  
 Unit-cell  
 alunite 196  
 kaolinite 208  
 kaolinite:DMSeO intercalate 208  
 kaolinite:DMSO intercalate 208  
 natroalunite 196  
 nontronite 363  
 parameters, CO<sub>3</sub>-hydrotalcite, XRD 401  
 parameters, CO<sub>3</sub>-manasseite, XRD 401  
 parameters, CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite 401  
 parameters, SO<sub>4</sub>-hydrotalcite, XRD 401  
 parameters, birnessite, 7-Å-manganite 271  
 parameters, cryptomelene 271  
 parameters, goethite in lake sediments 297  
 parameters, hollandite 271  
 parameters, manasseite, XRD 401  
 parameters, manganite 271  
 parameters, todorokite 271  
 parameters, vermiculite:anilinium intercalate  
 177  
 volume, goethite, effect of Al substitution on 297  
 UV-VIS (see Ultraviolet-visible spectroscopy)
- V
- Vaneslow selectivity  
 Na-Ca-K exchange on smectite 68  
 quinoline-Na exchange on montmorillonite 121  
 VAN OLPHEN, H., book review, *Clay Microstructure*, by  
 R. H. Bennett and M. H. Hurlbut 400  
 Vapor  
 alcohol, adsorption on montmorillonite, kinetics,  
 effects of particle size, cation, temperature  
 343  
 cyclic ether, adsorption on montmorillonite, ki-  
 netics, effects of cation, temperature 343  
 water, effect on basal spacings of Al-, Cr-, Fe<sup>3+</sup>-  
 exchanged montmorillonite 336  
**Vapor-Phase Sorption Kinetics for Methanol, Propan-  
 2-ol, and 2-Methylpropan-2-ol on Al<sup>3+</sup>-, Cr<sup>3+</sup>-, and  
 Fe<sup>3+</sup>-Exchanged Montmorillonite**, by C. Breen, A.  
 T. Deane, J. J. Flynn, and D. Reynolds 336  
**Vapor-Phase Sorption Kinetics for Tetrahydrofuran,  
 Tetrahydropyran, and 1,4-Dioxan by Al<sup>3+</sup>- and Cr<sup>3+</sup>-  
 Exchanged Montmorillonite**, by C. Breen, A. T.  
 Deane, and J. J. Flynn 343  
 VARKEVISSER, DANE (with R. A. EGGLETON and CHRIS  
 FOUDOULIS), Weathering of Basalt: Changes in  
 Rock Chemistry and Mineralogy 161  
 Vermiculite  
 alkylammonium exchanged, basal spacings 440  
 -anilinium intercalate, crystal structure, unit-  
 cell parameters, electron microprobe anal-  
 ysis 177  
 Ba-, SAD 353  
 basal spacing, effects of layer charge, interlayer  
 cation, RH 353  
 -benzidine intercalate, Mössbauer spectroscopy  
 203  
 CEC reduction, Li-retention 440



- electron microprobe analysis 177  
 Fe distribution in 203  
 intercalation of anilinium on 177  
 intercalation with benzidinium ion 203  
 layer charge 353, 440  
 layer stacking, effects on interlayer cation, RH 353  
 source clay, CMS, VTx-1 440  
 structural formula 203, 353, 440
- Vertisol**  
 surface area, CEC, chemical composition, mineralogy, UV-absorption spectroscopy 311  
 suspensions, optical density of, relation with extractable iron, tactoid volume 311
- Volcanic ash**  
 clinoptilolite, alteration to 281  
 diagenetic alteration in alkaline, saline lake 449  
 electron microprobe analysis 80  
 illite/smectite, hydrothermal alteration to 111  
 K-feldspar, alteration to 449  
 merlinoite, alteration to 449  
 phillipsite, alteration to 449  
 replacement by zeolites 89  
 searlesite, alteration to 449  
 smectite, alteration to 161, 449  
 tephra, alteration to zeolites and K-feldspar 449  
 zeolite formation in, in alkaline, saline lake deposits 449
- Volkonskoite**  
 Cr-bearing chlorite, relation to 139  
 Cr-bearing smectite, chemical composition, Mössbauer spectroscopy, structural formula, TGA, XRD 139  
 nomenclature problem 139
- W**
- WADA, SHIN-ICHIRO**, Imogolite Synthesis at 25°C 379
- Wairakite**  
 hydrothermal alteration of bentonite, basalt to, XRD 241
- WARREN, R. G.** (with D. E. BROXTON and D. L. BISH), Distribution and Chemistry of Diagenetic Minerals at Yucca Mountain, Nye County, Nevada 89
- WATANABE, TAKASHI** (with ATSUYUKI INOUE, NORIHIKO KOHYAMA, and RYUJI KITAWAGA), Chemical and Morphological Evidence for the Conversion of Smectite to Illite 111
- Water**  
 vapor, effect on basal spacings of Al-, Cr-, Fe<sup>3+</sup>-exchanged montmorillonite 336
- Weathering**  
 basalt 161, 196, 418  
 basalt, alteration to smectite, goethite, halloysite 161  
 book review, *The Chemistry of Weathering*, edited by J. I. Drever 80  
 cordierite, alteration to halloysite, noncrystalline Fe-Si-Al oxyhydroxides 29  
 density as measure of intensity 161  
 olivine in basalt, iron oxidation, alteration to goethite, smectite, iddingsite, halloysite 418
- Weathering of Basalt: Changes in Rock Chemistry and Mineralogy**, by R. A. Eggleton, Chris Foudoulis, and Dane Varkevisser 161
- Weathering of Basalt: Formation of Iddingsite**, by K. L. Smith, A. R. Milnes, and R. A. Eggleton 418
- WILSON, M. J.** (with P. H. NADEAU, W. J. McHARDY, and J. M. TAIT), Fundamental Nature of Interstratified Illite/Smectite Clay Particles, The: A Reply 77
- WITHERS, R. L.** (with J. G. THOMPSON), Transmission Electron Microscopy Contribution to the Structure of Kaolinite, A 239
- X**
- X-ray powder diffraction (XRD)**  
 altered volcanic tuffs, kaolinite, smectite, clinoptilolite in 281  
 anilinium-vermiculite intercalate 177  
 beidellite 81, 139, 232, 251  
 beidellite, chromian 139  
 beidellite, exchanged with alkylammonium 232  
 beidellite, hydroxy-Al pillared, basal spacings 81, 251  
 beidellite, K-, Li-, Mg-saturated, basal spacings 232  
 birnessite, 7-Å manganite 271  
 black shale, Excello, clay mineralogy by 262  
 chlorite, hydrothermal alteration of basalt, bentonite 241  
 chrysotile, authigenic after lizardite 43  
 clinoptilolite 43, 463, 469  
 clinoptilolite in soil 469  
 clinoptilolite, quantitative determination 463  
 CO<sub>3</sub>-hydrotalcite, unit-cell parameters, basal spacings 401  
 CO<sub>3</sub>-manasseite, unit-cell parameters, basal spacings 401  
 CO<sub>3</sub>-SO<sub>4</sub>-hydrotalcite, basal spacings 401  
 corrensite, basal spacings, Fourier synthesis 150  
 goethite, Mn-containing 11  
 halloysite, in hydrothermal kaolin deposit 321  
 illite/chlorite, hydrothermal alteration of bentonite, basalt 241  
 illite/smectite, in hydrothermal kaolin deposit 321  
 illite/smectite, in hydrothermally altered volcanic glass 111  
 illite/smectite, interpretations of fundamental particle thickness 74, 77  
 jacobsonite 11  
 kaolin, hydrothermal, different particle sizes,

- kaolinite crystallinity, semiquantitative mineralogy 321
- kaolin, sedimentary, different particle sizes, kaolinite crystallinity 321
- kaolinite 38, 208, 281
- kaolinite, authigenic, in altered tuff 281
- kaolinite, hydrazine-treated 38
- kaolinite:DMSO intercalate 208
- kaolinite:DMSO intercalate 208
- kenyaite 318
- lizardite 43
- magadiite 318
- manasseite 401
- mineralogy of Excello black shale by 262
- monocalcium phosphate 228
- montmorillonite 81, 139, 208, 232
- montmorillonite, alkylammonium exchanged 232
- montmorillonite, chromian 139
- montmorillonite, hydroxy-Al pillared, basal spacings 81
- montmorillonite, K-, Li-, Mg-saturated, basal spacings 232
- natroalunite, unit-cell dimensions 196
- nontronite, alkylammonium exchanged 232
- nontronite, K-, Li-, Mg-saturated, basal spacings 232
- palygorskite, expandable 473
- phlogopite 150
- phyllomanganate 11
- smectite/chlorite 150
- smectite, Ni-Fe-Mg-, from weathered pyroxenite 1
- SO<sub>4</sub>-hydrotalcite 401
- tobermorite, synthetic, basal spacing 385
- volkonskoite 139
- wairakite, hydrothermal alteration of bentonite, basalt 241
- XRD (see X-ray powder diffraction)
- Y
- YAU, Y.-C. (with D. R. PEACOR, E. J. ESSENE, J. H. LEE, L.-C. KUO, and M. A. COSCA), Hydrothermal Treatment of Smectite, Illite, and Basalt to 460°C: Comparison of Natural with Hydrothermally Formed Clay Minerals 241
- Z
- ZACHARA, J. M. (with C. C. AINSWORTH and R. L. SCHMIDT), Quinoline Sorption on Na-Montmorillonite: Contributions of the Protonated and Neutral Species 121
- Zeolites (see also individual minerals)
- analcime 89, 449
- clinoptilolite 89, 449, 463, 469
- clinoptilolite in altered tuff 89, 449
- clinoptilolite in lignite, altered glass, EDX, morphology, SEM, electron microprobe 281
- clinoptilolite, heavy liquid separation from soil, XRD, SEM, structural formula 469
- clinoptilolite, Na-, Ca-, NH<sub>4</sub>-exchange selectivity 458
- clinoptilolite, quantitative determination in soils, CEC, XRD 463
- diagenesis of volcanic glass 449
- heulandite in altered tuff 89
- in altered tuffs 89
- merlinoite in altered tuff 449
- mordenite in altered tuff 89
- natrolite in saprolite 196
- phillipsite in altered tuff 449
- replacement of volcanic glass 89
- silication of interbedded lignite/altered tuff 281
- zeolitic structures, bidimensional, formation from beidellite and hydroxy-Al solutions 251