

## CdS-sensitized single-crystalline $\text{TiO}_2$ nanorods and polycrystalline nanotubes for solar hydrogen generation – ERRATUM

Ulugbek Shaislamov and Bee Lyong Yang

doi: 10.1557/jmr.2012.373, Published by Cambridge University Press, 19 November 2012.

In Shaislamov et al.<sup>1</sup>, Figs. 3 and 4 are misrepresented. Correct representations are displayed below




FIG. 3. Photocurrent measurement results of the  $\text{TiO}_2$  nanostructured photoanodes. (a) and (b) show photocurrent response of the bare  $\text{TiO}_2$ ,  $\text{CdS}/\text{TiO}_2$ , and  $\text{CdS}/\text{TiO}_2$  after heat treatment anodes under white (a) and visible light (b). (c) and (d) are photocurrent of  $\text{TiO}_2$  nanotubes under white and visible light irradiation, respectively.




FIG. 4. IPCE results of TNRs (a) and nanotubes (b) before and after CdS sensitization. (c) Hydrogen evolution rates for CdS-sensitized nanorods and nanotubes.

The publisher regrets the error.

## REFERENCE

- Ulugbek Shaislamov and Bee Lyong Yang: CdS-sensitized single-crystalline  $\text{TiO}_2$  nanorods and polycrystalline nanotubes for solar hydrogen generation. *J. Mater. Res.* **28**(3), 497–501 (2013).