


Part II of II

JOURNAL OF PALEONTOLOGY

THE PALEONTOLOGICAL SOCIETY
MEMOIR 23

Patterns of Dental Evolution in
Early Eocene Anaptomorphine Primates
(Omomyidae) from the
Bighorn Basin, Wyoming

THOMAS M. BOWN AND KENNETH D. ROSE



Memoirs of The Paleontological Society are occasional publications consisting of monographs and symposia that are too extensive for publication in the *Journal of Paleontology* as part of the regular issues. Ordinarily, memoirs are published as supplements to a regular issue of the *Journal*. Inquiries concerning submittal of manuscripts for inclusion in the Memoir Series may be made to the Editors of the *Journal* for The Paleontological Society.

Communications concerning the cost and availability of back numbers of the Memoir Series should be addressed to the Society of Economic Paleontologists and Mineralogists, P.O. Box 979, Tulsa, Oklahoma 74101.

OFFICERS OF THE PALEONTOLOGICAL SOCIETY

For the year ending November 1987

President

STEPHEN J. GOULD, Cambridge, MA

President-Elect

N. GARY LANE, Bloomington, IN

Past-President

NORMAN F. SOHL, Washington, DC

Secretary

JOHN POJETA, JR.
U.S. Geological Survey
E-501 National Museum of Natural History
Smithsonian Institution
Washington, DC 20560

Treasurer

ROGER L. KAESLER
Dept. of Geology
University of Kansas
Lawrence, KS 66045

Program Coordinator

JENNIFER A. KITCHELL, Ann Arbor, MI

Managing Editor

RICHARD D. HOARE, Bowling Green, OH

Associate Editor

DON C. STEINKER, Bowling Green, OH

Technical Editors

RONALD R. WEST and RICHARD M. BUSCH
Manhattan, KS

DAVID K. ELLIOTT, Flagstaff, AZ
DONALD L. WOLBERG, Socorro, NM
MARK A. WILSON, Wooster, OH

Book Review Editor

CARL F. KOCH, Norfolk, VA

Paleobiology Co-Editors

RICHARD COWEN and PHILIP W. SIGNOR
Davis, CA

Special Publications Co-Editors

THOMAS W. BROADHEAD and KENNETH R.
WALKER
Knoxville, TN

Councilors

ROGER J. CUFFEY, University Park, PA
PETER D. WARD, Seattle, WA

Section Chairpersons

North-Central: ROBERT L. ANSTEY
East Lansing, MI

Northeastern: JEAN M. BERDAN
Washington, DC

Pacific Coast: GREGORY J. RETALLACK
Eugene, OR

Rocky Mountains: MARTIN G. LOCKLEY
Denver, CO

Southeastern: ROBERT A. GASTALDO
Auburn, AL

The Paleontological Society

MEMOIR 23

**PATTERNS OF DENTAL EVOLUTION IN
EARLY EOCENE ANAPTOMORPHINE PRIMATES
(OMOMYIDAE) FROM THE
BIGHORN BASIN, WYOMING**

THOMAS M. BOWN AND KENNETH D. ROSE

U.S. Geological Survey, Denver, Colorado 80225 and
Department of Cell Biology and Anatomy, The Johns Hopkins University,
Baltimore, Maryland 21205

Copyright © 1987 *by*
THE PALEONTOLOGICAL SOCIETY, INC.
SEPTEMBER 1987

CONTENTS

ABSTRACT	1
INTRODUCTION	1
PHILOSOPHY	5
PUNCTUATED EQUILIBRIA AND GRADUALISM	8
GEOLOGIC SETTING OF BIGHORN BASIN ANAPTOMORPHINE PRIMATES	13
STRATIGRAPHIC AND LOCALITY DATA FOR BIGHORN BASIN ANAPTOMORPHINE PRIMATES	15
MATERIALS AND METHODS	16
SYSTEMATIC PALEONTOLOGY	22
GENUS <i>Teilhardina</i> Simpson, 1940	26
<i>Teilhardina americana</i> Bown, 1976	28
<i>Teilhardina crassidens</i> n. sp.	31
<i>T. americana</i> – <i>T. crassidens</i> intermediates	35
<i>Teilhardina tenuicula</i> (Jepsen, 1930) n. comb.	38
GENUS <i>Anemorhysis</i> Gazin, 1958	41
<i>Anemorhysis pattersoni</i> Bown and Rose, 1984	43
<i>Anemorhysis wortmani</i> Bown and Rose, 1984	44
GENUS <i>Steinius</i> Bown and Rose, 1984	44
<i>Steinius vespertinus</i> (Matthew, 1915)	44
GENUS <i>Chlororhysis</i> Gazin, 1958	45
<i>Chlororhysis incomptus</i> Bown and Rose, 1984	45
GENUS <i>Tetonius</i> Matthew, 1915	45
<i>Tetonius homunculus</i> (Cope, 1882)	46
<i>Tetonius mckennai</i> n. sp.	49
<i>Tetonius matthewi</i> n. sp.	51
<i>Tetonius</i> sp.	54
<i>Tetonius</i> – <i>Pseudotetonius</i> intermediates	59
GENUS <i>Pseudotetonius</i> Bown, 1974	60
<i>Pseudotetonius ambiguus</i> (Matthew, 1915)	64
GENUS <i>Absarokius</i> Matthew, 1915	65
<i>Absarokius abbotti</i> (Loomis, 1906)	67
<i>Absarokius metoecus</i> n. sp.	75
<i>Absarokius gazini</i> n. sp.	77
<i>Absarokius nocerae</i> (Robinson, 1966) n. comb.	79
<i>Absarokius australis</i> n. sp.	80
GENUS <i>Strigorhysis</i> Bown, 1979	81
<i>Strigorhysis</i> cf. <i>S. bridgerensis</i> Bown, 1979	86
<i>Strigorhysis huerfanensis</i> n. sp.	88
EVOLUTION OF ANAPTOMORPHINE PRIMATES IN THE BIGHORN BASIN	90
EVOLUTION IN THE <i>TEILHARDINA</i> – <i>ANEMORHYSIS</i> CLADE	91
EVOLUTION IN THE <i>TETONIUS</i> – <i>PSEUDOTETONIUS</i> CLADE	101
EVOLUTION IN THE <i>ABSAROKIUS</i> CLADE	109
SUMMARY AND CONCLUSIONS	117
THE NATURE OF EVOLUTION IN THE BIGHORN BASIN ANAPTOMORPHINE RECORD	119
IMPLICATIONS OF GRADUAL EVOLUTION FOR TAXONOMIC AND BIOSTRATIGRAPHIC PRACTICE	123
EVOLUTIONARY RATES IN BIGHORN BASIN ANAPTOMORPHINES	125
ACKNOWLEDGMENTS	127
REFERENCES	128

APPENDICES

1—Specimen data for lower teeth of <i>Teilhardina americana</i> Bown	134
2—Specimen data for upper teeth of <i>Teilhardina americana</i> Bown	135
3—Specimen data for lower teeth of <i>Teilhardina crassidens</i> n. sp.	135
4—Specimen data for upper teeth of <i>Teilhardina crassidens</i> n. sp.	136
5—Specimen data for lower teeth of <i>Teilhardina americana</i> – <i>Teilhardina crassidens</i> intermediates	136
6—Specimen data for upper teeth of <i>Teilhardina americana</i> – <i>Teilhardina crassidens</i> intermediates	138
7—Specimen data for lower teeth of <i>Teilhardina tenuicula</i> (Jepsen) n. comb., <i>Tetonius mckennai</i> n. sp., <i>Anemorhysis pattersoni</i> Bown and Rose, <i>A. wortmani</i> Bown and Rose, <i>Chlororhysis incomptus</i> Bown and Rose, and <i>Steinius vespertinus</i> (Matthew)	139
8—Specimen data for type specimens of <i>Teilhardina tenuicula</i> (Jepsen) n. comb. and <i>Tetonius homunculus</i> (Cope), and for upper teeth of <i>Anemorhysis pattersoni</i> Bown and Rose and <i>Steinius vespertinus</i> (Matthew)	140
9—Specimen data for lower teeth of <i>Tetonius matthewi</i> n. sp.	141
10—Specimen data for undifferentiated upper teeth of <i>Tetonius matthewi</i> n. sp. and <i>Tetonius</i> sp.	144
11—Specimen data for lower teeth of <i>Tetonius</i> sp.	145
12—Specimen data for lower teeth of <i>Tetonius matthewi</i> – <i>Pseudotetonius ambiguus</i> intermediates	146
13—Specimen data for upper teeth of <i>Tetonius matthewi</i> – <i>Pseudotetonius ambiguus</i> intermediates	149
14—Specimen data for lower teeth of <i>Pseudotetonius ambiguus</i> (Matthew)	150
15—Specimen data for upper teeth of <i>Pseudotetonius ambiguus</i> (Matthew)	151
16—Specimen data for lower teeth of <i>Absarokius abbotti</i> (Loomis)	152
17—Specimen data for upper teeth of <i>Absarokius abbotti</i> (Loomis)	156
18—Specimen data for lower teeth of <i>Absarokius metoecus</i> n. sp.	158
19—Specimen data for upper teeth of <i>Absarokius metoecus</i> n. sp.	160
20—Specimen data for type specimens of <i>Absarokius nocerae</i> (Robinson) n. comb. and <i>A. witteri</i> Morris, and for type and referred specimens of <i>A. gazini</i> n. sp. and <i>A. australis</i> n. sp.	161
21—Specimen data for type and referred specimens of <i>Strigorhysis huerfanensis</i> n. sp., <i>S. rugosus</i> Bown, <i>S. bridgerensis</i> Bown, <i>Strigorhysis</i> cf. <i>S. bridgerensis</i> Bown, and <i>Aycrossia lovei</i> Bown	162

ILLUSTRATIONS

FIGURES

FRONTISPIECE—Life restoration of <i>Tetonius</i>	viii
1—Base map of the Bighorn Basin, northwest Wyoming	3
2—Measured sections and localities yielding fossils of anaptomorphine primates in the southeastern Bighorn Basin	17
3—Measured sections and localities yielding fossils of anaptomorphine primates in the south-central Bighorn Basin	20
4—Axes of orientation for measuring teeth of anaptomorphine primates	22
5— <i>Teilhardina americana</i> Bown	27
6— <i>Teilhardina americana</i> Bown, <i>T. crassidens</i> n. sp.	29
7— <i>Teilhardina crassidens</i> n. sp., <i>T. americana</i> Bown	30
8— <i>Teilhardina crassidens</i> n. sp.	32
9— <i>Teilhardina crassidens</i> n. sp.	33
10— <i>Teilhardina americana</i> – <i>T. crassidens</i> intermediate	34

11— <i>Teilhardina americana</i> – <i>T. crassidens</i> intermediate	36
12— <i>Teilhardina</i> spp.	37
13— <i>Teilhardina americana</i> – <i>T. tenuicula</i> intermediate	38
14— <i>Teilhardina tenuicula</i> (Jepsen) n. comb.	39
15— <i>Tetonius</i> , <i>Teilhardina</i>	40
16—Position of holotype of <i>Tetonius homunculus</i> (Cope) with respect to <i>Tetonius</i> – <i>Pseudotetonius</i> lineage	49
17—Holotype of <i>Tetonius matthewi</i> n. sp.	50
18— <i>Tetonius matthewi</i> n. sp.	51
19— <i>Tetonius matthewi</i> n. sp.	52
20— <i>Tetonius matthewi</i> n. sp.	53
21— <i>Tetonius matthewi</i> – <i>Pseudotetonius ambiguus</i> intermediate (stage 2)	55
22— <i>Tetonius matthewi</i> – <i>Pseudotetonius ambiguus</i> intermediate (stage 2/4)	55
23— <i>Tetonius matthewi</i> – <i>Pseudotetonius ambiguus</i> intermediate (stage 3)	56
24— <i>Tetonius matthewi</i> – <i>Pseudotetonius ambiguus</i> intermediates (stages 2 and 3)	57
25— <i>Tetonius</i> , <i>Pseudotetonius</i>	58
26— <i>Pseudotetonius ambiguus</i> (Matthew)	61
27— <i>Pseudotetonius ambiguus</i> (Matthew)	62
28— <i>Pseudotetonius ambiguus</i> (Matthew)	63
29— <i>Pseudotetonius ambiguus</i> (Matthew)	64
30— <i>Pseudotetonius ambiguus</i> (Matthew), <i>Absarokius gazini</i> n. sp.	65
31— <i>Absarokius abbotti</i> (Loomis)	67
32— <i>Absarokius abbotti</i> (Loomis)	68
33— <i>Absarokius abbotti</i> (Loomis), <i>A. metoecus</i> n. sp.	69
34— <i>Absarokius metoecus</i> n. sp., <i>A. abbotti</i> (Loomis)	70
35—Stratigraphic plot of p4 L in <i>Absarokius</i>	73
36—Stratigraphic plot of p4 H in <i>Absarokius</i>	74
37—Scatter diagram of p4 H and p4 area in <i>Absarokius</i>	75
38— <i>Absarokius metoecus</i> n. sp.	78
39— <i>Absarokius metoecus</i> n. sp.	78
40— <i>Absarokius metoecus</i> n. sp.	79
41— <i>Absarokius metoecus</i> n. sp.	80
42— <i>Absarokius metoecus</i> n. sp.	81
43— <i>Absarokius metoecus</i> n. sp., <i>Strigorhysis</i>	82
44—Holotypes of four species of <i>Absarokius</i>	83
45—Holotype of <i>Absarokius australis</i> n. sp.	84
46— <i>Absarokius</i> , <i>Strigorhysis</i>	85
47— <i>Strigorhysis huerfanensis</i> n. sp.	87
48— <i>Strigorhysis bridgerensis</i> Bown	88
49— <i>Aycrossia lovei</i> Bown	89
50—Plot of m1 area in Bighorn Basin omomyids	90
51—Plot of p3 area in Bighorn Basin omomyids	91
52—Plot of p4 area in Bighorn Basin omomyids	92
53—Plot of m1 area in Bighorn Basin omomyids	93
54—Plot of m2 area in Bighorn Basin omomyids	93
55—Plot of P4 area in Bighorn Basin omomyids	94
56—Plot of M1 area in Bighorn Basin omomyids	94
57—Changes in morphology of p4 and proportions of m1 in <i>Teilhardina</i>	95
58—Upper cheek teeth of <i>Teilhardina</i>	96
59—Stratigraphic distribution of m1 and m2 sizes in the <i>Teilhardina</i> and <i>Tetonius</i> – <i>Pseudotetonius</i> lineages	97
60—Plot of p4 area in Clark's Fork Basin omomyids	98
61—Plot of m1 area in Clark's Fork Basin omomyids	99
62—Plot of m1 area in Clark's Fork Basin omomyids with vertical scale compressed	99
63—Interrelationships of <i>Anemorhysis</i> and <i>Teilhardina</i>	101

64—Morphological stages of evolution between <i>Teilhardina</i> and <i>Tetonius</i>	102
65—Histograms of p4 and m1 size in <i>Teilhardina americana</i> and <i>Tetonius</i>	103
66—Shape of p4 in Bighorn Basin omomyids, 180–190 m interval	104
67—Morphologic stages in the <i>Tetonius</i> – <i>Pseudotetonius</i> lineage	105
68—Stratigraphic distribution of lower premolar traits in the <i>Tetonius</i> – <i>Pseudotetonius</i> lineage, central and southern Bighorn Basin	106
69—Stratigraphic distribution of lower premolar traits in the <i>Tetonius</i> – <i>Pseudotetonius</i> lineage, Clark’s Fork Basin	108
70—Comparisons of lower fourth premolar crown distention in <i>Absarokius</i>	109
71—Dental variation in p4–m1 of <i>Absarokius abbotti</i> (Loomis)	110
72—Dental variation in p4–m1 of <i>Absarokius metoecus</i> n. sp.	111
73—Dental variation in M1–2 of <i>Absarokius abbotti</i> (Loomis)	113
74—Dental variation in M1–2 of <i>Absarokius metoecus</i> n. sp. and <i>Strigorhysis</i>	114
75—Evolutionary interrelationships of Bighorn Basin Anaptomorphae and some related forms	116
76—Temporally-stratified morphology, morphologic breadth, and some possible species groupings in <i>Tetonius</i> – <i>Pseudotetonius</i> lineage	120
TABLES	
1—Summary of recent systematic treatment of anaptomorphine primates discussed in this paper	4
2—Stratigraphic distribution of localities yielding anaptomorphine primates in the southern Bighorn Basin	18
3—Comparative statistics for lower teeth of <i>Teilhardina</i>	31
4—Statistics for lower teeth of <i>Tetonius mckennai</i> n. sp.	49
5—Comparative statistics for lower teeth of <i>Tetonius matthewi</i> n. sp. and <i>Pseudotetonius ambiguus</i> (Matthew)	54
6—Statistics for lower teeth of <i>Tetonius</i> sp.	54
7—Comparative statistics for lower teeth of <i>Tetonius</i> – <i>Pseudotetonius</i> intermediates, stages 2, 3, and 4	59
8—Comparative statistics for cheek teeth of <i>Absarokius</i>	76
9—Estimates of evolutionary rates for some early anaptomorphine primates from the Willwood Formation	126