

Junior Doctor Mentors: Enhancing Medical Student Psychiatry Training

Dr Kenneth Ruddock* and Dr Catriona Neil

NHS Lanarkshire, Lanarkshire, United Kingdom

*Presenting author.

doi: 10.1192/bjo.2022.148

Aims. Increased clinical contact during undergraduate psychiatry placements has been shown to both increase the likelihood of students considering a career in psychiatry and reduce mental-health related stigma. It can be challenging to provide medical students with a valuable clinical experience, a problem which has been further exacerbated by the coronavirus pandemic. We aimed to develop a junior doctor mentoring scheme to increase clinical exposure and teaching for students.

Methods. Within NHS Lanarkshire, groups of 4–6 University of Glasgow medical students are accommodated for their five-week clinical psychiatry blocks, during which they have a varied structured timetable, providing an overview of different psychiatric specialities. As such, students meet a wide range of clinicians, which can unfortunately mean there is little continuity in their training throughout the block.

We developed a mentoring scheme to help address this issue. Enthusiastic trainee doctors – including foundation year two doctors, GP trainees and psychiatry core trainees – were invited to participate. Medical students are paired with a mentor for the duration of their block, during which they meet informally on a weekly basis. Mentors provide students with ward shadowing opportunities and bedside teaching, as well as completing workplace based assessments (WPBAs), discussing case reports and providing an additional perspective for end-of-block reports.

Results. The mentoring scheme has been running successfully for every five-week student placement since October 2020. Student feedback has been collected via an anonymous electronic questionnaire. Students were asked what they enjoyed the most about their placement, with students frequently highlighting the support from their mentor.

Examples from free-text comments included, “having an assigned mentor was really useful as someone to touch base with and go through clinical cases” and, “having a mentor was invaluable – it is crucial to have a friendly face on the wards and a contact to complete WPBAs”.

Informal feedback from mentors has also been positive with trainees enjoying the opportunity to develop their teaching skills and support student training. Mentors also highlighted the role’s benefit for their portfolios and specialty applications.

Conclusion. This simple and cost-free intervention has had resoundingly positive feedback from medical students and trainees. Medical students enjoy having consistent informal teaching, support and feedback. Our mentoring scheme will continue for all medical students in NHS Lanarkshire and we would encourage other areas to consider a similar project. By increasing clinical exposure we hope to further reduce mental health stigma amongst students and inspire the psychiatrists of tomorrow.

Improving Clinical Skills in Psychiatry Using Online Simulation

Dr Sonya Rudra* and Dr Abigail Swerdlow

East London NHS Foundation Trust, London, United Kingdom

*Presenting author.

doi: 10.1192/bjo.2022.149

Aims. The COVID-19 pandemic impacted medical education with teaching moving online. The aim of this study was to evaluate whether online simulation is an effective tool for the delivery of student psychiatric clinical skills teaching. This has important implications for the future planning of psychiatric clinical skills teaching.

Methods. 162 students were divided across nine online psychiatric simulation sessions held over a four month period. The sessions lasted 3.5 hours and consisted of three simulated scenarios with a professional actor and experienced facilitator. Students were asked to rate: confidence in taking a psychiatric history, conducting a mental state exam, formulating treatment plans, conducting risk assessment, assessing capacity and communicating with patients in psychiatry. Confidence ratings were completed pre and post session on Likert scale (1 = least confident, 10 = most confident). Students were also given the opportunity to provide qualitative feedback after the sessions. The study was conducted with permission from Associate Dean for Undergraduate Teaching and QMUL Centre Lead for Psychiatry.

Results. 137 (92.7%) of students attending the workshop completed pre-session questionnaire and 122 (82.4%) completed post-session questionnaire. 95.1% students rated workshops as good/very good. Pre and post confidence comparisons showed significant increases in average confidence for all questions from pre ($M = 5.1$, $SE = 0.2$) to post ($M = 7.1$, $SE = 0.2$), $t = 10.7$ $p < 0.001$. Paired t-tests were used to compare average pre and post-session results for individual questions from the same session. All questions showed significant increases in scores. Qualitative feedback indicated that students valued the opportunity to practice, obtain feedback and requested more sessions.

Conclusion. Results show significant increases in confidence in psychiatric clinical skills using online psychiatric simulation. This supports our hypothesis that online simulation is an effective tool for delivery of student psychiatric clinical skills teaching. Students may benefit from online simulation increasing their confidence prior to attending psychiatric placements. This teaching method will also provide an additional method for practising clinical skills with increasing student numbers and demands on psychiatric placements. It therefore has important implications in the future of psychiatric education and could be adapted for use across clinical years and medical schools.

Learning Needs Assessment of Multidisciplinary Staff Working Within the Memory Assessment Services – Survey Study

Dr Hafeesa Sameem* and Dr Raja Adnan Ahmed

Aneurin Bevan University Health Board, Newport, United Kingdom

*Presenting author.

doi: 10.1192/bjo.2022.150

Aims. To assess the learning needs of the memory team multidisciplinary (MDT) staff working in South East Wales, in relation to diagnosis of dementia, types of dementia, anti-dementia medications and risk associated with dementia.

Methods. An online anonymised survey was designed and distributed via email among memory team MDT staff of 3 different health boards of the South East Wales area which included Aneurin Bevan University Health Board, Cwm Taf Morgannwg University Health Board and Cardiff and Vale University Health Board.

The survey was designed to gather information about their understanding of the common type of dementia, treatment with medication, indications and cautions related to medications, the